NOTICE TO BIDDERS

NOTICE IS HEREBY GIVEN, that the Undersigned, on behalf of the Essex County Board of Supervisors, will accept sealed bids at the Office of the Purchasing Agent until 2:00 P.M. on December 20, 2017 for Water Meter Materials.

The bids shall be opened publicly and read aloud on December 20, 2017 at 2:00 P.M. at the Office of the Purchasing Agent, 7551 Court Street, Elizabethtown, New York 12932.

Please contact the Purchasing Office at (518) 873-3330 for additional information concerning the bidding. Specifications and standard proposals for the proposed work may be obtained at the above address, or on the County's website at: https://www.co.essex.ny.us/bidders/publicbids.aspx.

All bids submitted in response to this notice shall be marked "SEALED BID – WATER METER MATERIALS" clearly on the outside of the envelope.

Dated: December 4, 2017

Linda M. Wolf, CPA Purchasing Agent Essex County Government Center 7551 Court Street – PO Box 217 Elizabethtown, New York 12932 (518) 873-3332

INSTRUCTIONS TO BIDDERS

All bids shall be submitted on the bid sheets included in the package, and no other forms shall be accepted.

Essex County reserves the right to reject any and all bids not considered to be in the best interest of Essex County, and to waive any technical or formal defect in the bids which is considered by Essex County to be merely irregular, immaterial, or unsubstantial.

In addition to bid sheets, the bidder shall submit executed non-collusion bid certificates signed by the bidder or one of its officers as required by the General Municipal Law Sec. 103d. The bidder shall also submit an executed certificate of compliance with the Iran Divestment Act signed by the bidder or one of its officers as required by the General Municipal Law Sec. 103g.

A Contract awarded pursuant to this notice shall be subject to the provisions of Sections 103-1, 103-b, 103-d and 103-g of the General Municipal Law.

Essex County affirmatively states that in regard to any contract entered into pursuant to these instructions, without regard to race, color, sex, religion, age, national origin, disability, sexual preference or Vietnam Era veteran status, disadvantaged and minority or women-owned business enterprises will be afforded equal opportunity to submit bids in response hereto.

The contract shall be completed within 6 weeks of acceptance of bid.

This bid is for materials only, installation will be by Essex County DPW.

Please address all questions, in writing, to: lwolf@co.essex.ny.us.

Addenda will be posted on the Essex County Website, interested vendors are urged to check before submitting their bid.

Each bidder will need to complete, sign, have notarized and return the following documents with their Bid:

- 1) Vendor Responsibility Questionnaire
- 2) Certification of Compliance With Iran Divestment Act
- 3) Non-Collusive Bidding Certification

PUBLIC SAFETY BUILDING WATER METER - MATERIALS PROCUREMENT - DPW_2017-02

SECTION 000110 - TABLE OF CONENTS

DIVISION 00 - PROCUREMENT AND CONTRACTING REQUIREMENTS

Notice to Bidders Instructions to Bidders

000110 Table of Contents

BIDDING REQUIREMENTS

004113 Bid Form

Non-Bidder Response W-9 Request for Tax Payer Identification Number and Certification Vendor Responsibility Questionnaire Certification of Compliance with Iran Divestment Act Non-Collusive Bidding Certification

DIVISION 01 - GENERAL REQUIREMENTS

013300	Submittal Procedures
016000	Product Requirements

DIVISION 33 - UTILITIES

330110	Disinfection of Water Utility Piping Systems (NIC reference only)
330561	Concrete Manholes (Lot 2)
331413	Public Water Utility Distribution Piping (Lot 1)
331419	Valves and Hydrants for Water Utility Service (Lot 1)
331900	Water Utility Metering Equipment (Lot 1)

DIVISION 40 – PROCESS INTERCONNECTIONS

400506 Couplings, Adapters and Specials for Process Piping (Lot 1)

APPENDICIES

Appendix A – Drawing (Cover, C5-1 & C5-2)

Exhibit C - Insurance Requirements - Service Providers

Appendix D – Standard Clauses for Essex County Contracts

Appendix E – General Specifications for Procurement Contracts

END OF DOCUMENT 000110

TABLE OF CONTENTS 000110 - 1

SECTION 004113 - BID FORM

1.1	RID	INFO)RM	ATI	ON

- A. To: Essex County Purchasing Office, 7551 Court Street, Elizabethtown, NY 12932.
- B. Project Title: Public Safety Building Water Meter.

C.	DPW	Pro	ect	No.:	201	7 02
----	-----	-----	-----	------	-----	------

D	Date:		
IJ.	Date.		

- E. Submitted by:
- F. Company Name and Address:
- G. Telephone No.: _____ Fax No.: ____
- H. Social Security/Federal ID No.:
- I. Email:

1.2 OFFER

- A. Having examined the Place of the Work and all matters referred to in the Instructions to Bidders and the Contract Documents prepared by the Essex County for the above-referenced Project, we, the undersigned, hereby offer to enter into a Contract for the Unit Prices listed in this Bid Form in lawful money of the United States of America.
- B. Delivery of materials to:

Public Safety Building 702 Stowersville Rd Lewis NY, 12950

Delivery Hours: 7:00 am to 2:30 pm, Monday through Friday

1.3 CONTRACT TIME

- A. If this Bid is accepted, we will:
 - 1. Supply materials in 6 calendar weeks from acceptance of this Bid.

1.4 ADDENDA

A. Following Addenda have been received, and the modifications to the Bid Documents noted below have been considered and all costs are included in the Bid Price.

PUBLIC SAFETY BUILDING WATER METER - MATERIALS PROCUREMENT - DPW_2017-02

1.	Addendum No _	, dated _	
2.	Addendum No _	<u>,</u> dated	

- 1.5 PROPOSAL DOCUMENTS (ATTACHMENTS TO THE BID)
 - A. Following documents are attached to and made a condition of the Bid:
 - 1. Vendor Responsibility Questionnaire (Notarized)
 - 2. Certification of Compliance with Iran Divestment Act (Notarized)
 - 3. Non-Collusive Bidding Certification (Notarized)
 - 4. Full product submittals identified by section

1.6 BID FORM (Lot 1) Specifications Part 1 & 2 Materials, no Part 3 installation labor

Spec Division	ltem	Units	# of Units	Cost/Unit	Cost
DIVISION	iteiii	Offics	# Of Offics	Cost/Offic	Cost
331413	8" Grip Ring Retainer and gland pack (with bolts)	Each	4		
331413	8" Mechanical Joint Coupling (complete with re-	Lacii	Т-		
331413	straining and sealing assembly)	Each	1		
331413	8" x 6" x 8" Tee (MJ x MJ)	Each	2		
	8" Mechanical Joint Adapter (MJ x MJ) fitting to				
331413	fitting with gaskets and bolts	Each	1		
221419	8" Gate Valve and box	Each	1		
331413	8" DI pipe	LF	18		
331413	6" Grip Ring Retainer and gland pack (with bolts)	Each	6		
	6" Mechanical Joint Adapter (MJ x MJ) fitting to				
331413	fitting with gaskets and bolts	Each	2		
331419	6" Gate valve and box	Each	2		
331413	6" Elbow (MJ x MJ)	Each	2		
331413	6" Flange Adapter sleeve (restrained)	Each	2		
331413	6" Flange pack, gasket and bolts	Each	2		
331413	6" DI pipe	LF	36		
331413	3/4" Corp stop (CC male by IP Compression)	Each	2		
331413	3/4" Copper tube (60 ft roll)	Each	1		
331413	3/4" Curb valve and box	Each	2		
	6" water meter with strainer, valved ports, and				
	remote register, startup and training (complete				
331900	specification)	Each	1		
	5/8" Meter Setter and Pit (complete system as				
331900	specified)	Each	1		
400506	2.5 fire hose (NSF 61) 50 ft	Each	6		
400506	Pressure reducing valve with Pressure gauges	Each	1		
	Hydrant adapter 2" NPT(M) X 2.5" NST (M) - out-				
400506	let	Each	1		
400500	Hydrant adapter 2" NPT(M) X 2.5" NST (F) - Inlet	F1-			
400506	(Swivel)	Each	1		
400506	2.5" pressure gauges	Each	2		
400506	Fire Hydrant Gauge kit (200 psi)	Each	1		
400506	Hydrant Wrench	Each	1		
400506	Valve Key Kit	Each	1		
400506	Manhole lift magnet	Each	1		
400506	Manhole Pick	Each	1		
330561	Water tight Manhole Insert	Each	1		
		1			
	Total Bid				

PUBLIC SAFETY BUILDING WATER METER - MATERIALS PROCUREMENT - DPW_2017-02

1.7 BID FORM (Lot 2) Specifications Part 1 & 2 Materials, no Part 3 installation labor

Spec Section	ltem	Units	# of Units	Cost/Unit	Cost
330561	Manhole (complete assembly as specified)	Each	1		

1.8	RID	FORM	SIGNA	TURES
1.0	DID	1 OIM	DIGIT	

A.	The Corporate Seal of	was hereunto affixed in the presence of:
	1.	

B. If the Bid is a joint venture or partnership, add additional forms of execution for each member of the joint venture in the appropriate form or forms as above.

1.9 PAYMENTS

- A. Lot 1 Payment will be made within 30 days of submission of invoice and startup of Water Meter.
- B. Lot 2 Payment will be made within 30 days of submission of invoice.

END OF DOCUMENT 004113

ESSEX COUNTY PURCHASING 7551 COURT STREET – PO BOX 217 ELIZABETHTOWN, NY 12932

NON-BIDDER RESPONSE

	Bid/RFP Name:
Please	ssex County Purchasing Department is interested in the reasons why bidders fail to submit bids. indicate your reason(s) by checking all appropriate item(s) below and returning this form to the address.
	Could not meet specifications or Scope of Services.
I	Items or materials requested not manufactured by us or not available to our company.
	Insurance Requirements are too restricting.
I	Bond requirements are too restricting.
	Specifications or Scope of Services not clearly understood or applicable (too vague, too rigid, etc.)
I	Project not suited to firm,
	Quantities too small.
	Insufficient time allowed for preparation of bid.
	Other reasons; please state and define:
Vendo	r Name:
Contac	et Person:
Vendo	r Address:
Vendo	r Telephone:

(Rev. December 2014) Department of the Treasury Internal Revenue Service

Request for Taxpayer Identification Number and Certification

Give Form to the requester. Do not send to the IRS.

	1 N	ame (as shown on your income tax return). Name is required on this line; do not leave this line blank.											
je 2.	2 B	usiness name/disregarded entity name, if different from above											
3 Check appropriate box for federal tax classification; check only one of the following seven boxes: Individual/sole proprietor or C Corporation S Corporation Partnership Trust/estate single-member LLC Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) Note. For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the line above for the tax classification of the single-member owner. Other (see instructions) 5 Address (number, street, and apt. or suite no.) Requester's name of the following seven boxes: Individual/sole proprietor or C Corporation S Corporation Partnership Trust/estate							4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any)						
uc t		Note. For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the li	ne ahov	e for	E	xempt	tion fro	m FA	ТСА	repor	ting		
nt c Istri		the tax classification of the single-member owner.	ne abov	76 101	С	ode (i	f any)						
F S		Other (see instructions) ▶			(4	Applies to	accounts	s mainta	ined c	outside t	he U.S	i.)	
ecifi	5 A	ddress (number, street, and apt. or suite no.)	uester's	name	e and	d addre	ess (op	tional)				
See Sp	6 C	ity, state, and ZIP code											
	7 L	st account number(s) here (optional)											
Par	t I	Taxpayer Identification Number (TIN)										_	
Enter	your	TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid	So	cial s	ecur	ity nu	mber						
reside	nt al	chholding. For individuals, this is generally your social security number (SSN). However, for a lien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other s your employer identification number (EIN). If you do not have a number, see <i>How to get a</i>				-		_					
TINo			or										
		e account is in more than one name, see the instructions for line 1 and the chart on page 4 for	En	Employer identification number									
guide	lines	on whose number to enter.			_								
Par	t II	Certification	<u> </u>	1 1				1					
Unde	r pen	alties of perjury, I certify that:											
1. Th	e nui	nber shown on this form is my correct taxpayer identification number (or I am waiting for a nur	mber to	o be	issu	ed to	me); a	and					
Se	rvice	t subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I hat (IRS) that I am subject to backup withholding as a result of a failure to report all interest or diver subject to backup withholding; and											
3. I a	m a l	J.S. citizen or other U.S. person (defined below); and											
4. The	e FAT	CA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is c	orrect										
intere gener instru	ise y st pa ally, ction	on instructions. You must cross out item 2 above if you have been notified by the IRS that you have failed to report all interest and dividends on your tax return. For real estate transaction id, acquisition or abandonment of secured property, cancellation of debt, contributions to an ideayments other than interest and dividends, you are not required to sign the certification, but is son page 3.	ns, iten ndividi	n 2 d ual re	oes etirer	not a nent :	pply. F arrang	or m	iortg nt (II	gage RA), a	and	J	
Sign	ו נ	Signature of U.S. person ▶ Date ▶											

General Instructions

U.S. person ▶

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at www.irs.gov/fw9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (lTIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)

- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)

• Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding? on page 2.

By signing the filled-out form, you:

- 1. Certify that the TIN you are giving is correct (or you are waiting for a number
- 2. Certify that you are not subject to backup withholding, or
- 3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
- 4. Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See What is FATCA reporting? on page 2 for further information.

Form W-9 (Rev. 12-2014) Page **2**

Note. If you are a U.S. person and a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien;
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States;
- · An estate (other than a foreign estate); or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax under section 1446 on any foreign partners' share of effectively connected taxable income from such business. Further, in certain cases where a Form W-9 has not been received, the rules under section 1446 require a partnership to presume that a partner is a foreign person, and pay the section 1446 withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid section 1446 withholding on your share of partnership income.

In the cases below, the following person must give Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States:

- In the case of a disregarded entity with a U.S. owner, the U.S. owner of the disregarded entity and not the entity;
- In the case of a grantor trust with a U.S. grantor or other U.S. owner, generally, the U.S. grantor or other U.S. owner of the grantor trust and not the trust; and
- In the case of a U.S. trust (other than a grantor trust), the U.S. trust (other than a grantor trust) and not the beneficiaries of the trust.

Foreign person. If you are a foreign person or the U.S. branch of a foreign bank that has elected to be treated as a U.S. person, do not use Form W-9. Instead, use the appropriate Form W-8 or Form 8233 (see Publication 515, Withholding of Tax on Nonresident Aliens and Foreign Entities).

Nonresident alien who becomes a resident alien. Generally, only a nonresident alien individual may use the terms of a tax treaty to reduce or eliminate U.S. tax on certain types of income. However, most tax treaties contain a provision known as a "saving clause." Exceptions specified in the saving clause may permit an exemption from tax to continue for certain types of income even after the payee has otherwise become a U.S. resident alien for tax purposes.

If you are a U.S. resident alien who is relying on an exception contained in the saving clause of a tax treaty to claim an exemption from U.S. tax on certain types of income, you must attach a statement to Form W-9 that specifies the following five items:

- 1. The treaty country. Generally, this must be the same treaty under which you claimed exemption from tax as a nonresident alien.
 - 2. The treaty article addressing the income
- 3. The article number (or location) in the tax treaty that contains the saving clause and its exceptions.
- 4. The type and amount of income that qualifies for the exemption from tax.
- Sufficient facts to justify the exemption from tax under the terms of the treaty article.

Example. Article 20 of the U.S.-China income tax treaty allows an exemption from tax for scholarship income received by a Chinese student temporarily present in the United States. Under U.S. law, this student will become a resident allien for tax purposes if his or her stay in the United States exceeds 5 calendar years. However, paragraph 2 of the first Protocol to the U.S.-China treaty (dated April 30, 1984) allows the provisions of Article 20 to continue to apply even after the Chinese student becomes a resident alien of the United States. A Chinese student who qualifies for this exception (under paragraph 2 of the first protocol) and is relying on this exception to claim an exemption from tax on his or her scholarship or fellowship income would attach to Form W-9 a statement that includes the information described above to support that exemption.

If you are a nonresident alien or a foreign entity, give the requester the appropriate completed Form W-8 or Form 8233.

Backup Withholding

What is backup withholding? Persons making certain payments to you must under certain conditions withhold and pay to the IRS 28% of such payments. This is called "backup withholding." Payments that may be subject to backup withholding include interest, tax-exempt interest, dividends, broker and barter exchange transactions, rents, royalties, nonemployee pay, payments made in settlement of payment card and third party network transactions, and certain payments from fishing boat operators. Real estate transactions are not subject to backup withholding.

You will not be subject to backup withholding on payments you receive if you give the requester your correct TIN, make the proper certifications, and report all your taxable interest and dividends on your tax return.

Payments you receive will be subject to backup withholding if:

- 1. You do not furnish your TIN to the requester,
- You do not certify your TIN when required (see the Part II instructions on page 3 for details),

- 3. The IRS tells the requester that you furnished an incorrect TIN,
- 4. The IRS tells you that you are subject to backup withholding because you did not report all your interest and dividends on your tax return (for reportable interest and dividends only), or
- 5. You do not certify to the requester that you are not subject to backup withholding under 4 above (for reportable interest and dividend accounts opened after 1983 only).

Certain payees and payments are exempt from backup withholding. See *Exempt payee code* on page 3 and the separate Instructions for the Requester of Form W-9 for more information.

Also see Special rules for partnerships above.

What is FATCA reporting?

The Foreign Account Tax Compliance Act (FATCA) requires a participating foreign financial institution to report all United States account holders that are specified United States persons. Certain payees are exempt from FATCA reporting. See Exemption from FATCA reporting code on page 3 and the Instructions for the Requester of Form W-9 for more information.

Updating Your Information

You must provide updated information to any person to whom you claimed to be an exempt payee if you are no longer an exempt payee and anticipate receiving reportable payments in the future from this person. For example, you may need to provide updated information if you are a C corporation that elects to be an S corporation, or if you no longer are tax exempt. In addition, you must furnish a new Form W-9 if the name or TIN changes for the account; for example, if the grantor of a grantor trust dies.

Penalties

Failure to furnish TIN. If you fail to furnish your correct TIN to a requester, you are subject to a penalty of \$50 for each such failure unless your failure is due to reasonable cause and not to willful neglect.

Civil penalty for false information with respect to withholding. If you make a false statement with no reasonable basis that results in no backup withholding, you are subject to a \$500 penalty.

Criminal penalty for falsifying information. Willfully falsifying certifications or affirmations may subject you to criminal penalties including fines and/or imprisonment.

Misuse of TINs. If the requester discloses or uses TINs in violation of federal law, the requester may be subject to civil and criminal penalties.

Specific Instructions

Line 1

You must enter one of the following on this line; **do not** leave this line blank. The name should match the name on your tax return.

If this Form W-9 is for a joint account, list first, and then circle, the name of the person or entity whose number you entered in Part I of Form W-9.

a. **Individual.** Generally, enter the name shown on your tax return. If you have changed your last name without informing the Social Security Administration (SSA) of the name change, enter your first name, the last name as shown on your social security card, and your new last name.

Note. ITIN applicant: Enter your individual name as it was entered on your Form W-7 application, line 1a. This should also be the same as the name you entered on the Form 1040/1040A/1040EZ you filed with your application.

- b. **Sole proprietor or single-member LLC.** Enter your individual name as shown on your 1040/1040A/1040EZ on line 1. You may enter your business, trade, or "doing business as" (DBA) name on line 2.
- c. Partnership, LLC that is not a single-member LLC, C Corporation, or S Corporation. Enter the entity's name as shown on the entity's tax return on line 1 and any business, trade, or DBA name on line 2.
- d. Other entities. Enter your name as shown on required U.S. federal tax documents on line 1. This name should match the name shown on the charter or other legal document creating the entity. You may enter any business, trade, or DBA name on line 2.
- e. **Disregarded entity.** For U.S. federal tax purposes, an entity that is disregarded as an entity separate from its owner is treated as a "disregarded entity." See Regulations section 301.7701-2(c)(2)(iii). Enter the owner's name on line 1. The name of the entity entered on line 1 should never be a disregarded entity. The name on line 1 should be the name shown on the income tax return on which the income should be reported. For example, if a foreign LLC that is treated as a disregarded entity for U.S. federal tax purposes has a single owner that is a U.S. person, the U.S. owner's name is required to be provided on line 1. If the direct owner of the entity is also a disregarded entity, enter the first owner that is not disregarded for federal tax purposes. Enter the disregarded entity's name on line 2, "Business name/disregarded entity name." If the owner of the disregarded entity is a foreign person, the owner must complete an appropriate Form W-8 instead of a Form W-9. This is the case even if the foreign person has a U.S. TIN.

Form W-9 (Rev. 12-2014) Page **3**

Line 2

If you have a business name, trade name, DBA name, or disregarded entity name, you may enter it on line 2.

Line 3

Check the appropriate box in line 3 for the U.S. federal tax classification of the person whose name is entered on line 1. Check only one box in line 3.

Limited Liability Company (LLC). If the name on line 1 is an LLC treated as a partnership for U.S. federal tax purposes, check the "Limited Liability Company" box and enter "P" in the space provided. If the LLC has filed Form 8832 or 2553 to be taxed as a corporation, check the "Limited Liability Company" box and in the space provided enter "C" for C corporation or "S" for S corporation. If it is a single-member LLC that is a disregarded entity, do not check the "Limited Liability Company" box; instead check the first box in line 3 "Individual/sole proprietor or single-member LLC."

Line 4, Exemptions

If you are exempt from backup withholding and/or FATCA reporting, enter in the appropriate space in line 4 any code(s) that may apply to you.

Exempt pavee code

- Generally, individuals (including sole proprietors) are not exempt from backup withholding.
- Except as provided below, corporations are exempt from backup withholding for certain payments, including interest and dividends.
- Corporations are not exempt from backup withholding for payments made in settlement of payment card or third party network transactions.
- Corporations are not exempt from backup withholding with respect to attorneys' fees or gross proceeds paid to attorneys, and corporations that provide medical or health care services are not exempt with respect to payments reportable on Form 1099-MISC

The following codes identify payees that are exempt from backup withholding. Enter the appropriate code in the space in line 4.

- 1—An organization exempt from tax under section 501(a), any IRA, or a custodial account under section 403(b)(7) if the account satisfies the requirements of section 401(f)(2)
 - 2—The United States or any of its agencies or instrumentalities
- 3—A state, the District of Columbia, a U.S. commonwealth or possession, or any of their political subdivisions or instrumentalities
- 4—A foreign government or any of its political subdivisions, agencies, or instrumentalities
- 5—A corporation
- 6—A dealer in securities or commodities required to register in the United States, the District of Columbia, or a U.S. commonwealth or possession
- 7—A futures commission merchant registered with the Commodity Futures Trading Commission
 - 8—A real estate investment trust
- 9---An entity registered at all times during the tax year under the Investment Company Act of 1940
 - 10—A common trust fund operated by a bank under section 584(a)
 - 11—A financial institution
- 12—A middleman known in the investment community as a nominee or custodian
 - 13—A trust exempt from tax under section 664 or described in section 4947

The following chart shows types of payments that may be exempt from backup withholding. The chart applies to the exempt payees listed above, 1 through 13.

IF the payment is for	THEN the payment is exempt for
Interest and dividend payments	All exempt payees except for 7
Broker transactions	Exempt payees 1 through 4 and 6 through 11 and all C corporations. S corporations must not enter an exempt payee code because they are exempt only for sales of noncovered securities acquired prior to 2012.
Barter exchange transactions and patronage dividends	Exempt payees 1 through 4
Payments over \$600 required to be reported and direct sales over \$5,000 ¹	Generally, exempt payees 1 through 5 ²
Payments made in settlement of payment card or third party network transactions	Exempt payees 1 through 4

¹See Form 1099-MISC, Miscellaneous Income, and its instructions.

² However, the following payments made to a corporation and reportable on Form 1099-MISC are not exempt from backup withholding: medical and health care payments, attorneys' fees, gross proceeds paid to an attorney reportable under section 6045(f), and payments for services paid by a federal executive agency.

Exemption from FATCA reporting code. The following codes identify payees that are exempt from reporting under FATCA. These codes apply to persons submitting this form for accounts maintained outside of the United States by certain foreign financial institutions. Therefore, if you are only submitting this form for an account you hold in the United States, you may leave this field blank. Consult with the person requesting this form if you are uncertain if the financial institution is subject to these requirements. A requester may indicate that a code is not required by providing you with a Form W-9 with "Not Applicable" (or any similar indication) written or printed on the line for a FATCA exemption code.

- A—An organization exempt from tax under section 501(a) or any individual retirement plan as defined in section 7701(a)(37)
 - B—The United States or any of its agencies or instrumentalities
- C—A state, the District of Columbia, a U.S. commonwealth or possession, or any of their political subdivisions or instrumentalities
- D—A corporation the stock of which is regularly traded on one or more established securities markets, as described in Regulations section 1.1472-1(c)(1)(i)
- E—A corporation that is a member of the same expanded affiliated group as a corporation described in Regulations section 1.1472-1(c)(1)(i)
- F—A dealer in securities, commodities, or derivative financial instruments (including notional principal contracts, futures, forwards, and options) that is registered as such under the laws of the United States or any state
 - G-A real estate investment trust
- H—A regulated investment company as defined in section 851 or an entity registered at all times during the tax year under the Investment Company Act of
 - I—A common trust fund as defined in section 584(a)
 - J—A bank as defined in section 581
 - K-A broker
- L—A trust exempt from tax under section 664 or described in section 4947(a)(1)
- M—A tax exempt trust under a section 403(b) plan or section 457(g) plan

Note. You may wish to consult with the financial institution requesting this form to determine whether the FATCA code and/or exempt payee code should be completed.

Line 5

Enter your address (number, street, and apartment or suite number). This is where the requester of this Form W-9 will mail your information returns.

Line 6

Enter your city, state, and ZIP code.

Part I. Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. If you are a resident alien and you do not have and are not eligible to get an SSN, your TIN is your IRS individual taxpayer identification number (ITIN). Enter it in the social security number box. If you do not have an ITIN, see How to get a TIN below.

If you are a sole proprietor and you have an EIN, you may enter either your SSN or EIN. However, the IRS prefers that you use your SSN.

If you are a single-member LLC that is disregarded as an entity separate from its owner (see *Limited Liability Company (LLC)* on this page), enter the owner's SSN (or EIN, if the owner has one). Do not enter the disregarded entity's EIN. If the LLC is classified as a corporation or partnership, enter the entity's EIN.

Note. See the chart on page 4 for further clarification of name and TIN combinations.

How to get a TIN. If you do not have a TIN, apply for one immediately. To apply for an SSN, get Form SS-5, Application for a Social Security Card, from your local SSA office or get this form online at www.ssa.gov. You may also get this form by calling 1-800-772-1213. Use Form W-7, Application for IRS Individual Taxpayer Identification Number, to apply for an ITIN, or Form SS-4, Application for Employer Identification Number, to apply for an EIN. You can apply for an EIN online by accessing the IRS website at www.irs.gov/businesses and clicking on Employer Identification Number (EIN) under Starting a Business. You can get Forms W-7 and SS-4 from the IRS by visiting IRS.gov or by calling 1-800-TAX-FORM (1-800-829-3676).

If you are asked to complete Form W-9 but do not have a TIN, apply for a TIN and write "Applied For" in the space for the TIN, sign and date the form, and give it to the requester. For interest and dividend payments, and certain payments made with respect to readily tradable instruments, generally you will have 60 days to get a TIN and give it to the requester before you are subject to backup withholding on payments. The 60-day rule does not apply to other types of payments. You will be subject to backup withholding on all such payments until you provide your TIN to the requester.

Note. Entering "Applied For" means that you have already applied for a TIN or that you intend to apply for one soon.

Caution: A disregarded U.S. entity that has a foreign owner must use the appropriate Form W-8.

Form W-9 (Rev. 12-2014) Page **4**

Part II. Certification

To establish to the withholding agent that you are a U.S. person, or resident alien, sign Form W-9. You may be requested to sign by the withholding agent even if items 1, 4, or 5 below indicate otherwise.

For a joint account, only the person whose TIN is shown in Part I should sign (when required). In the case of a disregarded entity, the person identified on line 1 must sign. Exempt payees, see *Exempt payee code* earlier.

Signature requirements. Complete the certification as indicated in items 1 through 5 below.

- 1. Interest, dividend, and barter exchange accounts opened before 1984 and broker accounts considered active during 1983. You must give your correct TIN, but you do not have to sign the certification.
- 2. Interest, dividend, broker, and barter exchange accounts opened after 1983 and broker accounts considered inactive during 1983. You must sign the certification or backup withholding will apply. If you are subject to backup withholding and you are merely providing your correct TIN to the requester, you must cross out item 2 in the certification before signing the form.
- **3. Real estate transactions.** You must sign the certification. You may cross out item 2 of the certification.
- 4. Other payments. You must give your correct TIN, but you do not have to sign the certification unless you have been notified that you have previously given an incorrect TIN. "Other payments" include payments made in the course of the requester's trade or business for rents, royalties, goods (other than bills for merchandise), medical and health care services (including payments to corporations), payments to a nonemployee for services, payments made in settlement of payment card and third party network transactions, payments to certain fishing boat crew members and fishermen, and gross proceeds paid to attorneys (including payments to corporations).
- 5. Mortgage interest paid by you, acquisition or abandonment of secured property, cancellation of debt, qualified tuition program payments (under section 529), IRA, Coverdell ESA, Archer MSA or HSA contributions or distributions, and pension distributions. You must give your correct TIN, but you do not have to sign the certification.

What Name and Number To Give the Requester

F. distance in	
For this type of account:	Give name and SSN of:
Individual Two or more individuals (joint account)	The individual The actual owner of the account or, if combined funds, the first individual on the account
Custodian account of a minor (Uniform Gift to Minors Act)	The minor ²
a. The usual revocable savings trust (grantor is also trustee) b. So-called trust account that is not a legal or valid trust under state law	The grantor-trustee ' The actual owner'
Sole proprietorship or disregarded entity owned by an individual	The owner ³
6. Grantor trust filing under Optional Form 1099 Filing Method 1 (see Regulations section 1.671-4(b)(2)(i) (A))	The grantor*
For this type of account:	Give name and EIN of:
7. Disregarded entity not owned by an individual	The owner
8. A valid trust, estate, or pension trust	Legal entity
Corporation or LLC electing corporate status on Form 8832 or Form 2553	The corporation
Association, club, religious, charitable, educational, or other tax- exempt organization	The organization
11. Partnership or multi-member LLC	The partnership
12. A broker or registered nominee	The broker or nominee
13. Account with the Department of Agriculture in the name of a public entity (such as a state or local government, school district, or prison) that receives agricultural program payments	The public entity
14. Grantor trust filing under the Form 1041 Filing Method or the Optional Form 1099 Filing Method 2 (see Regulations section 1.671-4(b)(2)(i) (B))	The trust

¹List first and circle the name of the person whose number you furnish. If only one person on a joint account has an SSN, that person's number must be furnished.

³ You must show your individual name and you may also enter your business or DBA name on the "Business name/disregarded entity" name line. You may use either your SSN or EIN (if you have one), but the IRS encourages you to use your SSN.

List first and circle the name of the trust, estate, or pension trust. (Do not furnish the TIN of the personal representative or trustee unless the legal entity itself is not designated in the account title.) Also see Special rules for partnerships on page 2.

*Note. Grantor also must provide a Form W-9 to trustee of trust.

Note. If no name is circled when more than one name is listed, the number will be considered to be that of the first name listed.

Secure Your Tax Records from Identity Theft

Identity theft occurs when someone uses your personal information such as your name, SSN, or other identifying information, without your permission, to commit fraud or other crimes. An identity thief may use your SSN to get a job or may file a tax return using your SSN to receive a refund.

To reduce your risk:

- Protect your SSN.
- · Ensure your employer is protecting your SSN, and
- · Be careful when choosing a tax preparer.

If your tax records are affected by identity theft and you receive a notice from the IRS, respond right away to the name and phone number printed on the IRS notice or letter.

If your tax records are not currently affected by identity theft but you think you are at risk due to a lost or stolen purse or wallet, questionable credit card activity or credit report, contact the IRS Identity Theft Hotline at 1-800-908-4490 or submit Form 14039.

For more information, see Publication 4535, Identity Theft Prevention and Victim

Victims of identity theft who are experiencing economic harm or a system problem, or are seeking help in resolving tax problems that have not been resolved through normal channels, may be eligible for Taxpayer Advocate Service (TAS) assistance. You can reach TAS by calling the TAS toll-free case intake line at 1-877-777-4778 or TTY/TDD 1-800-829-4059.

Protect yourself from suspicious emails or phishing schemes. Phishing is the creation and use of email and websites designed to mimic legitimate business emails and websites. The most common act is sending an email to a user falsely claiming to be an established legitimate enterprise in an attempt to scam the user into surrendering private information that will be used for identity theft.

The IRS does not initiate contacts with taxpayers via emails. Also, the IRS does not request personal detailed information through email or ask taxpayers for the PIN numbers, passwords, or similar secret access information for their credit card, bank, or other financial accounts.

If you receive an unsolicited email claiming to be from the IRS, forward this message to phishing@irs.gov. You may also report misuse of the IRS name, logo, or other IRS property to the Treasury Inspector General for Tax Administration (TIGTA) at 1-800-366-4484. You can forward suspicious emails to the Federal Trade Commission at: spam@uce.gov or contact them at www.ftc.gov/idtheft or 1-877-IDTHEFT (1-877-438-4338).

Visit IRS.gov to learn more about identity theft and how to reduce your risk.

Privacy Act Notice

Section 6109 of the Internal Revenue Code requires you to provide your correct TIN to persons (including federal agencies) who are required to file information returns with the IRS to report interest, dividends, or certain other income paid to you; mortgage interest you paid; the acquisition or abandonment of secured property the cancellation of debt; or contributions you made to an IRA, Archer MSA, or HSA. The person collecting this form uses the information on the form to file information returns with the IRS, reporting the above information. Routine uses of this information include giving it to the Department of Justice for civil and criminal litigation and to cities, states, the District of Columbia, and U.S. commonwealths and possessions for use in administering their laws. The information also may be disclosed to other countries under a treaty, to federal and state agencies to enforce civil and criminal laws, or to federal law enforcement and intelligence agencies to combat terrorism. You must provide your TIN whether or not you are required to file a tax return. Under section 3406, payers must generally withhold a percentage of taxable interest, dividend, and certain other payments to a payee who does not give a TIN to the payer. Certain penalties may also apply for providing false or fraudulent information.

²Circle the minor's name and furnish the minor's SSN.

ESSEX COUNTY VENDOR RESPONSIBILITY QUESTIONNAIRE

1. VENDOR IS:				
PRIME CONTRACTOR				
2. VENDOR'S LEGAL BUSINESS NAME		3. IDENTIFICA	3. IDENTIFICATION NUMBERS	
		A) FEIN#	i	
		B) DUNS	#	
4. D/B/A – Doing Business As (if a	applicable) & COUNTY FIELD	5. WEBSITE A	DDRESS (if applicable)	
6. ADDRESS OF PRIMARY PLACE	CE OF BUSINESS/EXECUTIVE OF	FICE 7. TELEPHON	E 8. FAX NUMBER	
		NUMBER		
	CE OF BUSINESS/EXECUTIVE OF		NE 11. FAX NUMBER	
IN NEW YORK STATE, if differ	rent from above	NUMBER		
12. AUTHORIZED CONTACT FO	OR THIS QUESTIONNAIRE			
Name				
Title				
Telephone Number				
Fax Number				
Email				
13. LIST ALL OF THE VENDOR'S		D) NAME	TITLE	
A) NAME	TITLE	B) NAME	TITLE	
C) NAME	TITLE	D) NAME	TITLE	
	REQUIRED FOR EACH QUESTION	The state of the s		
ATTACHMENT TO THE COMPLETED QUESTIONNAIRE. YOU MUST PROVIDE ADEQUATE DETAILS OR DOCUMENTS TO AID THE COUNTY IN MAKE A DETERMINATION OF VENDOR RESPONSIBILITY. PLEASE NUMBER EACH RESPONSE TO MATCH THE				
QUESTION NUMBER.				
14. DOES THE VENDOR USE, OR HAS IT USED IN THE PAST FIVE (5) YEARS, ANY OTHER BUSINESS NAME, FEIN, or D/B/A OTHER THAN THOSE LISTED IN ITEMS 2-4 ABOVE? List all other business name(s), YESNC				
	umber(s) or any D/B/A names and t		. ,	
•	ALS NOW SERVING IN A MANAGE	DIAL OD CONSLILTING CADACIT	V TO THE	
	AL OWNERS AND OFFICERS, WH			
	I public official or officer? ame, business title, the name of the	organization and position elected or	r YES NO	
appointed to, and dates	s of service			
 b) An officer of any political party organization in Essex County, whether paid or unpaid? List each individuals name, business title or consulting capacity and the official political position held with YES No applicable service dates. 				

CONSUL	HIN THE PAST (5) YEARS, HAS THE VENDOR, ANY INDIVIDUALS SERVING IN MANAGERIAL OR LING CAPACITY, PRINCIPAL, OWNERS, OFFICERS, MAJOR STOCKHOLDER(S) (10% OR MORE	
	VOTING SHARES FOR PUBLICLY TRADED COMPANIES, 25% OR MORE OF THE SHARES FOR ALL COMPANIES), AFFILIATE OR ANY PERSON INVOLVED IN THE BIDDING OR CONTRACTING SS:	
a)	1. been suspended, debarred or terminated by a local, state or federal authority in connection with a contract or contracting process;	YESNO
	2. been disqualified for cause as a bidder on any permit, license, concession, franchise or lease;	
	3. entered into an agreement to a voluntary exclusion from bidding/contracting;	
	4. had a bid rejected on an Essex County contract for failure to comply with the MacBride Fair Employment Principles;	
	5. had a low bid rejected on a local, state or federal contract for failure to meet statutory affirmative action or M/WBE requirements on a previously held contract;	
	6. had a status as a Women's Business Enterprise, Minority Business Enterprise or Disadvantaged Business Enterprise, de-certified, revoked or forfeited;	
	7. been subject to an administrative proceeding or civil action seeking specific performance or restitution in connection with any local, state or federal government contract;	
	8. been denied an award of a local, state or federal government contract, had a contract suspended or had a contract terminated for non-responsibility; or	
	9. had a local, state or federal government contract suspended or terminated for cause prior to the completion of the term of the contract.	
b)	been indicted, convicted, received a judgment against them or a grant of immunity for any business-related conduct constituting a crime under local, state or federal law including but not limited to, fraud, extortion, bribery, racketeering, price-fixing, bid collusion or any crime related to truthfulness and/or business conduct?	YESNO
c)	been issued a citation, notice, violation order, or are pending an administrative hearing or proceeding or determination of violations of:	YESNO
	1. federal, state or local health laws, rules or regulations	
JUDGME Indicate judgmen amount of	HE PAST THREE (3) YEARS, HAS THE VENDOR OR ITS AFFILIATES¹ HAD ANY CLAIMS, ENTS, INJUNCTIONS, LIENS, FINES OR PENALTIES SECURED BY ANY GOVERNMENTAL AGENCY? if this is applicable to the submitting vendor or affiliate. State whether the situation(s) was a claim, t, injunction, lien or other with an explanation. Provide the name(s) and address(es) of the agency, the of the original obligation and outstanding balance. If any of these items are open, unsatisfied, indicate the each items as "open" or "unsatisfied".	YESNO
18. DUR	ING THE PAST THREE (3) YEARS, HAS THE VENDOR FAILED TO:	
a)	file returns or pay any applicable federal, state or city taxes?	
,	Identify the taxing jurisdiction, type of tax, liability year(s), and tax liability amount the vendor failed to file/pay and the current status of the liability.	YESNO
b)	file returns or pay New York State unemployment insurance? Indicate the years the vendor failed to file/pay the insurance and the current status of the liability.	YESNO
c)	Property Tax Indicate the years the vendor failed to file.	YESNO
AFFILIA ⁻	E ANY BANKRUPTCY PROCEEDINGS BEEN INITIATED BY OR AGAINST THE VENDOR OR ITS TES¹ WITHIN THE PAST SEVEN (7) YEARS (WHETHER OR NOT CLOSED) OR IS ANY BANKRUPTCY EDING PENDING BY OR AGAINST THE VENDOR OR ITS AFFILIATES REGARDLESS OF THE DATE IG?	YESNO
Indicate FEIN. P	if this is applicable to the submitting vendor or affiliate. If it is an affiliate, include the affiliate's name and rovide the court name, address and docket number. Indicate if the proceedings have been initiated, ending or have been closed. If closed, provide the date closed.	

20. IS THE VENDOR CURRENTLY INSOLVENT, OR DOES VENDOR CURRENTLY HAVE REASON TO BELIEVE THAT AN INVOLUNTARY BANKRUPTCY PROCEEDING MAY BE BROUGHT AGAINST IT? Provide financial information to support the vendor's current position, for example, Current Ration, Debt Ration, Age of Accounts Payable, Cash Flow and any documents that will provide the agency with an understanding of the vendor's situation.	YES	NO
21. IN THE PAST FIVE (5) YEARS, HAS THE VENDOR OR ANY AFFILIATES:		
 a) defaulted or been terminated on, or had its surety called upon to complete, any contract (public or private) awarded; 	YES	_ NO
Indicate if this is applicable to the submitting vendor or affiliate. Detail the situation(s) that gave rise to the negative action, any corrective action taken by the vendor and the name of the contracting agency.		

¹ "Affiliate" meaning: (a) any entity in which the vendor owns more than 50% of the voting stock; (b) any individual, entity or group of principal owners or officers who own more than 50% of the voting stock of the vendor; or (c) any entity whose voting stock is more than 50% owned by the same individual, entity or group described in clause (b). In addition, if a vendor owns less than 50% of the voting stock of another entity, but directs or has the right to direct such entity's daily operations, that entity will be an "affiliate" for purposes of this questionnaire.

ESSEX COUNTY VENDOR RESPONSIBILITY QUESTIONNAIRE

		· - · · · · · · · · · · · · · · · · · · ·
State of:)	
) ss:	
County of:)	

FFIN#

CERTIFICATION:

The undersigned: recognizes that this questionnaire is submitted for the express purpose of assisting the County of Essex in making a determination regarding an award of contract or approval of a subcontract; acknowledges that the County may in its discretion, by means which it may choose, verify the truth and accuracy of all statements made herein; acknowledges that intentional submission of false or misleading information may constitute a felony under Penal Law Section 210.40 or a misdemeanor under Penal Law Section 210.35 or Section 210.45, and may also be punishable by a fine and/or imprisonment of up to five years under 18 USC Section 1001 and may result in contract termination; and states that the information submitted in this questionnaire and any attached pages is true, accurate and complete.

The undersigned certifies that he/she:

- Has not altered the content of the questions in the questionnaire in any manner;
- Has read and understands all of the items contained in the questionnaire and any pages attached by the submitting vendor;
- Has supplied full and complete responses to each item therein to the best of his/her knowledge, information and belief:
- Is knowledgeable about the submitting vendor's business and operations;
- Understands that Essex County will rely on the information supplied in the questionnaire when entering into a contract with the vendor;
- Is under duty to notify the Essex County Purchasing Officer of any changes to the vendor's responses.

Name of Business:	
Signature of Owner:	
Printed Name of Signatory:	
Title:	
Address:	
Date:	
Sworn before me this day of, 20	
Notary Public	

CERTIFICATION OF COMPLIANCE WITH THE IRAN DIVESTMENT ACT

As a result of the Iran Divestment Act of 2012 (the "Act"), Chapter 1 of the 2012 Laws of New York, a new provision has been added to State Finance Law (SFL) § 165-a and New York General Municipal Law § 103-g, both effective April 12, 2012. Under the Act, the Commissioner of the Office of General Services (OGS) will be developing a list of "persons" who are engaged in "investment activities in Iran" (both are defined terms in the law) (the "Prohibited Entities List"). Pursuant to SFL § 165-a(3)(b), the initial list is expected to be issued no later than 120 days after the Act's effective date at which time it will be posted on the OGS website.

By submitting a bid in response to this solicitation or by assuming the responsibility of a Contract awarded hereunder, each Bidder/Contractor, any person signing on behalf of any Bidder/Contractor and any assignee or subcontractor and, in the case of a joint bid, each party thereto, certifies, under penalty of perjury, that once the Prohibited Entities List is posted on the OGS website, that to the best of its knowledge and belief, that each Bidder/Contractor and any subcontractor or assignee is not identified on the Prohibited Entities List created pursuant to SFL § 165-a(3)(b).

Additionally, Bidder/Contractor is advised that once the Prohibited Entities List is posted on the OGS Website, any Bidder/Contractor seeking to renew or extend a Contract or assume the responsibility of a Contract awarded in response to this solicitation must certify at the time the Contract is renewed, extended or assigned that it is not included on the Prohibited Entities List.

During the term of the Contract, should the County receive information that a Bidder/Contractor is in violation of the above-referenced certification, the County will offer the person or entity an opportunity to respond. If the person or entity fails to demonstrate that he/she/it has ceased engagement in the investment which is in violation of the Act within 90 days after the determination of such violation, then the County shall take such action as may be appropriate including, but not limited to, imposing sanctions, seeking compliance, recovering damages or declaring the Bidder/Contractor in default.

The County reserves the right to reject any bid or request for assignment for a Bidder/Contractor that appears on the Prohibited Entities List prior to the award of a contract and to pursue a responsibility review with respect to any Bidder/Contractor that is awarded a contract and subsequently appears on the Prohibited Entities List.

l,	, being duly sworn, deposes and says that he/she
is the	of the
Corporation and that neither the Bidde	r/Contractor nor any proposed subcontractor is identified or
the Prohibited Entities List.	
	SIGNED
SWORN to before me this	
day of, 20	
Notary Public	

NON-COLLUSIVE BIDDING CERTIFICATION

- 1. By submission of this bid, the undersigned bidder and each person signing on behalf of such bidder certifies and in the case of a joint bid each party thereto certifies as to its own organization UNDER PENALTY OF PERJURY, that to the best of the undersigned's knowledge and belief:
 - (a) The prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor;
 - (b) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and
 - (c) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.
- 2. The undersigned acknowledges and agrees that a bid shall not be considered for award nor shall any award be made where any of the above have not been complied with; provided however, that if in any case the bidder cannot make the foregoing certification, the bidder shall so state and shall furnish with the bid a signed statement which sets forth in detail the reasons therefor. Where one or more of the above has/have not been complied with, the bid shall not be considered for award nor shall any award be made unless the political subdivision, public department, agency or official thereof to which the bid is made, or his designee, determines that such disclosure was not made for the purpose of restricting competition.
- 3. The undersigned also acknowledges and agrees that the fact that a bidder (a) has published price lists, rates, or tariffs covering items being procured, (b) has informed prospective customers of proposed or pending publication of new or revised price lists for such items, or (c) has sold the same items to other customers at the same prices being bid, does not constitute, without more, a disclosure within the meaning of paragraph 1 above.
- 4. The undersigned further acknowledges and agrees that any bid hereafter made to any political subdivision of the state or any public department, agency or official thereof by a bidder which is a corporation or a limited liability company for work or services performed or to be performed or goods sold or to be sold, where competitive bidding is required by statute, rule, regulation, or local law, and where such bid contains the certification referred to in paragraph 1 of this certificate, shall be deemed to have been authorized by the board of directors of the bidder, and such authorization shall be deemed to include the signing and submission of the bid and the inclusion therein of the certificate as to non-collusion as the act and deed of the corporation or limited liability company.

	Name of Bidder:	
		(print full legal name)
Date Signed:	Signature:	
	Name of Person Signing Certificate:	
		(print full legal name of signer)
Bidder is (check one	e): □ an individual, □ a limited liability partnersh □ other entity (specify):	ip, □ a limited liability company,

CONTRACTOR'S ACKNOWLEDGEMENT (If Corporation)

STATE OF NEV	V YORK) SS:
COUNTY OF E	SSEX)

On this	dav of	20	. before me pe	ersonally came
			to me	known, and known to me to be the
la a la aire ar a	of t	he Corporation de	scribed in and v	which executed the within instrument,
wno being c	auly sworn ala aepo	se and say that n	e, the said and that he is	reside at of said
corporation	and knows the cor	porate seal of the	said corporation	n; that the seal affixed to the within
instrument i	s such corporate s	eal and that it was	so affixed by o	rder of the Board of Directors of said
corporation,	and that he signed	d his name thereto	by like order.	
				Notary Public
		CONTRACTOR'S	ACKNOWLED	GEMENT
			ndividual)	<u></u>
	NEW YORK) SS:			
COUNTY O	F ESSEX)			
On this	day of _		20	, before me personally came
				to me known, and known to me to be
				rument and he duly acknowledged to
				d and, if operating under and trade Law, Sections 440 and 440-b has been
	e County Clerk of E		ork Glate i Chai	Law, Occilons 440 and 440 binas been
	,	,		
				Notary Public
				•
		CONTRACTOR'S		<u>GEMENT</u>
STATE OF	NEW YORK) SS:	(II Co	-Partnership)	
COUNTY O	,			
	•			
On this	day of _	to	20 20	, before me personally came I known to me to be a member of the
firm of and t	the person describe			n instrument in behalf of said firm for
				by the New York State Penal Law,
Sections 44	0 and 440-b has be	een filed with the (County Clerk of	Essex County.
			_	
				Notary Public

SECTION 013300 - SUBMITTAL PROCEDURES

PART 1 - GENERAL

1.1 SECTION INCLUDES

- A. Definitions.
- B. Submittal procedures.
- C. Proposed product list.
- D. Product data.
- E. Shop Drawings.
- F. Design data.
- G. Test reports.
- H. Certificates.
- I. Manufacturer's instructions.
- J. Manufacturer's field reports.
- K. Erection Drawings.

1.2 DEFINITIONS

- A. Action Submittals: Written and graphic information and physical samples that require Architect/Engineer's and Construction Manager's responsive action.
- B. Informational Submittals: Written and graphic information and physical Samples that do not require Architect/Engineer's and Construction Manager's responsive action. Submittals may be rejected for not complying with requirements.

1.3 SUBMITTAL PROCEDURES

- A. Transmit each submittal with under separate cover for each specification section. It may be advisable to separate products under a single specification section, especially if one item requires re-submission.
- B. Identify: Project, Contractor, Subcontractor and supplier, pertinent Drawing and detail number, and Specification Section number appropriate to submittal.
- C. Apply Contractor's stamp, signed or initialed, certifying that review, approval, verification of products required, field dimensions, adjacent construction Work, and coordination of information is according to requirements of the Work and Contract Documents.

- D. Schedule submittals to expedite Project, and submit electronic submittals via email as PDF electronic files. Coordinate submission of related items.
- E. For each submittal for review, allow 15 days excluding delivery time to and from Contractor.
- F. Identify variations in Contract Documents and product or system limitations that may be detrimental to successful performance of completed Work.
- G. Allow space on submittals for Contractor and Architect/Engineer review stamps.
- H. When revised for resubmission, identify changes made since previous submission.
- I. Distribute copies of reviewed submittals as appropriate. Instruct parties to promptly report inability to comply with requirements.
- J. Incomplete Submittals: Architect/Engineer will not review. Complete submittals for each item are required. Delays resulting from incomplete submittals are not the responsibility of Architect/Engineer.

1.4 PROPOSED PRODUCT LIST

- A. Within 15 days after date of award, submit list of major products proposed for use, with name of manufacturer, trade name, and model number of each product.
- B. For products specified only by reference standards, indicate manufacturer, trade name, model or catalog designation, and reference standards.

1.5 PRODUCT DATA

- A. Product Data: Action Submittal: Submit to Architect/Engineer for review for assessing conformance with information given and design concept expressed in Contract Documents.
- B. Submit electronic submittals via email as PDF electronic files.
- C. Mark each copy to identify applicable products, models, options, and other data. Supplement manufacturers' standard data to provide information specific to this Project.
- D. Indicate product utility and electrical characteristics, utility connection requirements, and location of utility outlets for service for functional equipment and appliances.
- E. After review, produce copies and distribute according to "Submittal Procedures" Article and for record documents described in Section 017000 Execution and Closeout Requirements.

1.6 SHOP DRAWINGS

- A. Shop Drawings: Action Submittal: Submit to Architect/Engineer for assessing conformance with information given and design concept expressed in Contract Documents.
- B. Indicate special utility and electrical characteristics, utility connection requirements, and location of utility outlets for service for functional equipment and appliances.

- C. When required by individual Specification Sections, provide Shop Drawings signed and sealed by a professional Engineer responsible for designing components shown on Shop Drawings.
 - 1. Include signed and sealed calculations to support design.
 - 2. Submit Shop Drawings and calculations in form suitable for submission to and approval by authorities having jurisdiction.
 - 3. Make revisions and provide additional information when required by authorities having jurisdiction.
- D. Submit electronic submittals via email as PDF electronic files.

1.7 DESIGN DATA

- A. Calculations for performance measures specified, demonstrating conformance with the contract documents
- B. White papers documenting research and development of product design.

1.8 TEST REPORTS

- A. Informational Submittal: Submit reports for Architect/Engineer's knowledge as Contract administrator or for Owner.
- B. Submit test reports for information for assessing conformance with information given and design concept expressed in Contract Documents.

1.9 CERTIFICATES

- A. Informational Submittal: Submit certification by manufacturer, installation/application Subcontractor, or Contractor to Architect/Engineer, in quantities specified for Product Data.
- B. Indicate material or product conforms to or exceeds specified requirements. Submit supporting reference data, affidavits, and certifications as appropriate.
- C. Certificates may be recent or previous test results on material or product but must be acceptable to Architect/Engineer.

1.10 MANUFACTURER'S INSTRUCTIONS

- A. Informational Submittal: Submit manufacturer's installation instructions for Architect/Engineer's knowledge as Contract administrator or for Owner.
- B. Submit printed instructions for delivery, storage, assembly, installation, [startup,] adjusting, and finishing, to Architect/Engineer in quantities specified for Product Data.
- C. Indicate special procedures, perimeter conditions requiring special attention, and special environmental criteria required for application or installation.

1.11 MANUFACTURER'S FIELD REPORTS

A. Informational Submittal: Submit reports for Architect/Engineer's knowledge as Contract administrator or for Owner.

PUBLIC SAFETY BUILDING WATER METER - MATERIALS PROCUREMENT - DPW_2017-02

- B. Submit report within 5 days of observation to Architect/Engineer for information.
- C. Submit reports for information for assessing conformance with information given and design concept expressed in Contract Documents.

1.12 ERECTION DRAWINGS

- A. Informational Submittal: Submit Drawings for Architect/Engineer's knowledge as Contract administrator or for Owner.
- B. Submit Drawings for information assessing conformance with information given and design concept expressed in Contract Documents.
- C. Data indicating inappropriate or unacceptable Work may be subject to action by Architect/Engineer or Owner.

PART 2 - PRODUCTS - Not Used

PART 3 - EXECUTION - Not Used

END OF SECTION 013300

SECTION 016000 - PRODUCT REQUIREMENTS

PART 1 - GENERAL

1.1 SECTION INCLUDES

- A. Products.
- B. Product options.

1.2 PRODUCTS

- A. At minimum, comply with specified requirements and reference standards.
- B. Specified products define standard of quality, type, function, dimension, appearance, and performance required.
- C. Furnish products of qualified manufacturers that are suitable for intended use. Furnish products of each type by single manufacturer unless specified otherwise. Confirm that manufacturer's production capacity can provide sufficient product, on time, to meet Project requirements.
- D. Retain the following Paragraphs when domestic products are required. Coordinate with Owner's requirements.
- E. Do not use materials and equipment removed from existing premises except as specifically permitted by Contract Documents.
- F. Furnish interchangeable components from same manufacturer for components being replaced.

1.3 PRODUCT OPTIONS

- A. Products Specified by Reference Standards or by Description Only: Products complying with specified reference standards or description.
- B. Products Specified by Naming One or More Manufacturers: Products of one of manufacturers named and complying with Specifications; no options or substitutions allowed.
- C. Products Specified by Naming One or More Manufacturers with Provision for Substitutions: Submit Request for Substitution for any manufacturer not named, according to Section 012500 -Substitution Procedures.

PART 2 - PRODUCTS

PART 3 - EXECUTION - Not Used

END OF SECTION 016000

SECTION 330110.58 - DISINFECTION OF WATER UTILITY PIPING SYSTEMS (NIC – For reference only)

PART 1 - GENERAL

1.1 SUMMARY

A. Section Includes:

- 1. Disinfection of potable water distribution system.
- 2. Testing and reporting of results.

B. Related Requirements:

1. Section 331413 – Public Water utility Distribution Piping.

1.2 REFERENCE STANDARDS

A. American Water Works Association:

- 1. AWWA B300 Hypochlorites.
- 2. AWWA B302 Ammonium Sulfate.
- 3. AWWA B303 Sodium Chlorite.
- 4. AWWA C651 Disinfecting Water Mains.

1.3 SUBMITTALS

- A. Section 013300 Submittal Procedures: Requirements for submittals.
- B. Disinfection Procedure:
 - 1. Submit description of procedure, including type of disinfectant and calculations indicating quantities of disinfectants required to produce specified chlorine concentration.
- C. Product Data: Submit manufacturer information for proposed chemicals and treatment doses.
- D. Manufacturer's Certificate: Certify that products meet or exceed specified requirements.
- E. Test and Evaluation Reports: Indicate testing results comparative to specified requirements.
- F. Field Quality-Control Submittals: Indicate results of Contractor-furnished tests and inspections.
- G. Qualifications Statements:
 - 1. Submit qualifications for manufacturer and applicator.

1.4 CLOSEOUT SUBMITTALS

- A. Section 017000 Execution and Closeout Requirements: Requirements for submittals.
- B. Disinfection Report:

- 1. Type and form of disinfectant used.
- 2. Date and time of disinfectant injection start and completion.
- 3. Test locations.
- 4. Name of person collecting samples.
- 5. Initial and 24-hour disinfectant residuals in treated water in ppm for each outlet tested.
- 6. Date and time of flushing start and completion.
- 7. Disinfectant residual after flushing [in ppm] for each outlet tested.

1.5 QUALITY ASSURANCE

A. Perform Work according to AWWA C651.

PART 2 - PRODUCTS

2.1 DISINFECTION CHEMICALS

A. Chemicals:

1. Hypochlorite: Comply with AWWA B300.

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Section 017000 Execution and Closeout Requirements: Requirements for installation examination.
- B. Verify that piping system has been cleaned, inspected, and pressure tested.
- C. Verify that access fittings have been installed under Section 331413.
- D. Perform scheduling and disinfecting activity with startup, water pressure testing, adjusting and balancing, and demonstration procedures, including coordination with related systems.

3.2 INSTALLATION

- A. Provide required equipment to perform Work of this Section.
- B. Inject treatment disinfectant into piping system.
- C. Maintain disinfectant in system for 24 hours.
- D. Flush, circulate, and clean until required disinfectant quality standard has been achieved using municipal water. Prior approval and scheduling required.
- E. Replace permanent system devices that were removed for disinfection.

3.3 FIELD QUALITY CONTROL

A. Section 014000 - Quality Requirements: Requirements for inspecting and testing.

PUBLIC SAFETY BUILDING WATER METER - MATERIALS PROCUREMENT - DPW_2017-02

- B. Section 017000 Execution and Closeout Requirements: Requirements for testing, adjusting, and balancing.
- C. Disinfection, Flushing, and Sampling:
 - 1. Disinfect pipeline installation according to AWWA C651.
 - 2. Upon completion of retention period required for disinfection, flush pipeline until chlorine concentration in water leaving pipeline is no higher than that generally prevailing in existing system or is acceptable for domestic use.
 - 3. Disposal:
 - a. Legally dispose of chlorinated water.
 - b. If chlorinated discharge may cause damage to environment, apply neutralizing chemical to chlorinated water to neutralize chlorine residual remaining in water.
 - 4. After final flushing and before pipeline is connected to existing system or placed in service, certify that disinfectant level meets quality standards of authority having jurisdiction.

END OF SECTION 330110.58

SECTION 330561 – CONCRETE MANHOLES

PART 1 - GENERAL

1.1 SUMMARY

A. Section Includes:

- 1. Modular precast concrete manholes and structures with tongue-and-groove joints and masonry transition to cover frame, covers, anchorage, and accessories.
- 2. Doghouse manhole connections to existing utility lines.
- 3. Bedding and cover materials.
- 4. Pile support systems.
- 5. Vertical adjustment of existing manholes and structures.

B. Related Requirements:

1. Not used

1.2 DEFINITIONS

A. Bedding: Specialized material placed under manhole prior to installation and subsequent backfill operations.

1.3 UNIT PRICE - MEASUREMENT AND PAYMENT

A. Manholes:

- 1. Basis of Measurement: By each Manhole
- 2. Basis of Payment: Includes concrete structure sections, concrete structure transitions to cover frame, cover frame and cover, sealing elements of structures, and sealing of pipe inlets and outlets and all other accessories here in specified.

1.4 REFERENCE STANDARDS

- A. American Association of State Highway Transportation Officials:
 - 1. AASHTO M91 Standard Specification for Sewer and Manhole Brick (Made from Clay or Shale).
 - 2. AASHTO M288 Standard Specification for Geotextile Specification for Highway Applications.
 - 3. AASHTO M306 Standard Specification for Drainage, Sewer, Utility, and Related Castings.

B. American Concrete Institute:

1. ACI 530/530.1 - Building Code Requirements and Specification for Masonry Structures.

C. ASTM International:

- 1. ASTM A48/A48M Standard Specification for Gray Iron Castings.
- 2. ASTM A123/A123M Standard Specification for Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products.
- 3. ASTM C32 Standard Specification for Sewer and Manhole Brick (Made from Clay or Shale).
- 4. ASTM C55 Standard Specification for Concrete Building Brick.
- 5. ASTM C361 Standard Specification for Reinforced Concrete Low-Head Pressure Pipe.
- 6. ASTM C478 Standard Specification for Circular Precast Reinforced Concrete Manhole Sections.
- 7. ASTM C497 Standard Test Methods for Concrete Pipe, Manhole Sections, or Tile.
- 8. ASTM C877 Standard Specification for External Sealing Bands for Concrete Pipe, Manholes, and Precast Box Sections.
- 9. ASTM C913 Standard Specification for Precast Concrete Water and Wastewater Structures.
- 10. ASTM C923 Standard Specification for Resilient Connectors between Reinforced Concrete Manhole Structures, Pipes, and Laterals.
- 11. ASTM C990 Standard Specification for Joints for Concrete Pipe, Manholes, and Precast Box Sections Using Preformed Flexible Joint Sealants.
- 12. ASTM F593 Standard Specification for Stainless Steel Bolts, Hex Cap Screws, and Studs.
- 13. ASTM F1554 Standard Specification for Anchor Bolts, Steel, 36, 55, and 105-ksi Yield Strength.
- D. State of New York, Department of Transportation, Engineering Division, Standard Specifications. Reference is made to this standard for conformance of work and materials, inclusive of addendums and revisions.

1.5 COORDINATION

A. Coordinate Work of this Section with connection to Essex County DPW.

1.6 PREINSTALLATION MEETINGS

A. Not applicable

1.7 SUBMITTALS

- A. Section 013300 Submittal Procedures: Requirements for submittals.
- B. Product Data: Submit manufacturer information for manhole covers, component construction, features, configuration, and dimensions.
- C. Shop Drawings:
 - 1. Indicate structure locations and elevations.
 - 2. Indicate sizes and elevations of piping, conduit, and any other penetrations.
- D. Manufacturer's Certificate: Certify that products meet or exceed specified requirements.
- E. Manufacturer Instructions: Submit detailed instructions on installation requirements, including storage and handling procedures.

F. Submit certification of design for applicable and specified loading criteria signed and stamped by a Professional Engineer licensed in the State of New York.

1.8 QUALITY ASSURANCE

A. Materials and Work shall comply with standards cited previously in this specification.

1.9 QUALIFICATIONS

A. Manufacturer: Company specializing in manufacturing products specified in this Section with minimum five years' documented experience.

1.10 DELIVERY, STORAGE, AND HANDLING

- A. Section 016000 Product Requirements: Requirements for transporting, handling, storing, and protecting products.
- B. Inspection: Accept materials on Site in manufacturer's original packaging and inspect for damage.
- C. Handling: Comply with precast concrete manufacturer instructions and ASTM C913 for unloading and moving precast manholes and drainage structures.

D. Storage:

- 1. Store materials according to manufacturer instructions.
- 2. Store precast concrete manholes and drainage structures to prevent damage to Owner's property or other public or private property.
- 3. Repair property damaged from materials storage.

E. Protection:

- 1. Protect materials from moisture and dust by storing in clean, dry location remote from construction operations areas.
- 2. Provide additional protection according to manufacturer instructions.
- F. Each structure shall be marked identifying the pieces of the assembly, consistent with the submittal drawings of the structures. Miss-match of materials is unacceptable. Marking shall:
 - 1. Be weather resistant
 - 2. Identify the manufacturer
 - 3. Contain notation of assembly
 - 4. Date of Casting

1.11 AMBIENT CONDITIONS

- A. Section 015000 Temporary Facilities and Controls: Requirements for ambient condition control facilities for product storage and installation.
- B. Maintain materials and surrounding air temperature to minimum 50 degrees F prior to, during, and 48 hours after completion of masonry Work.
- C. Cold Weather Requirements: Comply with ACI 530/530.1.

1.12 EXISTING CONDITIONS

A. Not applicable

1.13 WARRANTY

A. Furnish five year manufacturer's warranty for concrete manholes.

PART 2 - PRODUCTS

2.1 CONCRETE AND MASONRY MANHOLES

A. Manufacturers:

- 1. A list of NYS DOT approved manufacturers can be found under Technical Services, Materials Approved List. Only Routine and Initial Production Standing will be accepted.
- 2. Substitutions: Not permitted.

B. Manhole Sections:

- 1. Materials:
 - a. Reinforced Precast Concrete: Comply with ASTM C478 (C478M).
 - b. Gaskets: Comply with ASTM C923 (C923M).

2. Joints:

- a. Comply with ASTM C913.
- b. Maximum Leakage: 0.025 gal. per hour per foot of joint at 3 feet of head.

C. Portland Cement Grout (not used)

- 1. Portland Cement: Comply with ASTM C150/C150M, Type I and II.
- 2. Water:
 - a. Potable.
 - b. No impurities, suspended particles, algae, or dissolved natural salts in quantities capable of causing:
 - 1) Corrosion of steel.
 - 2) Volume change increasing shrinkage cracking.
 - 3) Efflorescence.
 - 4) Excess air entraining.
- 3. Fine Aggregate:
 - a. Washed natural sand.
 - b. Gradation:
 - 1) Comply with ASTM C33/C33M.
 - 2) Represented by smooth granulometric curve within required limits.
 - Free from injurious amounts of organic impurities according to ASTM C40/C40M.
- 4. Mix:

c.

- a. Portland cement, sand, and water, 1 part cement to 2.5 parts sand by volume.
- b. Minimum strength at 28 days: 4,000 psi
- c. Do not use ferrous aggregate or staining ingredients in grout mixes.

D. Rapid Curing Epoxy Grout (not used)

- 1. Description:
 - a. High-strength, three-component epoxy grout formulated with thermosetting resins and inert fillers.
 - b. Rapid-curing, high adhesion, and resistant to ordinary chemicals, acids and alkalis.
- 2. Performance and Design Criteria:
 - a. Compressive Strength:
 - 1) 12,000 psi at seven days.
 - 2) Comply with ASTM C579.
 - b. Minimum Tensile Strength:
 - 1) 2,000 psi.
 - 2) Comply with ASTM C307.
 - c. Coefficient of Expansion:
 - 1) 30x10-6 inch per degree F.
 - 2) Comply with ASTM C531.
 - d. Shrinkage:
 - 1) None.
 - 2) Comply with ASTM C827/C827M.

E. Reinforcement:

- 1. Formed steel wire or reinforcing rods.
- 2. Thickness: based on design load.
- 3. Finish: Galvanized

F. Shaft and Flat Top Sections:

- 1. Pipe Sections: Reinforced precast concrete.
- 2. Joints:
 - a. Lipped male/female.
 - b. Gasket or Bitumastic material
- 3. Sleeved to receive pipe sections.
- G. Shape: Cylindrical.
- H. Clear Inside Dimensions:
 - 1. Diameter: 72 inches.
 - 2. As indicated on Drawings.
- I. Design Depth:
 - 1. 10 Feet.
 - 2. As indicated on Drawings.
- J. Clear Cover Opening:
 - 1. As indicated on Drawings.
- K. Pipe Entry: Furnish openings as indicated on Drawings.

L. Structure Joint Gaskets:

- 1. Comply with ASTM C361 (C361M).
- 2. Material: Rubber

2.2 FRAMES AND COVERS

A. <u>Manufacturers</u>:

- 1. Syracuse Castings
- 2. Neenah Foundary Co.
- 3. Or Equal.

B. Description:

- 1. Material:
 - a. Cast iron.
 - b. Comply with ASTM A48/A48M, Class 35B, and AASHTO M306.
- 2. Frames and Covers shall be HS20 load rated, and approved by NYS DOT, designed for heavy duty service.
- 3. Frame: 30" clear opening by 7" to 9" riser with minimum 4" flange
- 4. Cover: 32" diameter, 1.5" thick, Non-penetrating pick holes.
- 5. Self-Sealing gasket imbedded into lid.
- 6. Designation: in-dented top design with lettering "Water" cast into cover.

2.3 RISER RINGS

A. Manufacturers:

- 1. A list of NYS DOT approved manufacturers can be found under Technical Services, Materials Approved List. Only Routine and Initial Production Standing will be accepted.
- 2. Substitutions: Not permitted.

B. Riser Rings:

- 1. Thickness of 4 to 6 Inches (100 to 150 mm):
 - a. Precast concrete.
 - b. Comply with ASTM C478 (C478M).
- 2. Thickness Less Than 4 Inches (100 mm):
 - a. Cast iron.
 - b. Comply with AASHTO M306.
- 3. Rubber Seal Wraps:

- a. Wraps and Band Widths: Comply with ASTM C877 (C877M), Type III.
- b. Cone/Riser Ring Joint: Minimum 3-inch (75-mm) overlap.
- c. Frame/Riser Ring Joint: 2-inch (50-mm) overlap.
- d. Additional Bands: Overlap upper band by 2 inches (50 mm).

2.4 ACCESSORIES

A. Steps:

- 1. Provide as indicated on Drawings
- 2. Formed steel reinforced copolymer polypropylene rungs.
- 3. Complying with ASTM-A615.
- 4. 1/2" grade 60 steel reinforcing bar.
- 5. Min. 14" Wide, 16" on center vertically.
- 6. Capable of withstanding 1,500 lbs. pullout.
- 7. Formed integral with structures sections.
- B. Joint Sealant: Comply with ASTM C990 (C990M).
- C. Watertight Manhole Insert:
 - a. HDPE Construction
 - b. OD range (27"-32")
 - c. Coordinate with manhole cover selection

2.5 PIPE SEAL

A. Flexible Pipe Boot:

- 1. ASTM C923, ethylene propylene rubber (EPDM), Series 300 stainless steel clamp and stainless steel hardware.
- 2. Or equal.

2.6 FINISHES

A. Bituminous Manhole Coating:

- 1. Location: Exterior of Structure
- 2. Apply coal-tar coating to exterior walls on all manholes from base to finish grade:
 - a. Carboline Bitumastic 300M.
 - b. Tnemec HB Tnemecol 46-465.
- 3. Apply coating in two coats to minimum 0.3 mm (12-mil) dry-film thickness per coat.
- 4. ASTM A123/A123M includes minimum coating thickness grade based on type of material and steel thickness of component.

B. Steel Galvanizing:

- 1. Hot-dip galvanize after fabrication.
- 2. Comply with ASTM A123/A123M.

2.7 SOURCE QUALITY CONTROL

A. Section 014000 - Quality Requirements: Requirements for testing, inspection, and analysis.

- B. Provide shop inspection and testing of completed assembly.
- C. Certificate of Compliance:
 - 1. If manufacturer is approved by authorities having jurisdiction, submit certificate of compliance indicating Work performed at manufacturer's facility conforms to Contract Documents.
 - 2. Specified shop tests are not required for Work performed by approved manufacturer.

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Verify that items provided by other Sections of Work are properly sized and located.
- B. Verify that built-in items are in proper location and are ready for roughing into Work.
- C. Verify that excavation base is ready to receive Work and excavations and that dimensions and elevations are as indicated on Drawings.

3.2 PREPARATION

- A. Mark each precast structure by indentation or waterproof paint showing date of manufacture, manufacturer, and identifying symbols and numbers as indicated on Drawings to indicate its intended use.
- B. Coordinate placement of inlet and outlet pipe or duct sleeves as required by other Sections.
- C. Do not install manholes and structures where Site conditions induce loads exceeding structural capacity of manholes or structures.
- D. Inspect precast concrete manholes and structures immediately prior to placement in excavation to verify that they are internally clean and free from damage; remove and replace damaged units.

3.3 INSTALLATION

- A. Conduct operations not to interfere with, interrupt, damage, destroy, or endanger integrity of surface structures or utilities in immediate or adjacent areas.
- B. Correct over-excavation with fine aggregate, coarse aggregate or lean concrete as identified in the contract drawings.
- C. Remove large stones or other hard matter impeding consistent backfilling or compaction.
- D. Protect manhole from damage or displacement while backfilling operation is in progress.
- E. Excavating:
 - 1. Provide clearance around sidewalls of manhole or structure for construction operations granular backfill, and placement of geotextile filter fabric.
 - 2. If ground water is encountered, prevent accumulation of water in excavations; place manhole or structure in dry trench.

3. Where possibility exists of watertight manhole or structure becoming buoyant in flooded excavation, anchor manhole or structure to avoid flotation as approved by Architect/Engineer.

F. Base and Alignment:

- 1. Install manholes supported at proper grade and alignment on compacted crushed-stone bedding
- 2. Form and place manhole or structure cylinders plumb and level, to correct dimensions and elevations.

G. Precast Concrete Manholes:

- 1. Lift precast components at lifting points designated by manufacturer.
- 2. When lowering manholes and structures into excavations and joining pipe to units, take precautions to ensure that interior of pipeline and structure remains clean.
- 3. Assembly:
 - a. Assemble multisection manholes and structures by lowering each section into excavation.
 - b. Install rubber gasket joints between precast sections according to manufacturer recommendations.
 - c. Lower, set level, and firmly position base section before placing additional sections.
- 4. Remove foreign materials from joint surfaces and verify that sealing materials are placed properly.
- 5. Maintain alignment between sections by using guide devices affixed to lower section.
- 6. Joint sealing materials may be installed on Site or at manufacturer's plant.
- 7. Verify that installed manholes and structures meet required alignment and grade.
- 8. Remove knockouts or cut structure to receive piping without creating openings larger than required to receive pipe; fill annular spaces with mortar.
- 9. Cut pipe flush with interior of structure.
- 10. Shape inverts through manhole and structures as indicated on Drawings.

3.4 FIELD QUALITY CONTROL

A. Testing:

- 1. Concrete Manhole Sections: Comply with ASTM C497 (C497M)
- B. Equipment Acceptance: Adjust, repair, modify, or replace components failing to perform as specified and rerun tests.

3.5 ADJUSTING

- A. Vertical Adjustment of Existing Manholes and Structures:
 - 1. Manhole Rim Adjustment.
 - 2. If required, adjust top elevation of existing manholes and structures to finished grades as indicated on Drawings.

PUBLIC SAFETY BUILDING WATER METER - MATERIALS PROCUREMENT - DPW_2017-02

3. Frames, Grates, and Covers:

- a. Remove frames, grates, and covers cleaned of mortar fragments.
- b. Reset to required elevation according to requirements specified for installation of castings.

4. Reinforcing Bars:

- a. Remove concrete without damaging existing vertical reinforcing bars if removal of existing concrete wall is required.
- b. Clean vertical bars of concrete and bend into new concrete top slab or splice to required vertical reinforcement as indicated on Drawings.
- 5. Clean and apply sand-cement bonding compound on existing concrete surfaces to receive cast-in-place concrete.

3.6 ATTACHMENTS

A. Manholes: Precast concrete sections, galvanized-steel steps, not less than 48-inch (1.2-m) inside dimension, to depth indicated, with bolted lid.

END OF SECTION 330561

SECTION 331413 - PUBLIC WATER UTILITY DISTRIBUTION PIPING

PART 1 - GENERAL

1.1 SUMMARY

A. Section Includes:

- 1. Pipe and fittings for public potable water line.
- 2. Adapters and Couplings.

B. Related Requirements:

- 1. Section 331419 Valves and Hydrants for Water Utility Service: Fire hydrants, valves, and valve boxes for fire hydrant and water main installations.
- 2. Section 331900 Water Utility Metering Equipment: Positive displacement meters as required by this Section.

1.2 UNIT PRICE - MEASUREMENT AND PAYMENT

A. Pipe and Fittings:

- 1. Pipe Basis of Measurement: By linear foot.
- 2. Fittings Basis of Payment: By Each. Inclusive of entire assembly.

B. Valves:

1. Basis of Measurement: By each. Inclusive of entire assembly.

C. Meters:

- 1. Basis of Measurement: By each.
- 2. Basis of Payment: Includes meter, fittings, and accessories.

D. Taps:

- 1. Basis of Measurement: By each.
- 2. Basis of Payment: Includes tapping sleeve, tapping valves, and accessories.

1.3 REFERENCE STANDARDS

- A. American Association of State Highway and Transportation Officials:
 - 1. AASHTO T 180 Standard Method of Test for Moisture-Density Relations of Soils Using a 4.54-kg (10-lb) Rammer and a 457-mm (18-in.) Drop.
- B. American Society of Mechanical Engineers:
 - 1. ASME B16.1 Gray Iron Pipe Flanges and Flanged Fittings: Classes 25, 125, and 250.

C. ASTM International:

- 1. ASTM A36/A36M Standard Specification for Carbon Structural Steel.
- 2. ASTM A123 (/A123M Standard Specification for Zinc (Hot-Dip Galvanized) Coatings on Iron and Steel Products).
- 3. ASTM A307 Standard Specification for Carbon Steel Bolts, Studs, and Threaded Rod 60 000 PSI Tensile Strength.
- 4. ASTM D698 Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Standard Effort (12 400 ft-lbf/ft3 (600 kN-m/m3).
- 5. ASTM D1557 Standard Test Methods for Laboratory Compaction Characteristics of Soil Using Modified Effort (56,000 ft-lbf/ft3 (2,700 kN-m/m3).
- 6. ASTM D1785 Standard Specification for Poly (Vinyl Chloride) (PVC) Plastic Pipe, Schedules 40, 80, and 120.
- 7. ASTM D2241 Standard Specification for Poly (Vinyl Chloride) (PVC) Pressure-Rated Pipe (SDR Series).
- 8. ASTM D3035 Standard Specification for Polyethylene (PE) Plastic Pipe (DR-PR) Based on Controlled Outside Diameter.
- 9. ASTM D3139 Standard Specification for Joints for Plastic Pressure Pipes Using Flexible Elastomeric Seals.
- 10. ASTM D6938 Standard Test Method for In-Place Density and Water Content of Soil and Soil-Aggregate by Nuclear Methods (Shallow Depth).
- 11. ASTM F477 Standard Specification for Elastomeric Seals (Gaskets) for Joining Plastic Pipe.

D. American Water Works Association:

- 1. AWWA C104 Cement-Mortar Lining for Ductile-Iron Pipe and Fittings.
- 2. AWWA C105 Polyethylene Encasement for Ductile-Iron Pipe Systems.
- 3. AWWA C110 Ductile-Iron and Gray-Iron Fittings.
- 4. AWWA C111 Rubber-Gasket Joints for Ductile-Iron Pressure Pipe and Fittings.
- 5. AWWA C115 Flanged Ductile-Iron Pipe with Ductile-Iron or Gray-Iron Threaded Flanges.
- 6. AWWA C151 Ductile-Iron Pipe, Centrifugally Cast.
- 7. AWWA C153 Ductile-Iron Compact Fittings.
- 8. AWWA C200 Steel Water Pipe, 6 In. (150 mm) and Larger.
- 9. AWWA C203 Coal-Tar Protective Coatings and Linings for Steel Water Pipe.
- AWWA C205 Cement-Mortar Protective Lining and Coating for Steel Water Pipe 4
 In. (100 mm) and Larger Shop Applied.
- 11. AWWA C206 Field Welding of Steel Water Pipe.
- 12. AWWA C207 Steel Pipe Flanges for Waterworks Service, Sizes 4 In. through 144 In. (100 mm through 3,600 mm).
- 13. AWWA C208 Dimensions for Fabricated Steel Water Pipe Fittings.
- 14. AWWA C213 Fusion-Bonded Epoxy Coatings and Linings for Steel Water Pipe and Fittings.
- 15. AWWA C300 Reinforced Concrete Pressure Pipe, Steel-Cylinder Type.
- 16. AWWA C301 Prestressed Concrete Pressure Pipe, Steel-Cylinder Type.
- 17. AWWA C500 Metal-Seated Gate Valves for Water Supply Service.
- 18. AWWA C600 Installation of Ductile-Iron Mains and Their Appurtenances.
- 19. AWWA C605 Underground Installation of Polyvinyl Chloride (PVC) and Molecularly Oriented Polyvinyl Chloride (PVCO) Pressure Pipe and Fittings.
- 20. AWWA C606 Grooved and Shouldered Joints.
- 21. AWWA C700 Cold-Water Meters Displacement Type, Metal Alloy Main Case.
- 22. AWWA C701 Cold-Water Meters Turbine Type, for Customer Service.

- 23. AWWA C702 Cold-Water Meters Compound Type.
- 24. AWWA C707 Encoder-Type Remote-Registration Systems for Cold-Water Meters.
- 25. AWWA C900 Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 4 In. Through 12 In. (100 mm Through 300 mm), for Water Transmission and Distribution.
- 26. AWWA C901 Polyethylene (PE) Pressure Pipe and Tubing, 1/2 In. (13 mm) Through 3 In. (76 mm), for Water Service.
- 27. AWWA C905 Polyvinyl Chloride (PVC) Pressure Pipe and Fabricated Fittings, 14 In. Through 48 In. (350 mm Through 1,200 mm), for Water Transmission and Distribution.
- 28. AWWA M6 Water Meters Selection, Installation, Testing, and Maintenance.
- E. Manufacturers Standardization Society of the Valve and Fittings Industry:
 - 1. MSS SP-60 Connecting Flange Joints between Tapping Sleeves and Tapping Valves.
- F. National Fire Protection Association:
 - 1. NFPA 24 Standard for the Installation of Private Fire Service Mains and Their Appurtenances.
- G. NSF International:
 - 1. NSF 61 Drinking Water System Components Health Effects.
 - 2. NSF 372 Drinking Water System Components Lead Content.

1.4 SUBMITTALS

- A. Section 013300 Submittal Procedures: Requirements for submittals.
- B. Product Data: Submit manufacturer information regarding pipe materials, pipe fittings, valves and accessories.
- C. Manufacturer's Certificate: Certify that products meet or exceed specified requirements.
- D. Include separate Paragraphs for additional certifications.
- E. Qualifications Statements:
 - 1. Submit qualifications for manufacturer supplier.

1.5 QUALITY ASSURANCE

- A. Valves: Mark valve body with manufacturer's name and pressure rating.
- B. Materials in Contact with Potable Water: Certified according to NSF 61 and NSF 372.

1.6 QUALIFICATIONS

A. Manufacturer: Company specializing in manufacturing products specified in this Section with minimum 10 years experience.

1.7 DELIVERY, STORAGE, AND HANDLING

- A. Section 016000 Product Requirements: Requirements for transporting, handling, storing, and protecting products.
- B. Inspection: Accept materials on Site in manufacturer's original packaging and inspect for damage.

C. Storage:

- 1. Store materials according to manufacturer instructions.
- 2. Block individual and stockpiled pipe lengths to prevent moving.
- 3. Do not place pipe or pipe materials on private property or in areas obstructing pedestrian or vehicle traffic.
- 4. Store PE and PVC materials out of sunlight.

D. Protection:

- 1. Protect materials from moisture and dust by storing in clean, dry location remote from construction operations areas.
- 2. Provide additional protection according to manufacturer instructions.

1.8 WARRANTY

A. Furnish five year manufacturer's warranty for valves.

PART 2 - PRODUCTS

2.1 WATER PIPING

- A. Ductile-Iron Pipe: Restrained push on bell and spigot type insert with rubber gasket.
 - 1. Comply with AWWA C151.
 - 2. Bituminous Outside Coating: Comply with AWWA C151.
 - 3. Pipe Mortar Lining:
 - a. Comply with AWWA C104.
 - b. Thickness: Double.

4. Pipe Class:

- a. Comply with AWWA C151.
- b. Class 52

5. Fittings:

- a. Material: Ductile iron; comply with AWWA C110.
- b. Coating and Lining:
 - 1) Bituminous Coating: Comply with AWWA C110.
 - 2) Cement-Mortar Lining: Comply with AWWA C104; double thickness.

6. Joints:

a. Mechanical and Push-on Joints: Comply with AWWA C111.

b. Mechanical Joint

- 1) Manufacturer: Romac Grip Ring Basis of Design (Ductile Iron)
- 2) Gland: Ductile iron, meeting or exceeding ASTM A536, Grade 65-45-12
- 3) Gasket: Standard MG gasket, meeting ANSI/AWWA C111/A21.11
- 4) Ring: Ductile iron, heat treated for proper penetration of rigid pipe materials, conforming to: ASTM A536, Grade 65-45-12.
- 5) Bolts and Nuts: Standard MH tee bolts and nuts meeting ANSI/AWWA C111/A21.11.
- 6) Performance:
 - a) Rated for pressure of pipe
 - b) FM approval at 175 psi (minimum)
 - c) UL listed for Ductile Iron pipe at 350 psi.

B. Flanged Fittings

- 1. Bolts shall be accompanied by appropriately sized washers on both the bolt head and nut side of the connection.
- 2. All hardware to be Type 316 stainless steel.
- 3. Bolts and nuts shall be assembled with medium strength waterproof thread lock compound (Blue Loctite 242, Permatex, or equivalent MIL-SPEC S-46163A Type II, Grade N).
- 4. Gaskets shall be ring type, minimum 1/16th inch thick, cloth inserted rubber gaskets.
- 5. Flanges shall conform to AWWA Standard C115 (ANSI A21.15) with bolts provided in the size and number called for and in accordance with the American Standard with hexagonal nuts.
- 6. For bolt sizes and lengths, the "Handbook of Cast Iron Pipe" should be consulted.

2.2 FLANGED ADAPTER

A. Manufacturers: Romac, Alpha restrained flanged coupling (basis of design) or equal.

B. Performance:

- 1. Working pressure equal to the rating of pipe up to 350 psi.
- 2. 4 degrees of deflection per joint end
- C. Casting: Ductile Iron, meeting or exceeding the requirements of ASTM A536, grade 65-45-12.
- D. Grippers: Ductile Iron meeting or exceeding the requirements of ASTM A536, grade 65-45-12. Machine sharpened and heat treated. Xylan 1424 coated for superior corrosion resistance.
- E. Gaskets: SBR compound for water and sewer service per ASTM D2000, classified by UL to meet NSF61 or NBR compounded for water and sewer service per ASTM D2000, NSF 61 certified. O-ring style flange gasket, NBR in accordance with ASTM D2000, NSF61 certified.
- F. Draw Hooks: type 304 Stainless Steel.
- G. Bolts and Nuts: 5/8-11 bolts with heavy hex nuts. 304 stainless steel. Fasteners provided with anti-galling protection.

H. Coatings: Flanged coupling body fusion bonded epoxy, NSF61 certified. End rings to be bonded polyester.

2.3 MECHANICAL JOINT COUPLING

- A. Manufacturers: Romac, Alpha restrained joint, extended range coupling (basis of design) or equal.
- B. Performance:
 - 1. Working pressure equal to the rating of pipe up to 350 psi.
 - 2. 4 degrees of deflection per joint end
- C. Casting: Ductile Iron, meeting or exceeding the requirements of ASTM A536, grade 65-45-12.
- D. Grippers: Ductile Iron meeting or exceeding the requirements of ASTM A536, grade 65-45-12. Machine sharpened and heat treated. Xylan 1424 coated for superior corrosion resistance.
- E. Gaskets: SBR compound for water and sewer service per ASTM D2000, classified by UL to meet NSF61 or NBR compounded for water and sewer service per ASTM D2000, NSF 61 certified. O-ring style flange gasket, NBR in accordance with ASTM D2000, NSF61 certified.
- F. Draw Hooks: type 304 Stainless Steel.
- G. Bolts and Nuts: 5/8-11 bolts with heavy hex nuts. 304 stainless steel. Fasteners provided with anti-galling protection.
- H. Coatings: Flanged coupling body fusion bonded epoxy, NSF61 certified. End rings to be bonded polyester.

2.4 MECHANICAL JOINT ADAPTER

- A. Manufacture: Foster Adapter (Basis of Design) or equal.
- B. Mechanical joint (MJ) valves and fittings shall be connected using a bolt-through positive restraint mechanism manufactured of U. S. A. ductile iron conforming to ASTM A536, 65-45-12.
- C. The positive restraint device shall connect the valves and/or fittings at a linear distance not to exceed three (3) inches and without attachment to pipe.
- D. The device shall come complete with all accessories, including standard styrene butadiene rubber (SBR) MJ gaskets conforming to the latest revision of AWWA C111/ASTM F-477 and weathering steel (Corten) bolts conforming to AWWA C111/A21.11 and ASTM A242.
- E. Hardware: Type 316 Stainless Steel.
- F. The device shall be used with standard mechanical joint fittings (AWWA C110 or C153) and valves.

2.5 VALVES AND FIRE HYDRANTS

A. As specified in Section 331419 - Valves and Hydrants for Water Utility Service.

2.6 FINISHES

- A. Steel: Hot-dip galvanized after fabrication, according to ASTM A123/A123M.
- B. Protective Coating: Coal-tar epoxy

2.7 ACCESSORIES

A. Corporation Stops:

- 1. Manufacturer: Muller 300 or equal.
- 2. Comply with ASTM B62 and NSF/ANSI 372
- 3. Body: Brass, Full port.
- 4. Material Specifications:
 - a. Body Bronze ASTM B62 Alloy C83600.
 - b. Stem Bronze ASTM B62 Alloy C83600.
 - c. Cap Bronze ASTM B62 Alloy C83600.
 - d. Ball Bronze ASTM B62 Alloy C83600.
 - e. Ball Coating PTFE FDA Approved Coating.
 - f. Stem O-ring ASTM D2000 EPDM Rubber.
 - g. Molded Rubber Seats ASTM D2000 Nitrile (Buna-N) Rubber.
 - h. Pin Stainless Steel, 300 Series.
- 5. Inlet End: Threaded for tapping according to AWWA C800, CC thread.
- 6. Outlet End: CTS grip ring restrain

B. Curb Stops

- 1. Manufacturer: Muller 300 or equal.
- 2. Comply with ASTM B62 and NSF/ANSI 372
- 3. Body: Brass, Full port.
- 4. Material Specifications:
 - a. Body Bronze ASTM B62 Alloy C83600.
 - b. Stem Bronze ASTM B62 Alloy C83600.
 - c. Cap Bronze ASTM B62 Alloy C83600.
 - d. Ball Bronze ASTM B62 Alloy C83600.
 - e. Ball Coating PTFE FDA Approved Coating.
 - f. Stem O-ring ASTM D2000 EPDM Rubber.
 - g. Molded Rubber Seats ASTM D2000 Nitrile (Buna-N) Rubber.
 - h. Pin Stainless Steel, 300 Series.
- 5. Inlet End/Outlet: CTS grip ring restrain

C. Curb Box

- 1. Manufacturer: Muller or equal
- 2. Cast iron telescoping box (6-7 ft burry)
- 3. Two hole cover
- 4. Type 316 stainless steel rod and brass cotter pin (36")

D. Copper Tube

1. Copper tubing shall meet the requirements of Federal Specification WW-T 7996 and shall conform to ASTM specifications B-75, B-88 and B-68 as they apply to Type K Copper Tubing.

PART 3 - EXECUTION

3.1 EXAMINATION

A. Verify that existing utility water main size, location, and invert are as indicated on Drawings.

3.2 PREPARATION

A. Pipe Cutting:

- 1. Cut pipe ends square, ream pipe and tube ends to full pipe diameter, and remove burrs.
- 2. Use only equipment specifically designed for pipe cutting; use of chisels or hand saws is not permitted.
- 3. Grind edges smooth with beveled end for push-on connections.
- B. Remove scale and dirt on inside and outside before assembly.
- C. Prepare pipe connections to equipment with flanges or unions.

3.3 INSTALLATION

A. Bedding:

- 1. Excavation:
 - a. Hand trim for accurate placement of pipe to elevations as indicated on Drawings.
- 2. Dewater excavations to maintain dry conditions and to preserve final grades at bottom of excavation.
- 3. Place bedding material at trench bottom, level fill materials in one continuous layer not exceeding [6] inches of compacted depth, and compact to [95] percent of maximum density.

B. Piping:

- 1. Comply with AWWA C600 and C605.
- 2. Handle and assemble pipe according to manufacturer instructions.
- 3. Steel Rods, Bolts, Lugs, and Brackets: Coat buried steel before backfilling.
- 4. Maintain [10] feet of horizontal separation between water main and sewer.
- 5. Ductile-Iron Piping and Fittings: Comply with AWWA C600.
- 6. Flanged Joints: Do not use in underground installations except within structures.
- 7. Route pipe in straight line, and re-lay pipe that is out of alignment or grade.
- 8. High Points:
 - a. Install pipe with no high points.
 - b. If unforeseen field conditions arise that necessitate high points, install air-release valves .
- 9. Bearing:

- a. Maintain bearing along entire length of pipe.
- b. Excavate bell holes to permit proper joint installation.
- c. Do not lay pipe in wet or frozen trench.
- 10. Prevent foreign material from entering pipe during placement.
- 11. Allow for expansion and contraction without stressing pipe or joints.
- 12. Close pipe openings with watertight plugs during Work stoppages.
- 13. Install access fittings to permit disinfection of water system performed under Section 330110.58 Disinfection of Water Utility Piping Systems
- 14. Cover:
 - a. Establish elevations of buried piping with not less than 6 feet of cover.
 - b. Measure depth of cover from final surface grade to top of pipe barrel.
- C. Valves and Hydrants: As specified in Section 331419 Valves and Hydrants for Water Utility Service.

D. Backfilling:

- 1. Backfill around sides and to top of pipe with cover fill in minimum lifts of [6] inches tamp in place, and compact to [95] percent of maximum density.
- 2. Place and compact material immediately adjacent to pipes to avoid damage to pipe and prevent pipe misalignment.
- 3. Maintain optimum moisture content of bedding material to attain required compaction density.
- E. Disinfection of Potable Water Piping Systems: As specified in Section 330110.58 Disinfection of Water Utility Piping Systems.

3.4 FIELD QUALITY CONTROL

A. Testing:

- 1. Pressure test piping system according to AWWA C600 and following:
 - a. Test Pressure: Not less than 200 psig (1 380 kPa) or 50 psi (345 kPa) in excess of maximum static pressure, whichever is greater.
 - b. Conduct hydrostatic test for a minimum of [two] hours.
 - c. Slowly fill section to be tested with water; expel air from piping at high points.
 - d. Install corporation cocks at high points.
 - e. Close air vents and corporation cocks after air is expelled.
 - f. Raise pressure to specified test pressure.
 - g. Observe joints, fittings, and valves under test.
 - h. Remove and renew cracked pipes, joints, fittings, and valves showing visible leakage, and retest.
 - i. Correct visible deficiencies and continue testing at same test pressure for additional two hours to determine leakage rate.
 - j. Maintain pressure within plus or minus 5 psi (34.4 kPa) of test pressure.
 - k. Leakage is defined as quantity of water supplied to piping necessary to maintain test pressure during period of test.
 - 1. Compute maximum allowable leakage using following formula:

PUBLIC SAFETY BUILDING WATER METER - MATERIALS PROCUREMENT - DPW_2017-02

- 1) $L = SD \times sqrt(P)/C$.
- 2) L = testing allowance, gph (L/h).
- 3) S = length of pipe tested, feet (m).
- 4) D = nominal diameter of pipe, inches (mm).
- 5) P = average test pressure during hydrostatic test, psig (kPa).
- 6) C = 148,000 (794797).
- m. If pipe under test contains sections of various diameters, calculate allowable leakage from sum of computed leakage for each size.
- n. Leakage:
 - 1) If test of pipe indicates leakage greater than allowed, locate source of leakage, make corrections, and retest until leakage is within allowable limits.
 - 2) Correct visible leaks regardless of quantity of leakage.

2. Compaction Testing:

- a. Comply with ASTM D1557, ASTM D698, AASHTO T 180 and ASTM D6938.
- b. Frequency of Compaction Tests: 50 ft.
- c. If tests indicate Work does not meet specified requirements, remove Work, replace, and retest.

END OF SECTION 331413

SECTION 331419 - VALVES AND HYDRANTS FOR WATER UTILITY SERVICE

PART 1 - GENERAL

1.1 SUMMARY

A. Section Includes:

- 1. Valves.
- 2. Valve boxes.

B. Related Requirements:

- 1. Section 330110.58 Disinfection of Water Utility Piping Systems: Requirements for flushing and disinfecting.
- 2. Section 331413 Public Water Utility Distribution Piping: Pressure testing of valves and hydrants.

1.2 UNIT PRICE - MEASUREMENT AND PAYMENT

A. Valves:

- 1. Basis of Measurement: By each.
- 2. Basis of Payment: Includes excavation, valve, valve box, accessories, bedding, and backfill.

1.3 REFERENCE STANDARDS

A. American Water Works Association:

- 1. AWWA C500 Metal-Seated Gate Valves for Water Supply Service.
- 2. AWWA C509 Resilient-Seated Gate Valves for Water Supply Service.
- 3. AWWA C550 Protective Interior Coatings for Valves and Hydrants.

B. National Fire Protection Association:

1. NFPA 291 - Recommended Practice for Fire Flow Testing and Marking of Hydrants.

C. NSF International:

- 1. NSF 61 Drinking Water System Components Health Effects.
- 2. NSF 372 Drinking Water System Components Lead Content.

1.4 COORDINATION

A. Coordinate Work of this Section with installation of water mains.

1.5 SUBMITTALS

- A. Section 013300 Submittal Procedures: Requirements for submittals.
- B. Product Data: Submit manufacturer information regarding component materials, fittings, assembly and parts diagram, and accessories.
- C. Manufacturer's Certificate: Certify that products meet or exceed specified requirements.
- D. Manufacturer Instructions: Submit detailed instructions on installation requirements, including storage and handling procedures.
- E. Source Quality-Control Submittals: Indicate results of [shop] [factory] tests and inspections.
- F. Field Quality-Control Submittals: Indicate results of Contractor-furnished tests and inspections.
- G. Qualifications Statements:
 - 1. Submit qualifications for manufacturer.

1.6 CLOSEOUT SUBMITTALS

A. Not used

1.7 MAINTENANCE MATERIAL SUBMITTALS

A. Submit requirements for maintenance materials.

1.8 QUALITY ASSURANCE

- A. Materials in Contact with Potable Water: Certified according to NSF 61 and NSF 372.
- B. Cast manufacturer's name, pressure rating, and year of fabrication into valve body.

1.9 QUALIFICATIONS

A. Manufacturer: Company specializing in manufacturing products specified in this Section with minimum 10 years' documented experience.

1.10 DELIVERY, STORAGE, AND HANDLING

- A. Section 016000 Product Requirements: Requirements for transporting, handling, storing, and protecting products.
- B. Delivery:
 - 1. Seal valve and hydrant ends to prevent entry of foreign matter.
 - 2. Inspection: Accept materials on Site in manufacturer's original packaging and inspect for damage.
- C. Store materials according to manufacturer instructions.

D. Protection:

- 1. Protect materials from moisture and dust by storing in clean, dry location remote from construction operations areas.
- 2. Provide additional protection according to manufacturer instructions.

PART 2 - PRODUCTS

2.1 VALVES

A. Performance and Design Criteria:

- 1. Pressure Rating:
 - a. 12-inch (300-mm) Diameter and Smaller: 200 psig (1 380 kPa).
 - b. 14-inch (350-mm) Diameter and Larger: 150 psig (1 030 kPa).
- 2. End Connections: Mechanical joint
- 3. Furnish valves of diameters 16 inches (400 mm) and larger with bypass valves and gear operators.
- 4. Coatings:
 - a. Comply with AWWA C550.
 - b. Application: Interior and exterior.

B. Resilient-Wedge Gate Valves:

- 1. Manufacturers:
 - a. Muller 2360 series or equal
- 2. Description:
 - a. Comply with AWWA C509.
 - b. Body: Ductile iron
 - c. Seats: Resilient.
 - d. Stem:
 - 1) Type: Non-rising.
 - 2) Material: Bronze.
 - 3) Forged manganese bronze bar stock, machined to form a thrust collar for superior strength in this critical area.
 - e. Operation:
 - 1) Square operating nut.
 - 2) Opening Direction: Counterclockwise.
 - f. Ends: Mechanical Joint
 - g. Coating: AWWA C550; interior/exterior.

2.2 VALVE BOXES

A. Manufacturers:

1. Tylor/Union, 6850 Series or equal.

B. Description:

- 1. 12-inch (300-mm) Diameter Valves and Smaller:
 - a. Material: Cast iron.
 - b. Type: Two piece; screw.
- 2. Valves Larger than 12-inch (300-mm) Diameter:
 - a. Material: Cast iron.
 - b. Type: Three piece; screw.
 - c. Base: Round.
- 3. Lid Inscription: WATER

2.3 ACCESSORIES

- A. Valve Box Aligner: High-strength plastic device designed to automatically center valve box base and to prevent it from shifting off center during backfilling.
- B. Certificate of Compliance:
 - 1. If manufacturer is approved by authorities having jurisdiction, submit certificate of compliance indicating Work performed at manufacturer's facility conforms to Contract Documents.
 - 2. Specified shop tests are not required for Work performed by approved manufacturer.

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Section 017000 Execution and Closeout Requirements: Requirements for installation examination.
- B. Determine exact location and size of valves from Drawings.
- C. Identify required lines, levels, contours, and datum locations.

3.2 PREPARATION

- A. Locate, identify, and protect from damage utilities to remain.
- B. Do not interrupt existing utilities without permission and without making arrangements to provide temporary utility services.
 - 1. Notify Architect/Engineer not less than 14 days in advance of proposed utility interruption.

PUBLIC SAFETY BUILDING WATER METER - MATERIALS PROCUREMENT - DPW_2017-02

2. Do not proceed without written permission from Architect/Engineer.

3.3 INSTALLATION

- A. Provide buried valves with valve boxes installed flush with finished grade.
- B. Provide support blocking and drainage gravel while installing fire hydrants; do not block drain hole.

C. Orientation:

- 1. Set [valves] [and] [hydrants] plumb.
- 2. Set fire hydrants with pumper nozzle facing roadway.
- 3. Set fire hydrants with centerline of pumper nozzle 18 inches (450 mm) above finished grade and with safety flange not more than 6 inches (150 mm) nor less than 2 inches (50 mm) above grade.
- D. Disinfection of Water Piping System: Flush and disinfect [valves] [and] [hydrants] with water mains as specified in Section 330110.58 Disinfection of Water Utility Piping Systems.

3.4 FIELD QUALITY CONTROL

- A. Section 014000 Quality Requirements: Requirements for inspecting and testing.
- B. Section 017000 Execution and Closeout Requirements: Requirements for testing, adjusting, and balancing.
- C. Testing: Pressure test [valves] [and] [hydrants] with water mains as specified in Section 331413- Public Water Utility Distribution Piping

END OF SECTION 331419

SECTION 331900 - WATER UTILITY METERING EQUIPMENT

PART 1 - GENERAL

1.1 SUMMARY

A. Section Includes:

- 1. Direct Coupled Turbine, Floating Rotor Flow Meter
- 2. Strainer
- 3. 5/8" Meter Setter and Pit (without meter)

B. Related Requirements:

- 1. Section 330563 Concrete Vaults and Chambers: Requirements for meter boxes used to access and protect meter installation.
- 2. Section 331413 Public Water Utility Distribution Piping: Requirements for domestic water piping from supply to utility source connection at Site.

1.2 DEFINITIONS

A. FRP: Fiberglass-reinforced plastic.

1.3 UNIT PRICE - MEASUREMENT AND PAYMENT

A. Meters:

- 1. Basis of Measurement: By unit.
- 2. Basis of Payment: Includes meter, fittings, accessories, meter box, and installation.

1.4 REFERENCE STANDARDS

- A. American Society of Mechanical Engineers:
 - 1. ASME B16.1 Gray Iron Pipe Flanges and Flanged Fittings: Classes 25, 125, and 250.
 - 2. ASME PTC 19.5 Flow Measurement.

B. American Water Works Association:

- 1. AWWA C700 Cold-Water Meters Displacement Type, Metal Alloy Main Case.
- 2. AWWA C701 Cold-Water Meters Turbine Type, for Customer Service.
- 3. AWWA C702 Cold-Water Meters Compound Type.
- 4. AWWA C704 Propeller-Type Meters for Waterworks Applications.
- 5. AWWA C707 Encoder-Type Remote-Registration Systems for Cold-Water Meters.
- 6. AWWA M6 Water Meters Selection, Installation, Testing, and Maintenance.

C. ASTM International:

- 1. ASTM A126 Standard Specification for Gray Iron Castings for Valves, Flanges, and Pipe Fittings.
- 2. ASTM B61 Standard Specification for Steam or Valve Bronze Castings.
- D. National Electrical Manufacturers Association:
 - 1. NEMA 250 Enclosures for Electrical Equipment (1000 Volts Maximum).
- E. NSF International:
 - 1. NSF 61 Drinking Water System Components Health Effects.
 - 2. NSF 372 Drinking Water System Components Lead Content.

1.5 SUBMITTALS

- A. Section 013300 Submittal Procedures: Requirements for submittals.
- B. Product Data: Submit manufacturer information for water meters and accessories.
- C. Manufacturer's Certificate: Certify that water meters meet or exceed specified requirements.
- D. Manufacturer Instructions: Submit detailed instructions on installation requirements, including storage and handling procedures.
- E. Source Quality-Control Submittals: Indicate results of factory tests and inspections.
- F. Field Quality-Control Submittals: Indicate results of Contractor-furnished tests and inspections.
- G. Manufacturer Reports:
 - 1. Certify that equipment has been installed according to manufacturer's instructions.
 - 2. Indicate activities on Site, adverse findings, and recommendations.
- H. Qualifications Statements:
 - 1. Submit qualifications for manufacturer and installer.
 - 2. Submit manufacturer's approval of installer.

1.6 QUALITY ASSURANCE

A. Materials in Contact with Potable Water: Certified to NSF 61 and NSF 372.

1.7 QUALIFICATIONS

A. Manufacturer: Company specializing in manufacturing products specified in this Section with minimum five years' documented experience.

1.8 DELIVERY, STORAGE, AND HANDLING

A. Section 016000 - Product Requirements: Requirements for transporting, handling, storing, and protecting products.

- B. Inspection: Accept materials on Site in manufacturer's original packaging and inspect for damage.
- C. Store materials according to manufacturer instructions.

D. Protection:

- 1. Protect materials from moisture and dust by storing in clean, dry location remote from construction operations areas.
- 2. Provide additional protection according to manufacturer instructions.

1.9 EXISTING CONDITIONS

A. Field Measurements:

- 1. Verify field measurements prior to fabrication.
- 2. Indicate field measurements on Shop Drawings.

1.10 WARRANTY

A. Furnish **five** year manufacturer's warranty for water meters.

PART 2 - PRODUCTS

2.1 IMPELLER STYLE WATER FLOW METERS

A. Manufacturers:

- 1. Sensus, Omni F2
- 2. Badger Meter
- 3. Or Equal

B. Description:

- 1. Coated Ductile Iron body turbine meter with magnetic drive register.
- 2. Comply with AWWA C703
- 3. Type: Floating Impeller
- 4. Case Material: Bronze.
- 5. Bottom Cap:
 - a. Material: Cast iron.
 - b. Type: Frost proof
- 6. Register: Hermetically sealed, containing no mechanical gearing.
- 7. Remote Reading: Comply with AWWA C707.
- 8. Radial Bearings: Hybrid Thermoplastic
- 9. Thrust Bearings: Sapphire/Ceramic Jewel
- 10. Magnets: Ceramic Magnet
- 11. Other provisions: Test plug, located on meter case. Test Plug port shall be fitted with appropriately sized ball valve. Plug shall be used to cap of ball valve port.

C. Performance and Design Criteria:

- 1. Service: Domestic Cold Water service
- 2. Minimum Flow Rate: 1.5 gpm, 95% accuracy.
- 3. Average Flow Rate: 4.7 gpm to 23 gpm, 100% +/- 1.5% accuracy
- 4. Maximum Flow Rate: 2000 gpm
- 5. Maximum Operating Pressure: 175 psig, existing static of 140 psi.
- 6. Pipe Size: 6" Flanged, US ANSI B16.1/AWWA125

2.2 FLOW METER STRAINER

A. Description

- 1. 6" strainer with cover
- 2. Cover shall have a tapped port for air release and pressure gauge connection. Port shall be fitted with ball valve in place of plug. Plug shall be used to cap off ball valve open port.
- 3. Strainer main case shall be equipped with drain port. Drain port shall be equipped with ball valve in place of plug. Plug shall be used to cap off ball valve open port.

B. Materials

- 1. Ball valves shall be bronze construction, meeting specification standards cited in this specification
- 2. Strainer housing shall be Ductile Iron.
- 3. Strainer shall be Stainless steel.

C. Remote Register

- 1. Compatible with meter register
- 2. Field adjustable flow units and meter sizes.
- 3. Environment: Out door, weather proof housing, UV resistant, temp: -30 to 120 deg F
- 4. Display: LCD, 8 characters, 0.25" ht. 7 digit meter reading
- 5. Power: (1) AA cell battery (10 year battery life)
- 6. Provide 30 ft cable to connect meter and remote register.

D. Ball Valves

- 1. Provide ball valves in accordance with these specification requirements to make a complete and functional system.
- 2. ASTM grade Bronze cast body
- 3. 316 Stainless steel ball
- 4. RPTFE Seats and stem packing, adjustable.
- 5. USA manufacturer
- 6. Lead Free

2.3 METER SETTER AND PIT (without meter)

A. Manufacturers:

- 1. Ford Plastic Coil Pit and Setter.
- 2. Or Equal

B. Housing:

1. SDR 51 PVC PIP tile, per ASTM D2241

- 2. Heights range from 36" to 96": Application for 6' lateral burry depth.
- 3. Bottom is open to allow ground heat from below the frost line to circulate in the pit, preventing freeze-ups.
- 4. 18" diameter PVC tile (.360" thick)

C. Coil

- 1. Coiled high-density polyethylene (HDPE) tubing, per ASTM D2737, SDR 9 CTS sized, meeting ANSI/NSF 61.
- 2. Complies with AWWA C901 (Note: polybutylene coil tubing will not be accepted)
- 3. Coils shall be rated for a 200 psi working pressure, and cut to fit the meter pit depth.

D. Connections

- 1. Brass components that come in contact with potable water shall conform to AWWA Standard C800 (UNS NO C89833)
- 2. Brass components that do not come in contact with potable water shall conform to AWWA Standard C800 (ASTM B62 and ASTM B584, UNS NO C83600 85-5-5-5)
- 3. Inlet and outlet service line connections are MIP and are clearly labeled
- 4. Quick Joint Nuts (QJN) with thin stainless steel inserts shall be used for connecting to the HDPE tubing allowing full water flow, not crimping techniques requiring a thick brass insert that reduces the tubing ID at every connection.
- 5. Special lubricants within the QJN shall allow it to rotate on the tubing without becoming loose or compromising the connection
- 6. If ever necessary, removal of coil or replacement of connections shall require only replacing the QJN gasket, not crimping techniques that require special tools, complete replacement of tubing and the entire crimped connection.

E. Meter Mounting Platform

- 1. Single Meter
- 2. Constructed of molded polypropylene with structural ribs for rigidity.

F. Bottom Plate:

1. Stainless Steel, type 304 for 18" pit

G. Brass Valves

- 1. Brass components that come in contact with potable water conform to AWWA Standard C800 (UNS NO C89833). Brass components that do not come in contact with potable water conform to AWWA Standard C800 (ASTM B62 and ASTM B584, UNS NO C83600 85-5-5-5).
- 2. Inlet valve: Angle ball valve (5/8" x 3/4")
- 3. Meter: no meter supplied.
- 4. Outlet: Angle ball valve (5/8" x 3/4")

H. Iron Lids and Insulation

- 1. Load rated for 25,000 lbs.
- 2. Driveway Cover, Locking, for coil pits.
- 3. Insulating disc 6" thick, minimum R value of 12. Closed cell polyethylene foam with handle for removal.

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Section 017000 Execution and Closeout Requirements: Requirements for installation examination.
- B. Verify that building service connections and municipal utility water main sizes, locations, and elevations are as indicated on Shop Drawings.

3.2 PREPARATION

- A. Section 017000 Execution and Closeout Requirements: Requirements for installation preparation.
- B. Before attaching meter, ensure that pipe ends are deburred, square, and plumb and that scale and dirt on inside and outside of piping has been removed.
- C. Prepare pipe connections to equipment with flanges or unions, as appropriate.
- D. Protect and support existing distribution piping as Work progresses.

3.3 INSTALLATION

A. Meters:

1. Install meters according to AWWA M6, with isolating valves on inlet and outlet.

3.4 FIELD QUALITY CONTROL

A. Testing:

- 1. Test and calibrate flow meter to demonstrate specified accuracy requirements.
- 2. Test meters according to AWWA M6.
- B. Manufacturer Services: Furnish services of manufacturer's representative experienced in installation of products furnished under this Section for not less than 2 days on Site for installation, inspection, startup, field testing, and instructing Owner's personnel in maintenance of equipment.

C. Equipment Acceptance:

- 1. Adjust, repair, modify, or replace components failing to perform as specified and rerun tests
- 2. Make final adjustments to equipment under direction of manufacturer's representative.
- D. Furnish installation certificate from equipment manufacturer's representative attesting that equipment has been properly installed and is ready for startup and testing.

PUBLIC SAFETY BUILDING WATER METER - MATERIALS PROCUREMENT - DPW_2017-02

3.5 DEMONSTRATION

A. Demonstrate equipment startup, shutdown, routine maintenance, and emergency repair procedures to Owner's personnel.

END OF SECTION 331900

SECTION 400506 - SPECIALTIES FOR PROCESS PIPING

PART 1 - GENERAL

1.1 SUMMARY

- A. Section Includes:
 - 1. Piping Accessories
- B. Related Requirements:
 - 1. Section 331300 Disinfecting of Water Utility Distribution: Disinfection of potable water piping.

1.2 REFERENCE STANDARDS

- A. American Water Works Association:
 - 1. AWWA C219 Bolted, Sleeve-Type Couplings for Plain-End Pipe.
- B. American Welding Society:
 - 1. AWS D1.1/D1.1M Structural Welding Code Steel.
- C. ASME International:
 - 1. ASME A13.1 Scheme for the Identification of Piping Systems.
 - 2. ASME B31.3 Process Piping.
 - 3. ASME B31.9 Building Services Piping.
 - 4. ASME Boiler and Pressure Vessel Code (BPVC), Section IX Welding, Brazing, and Fusing Qualifications.
- D. ASTM International:
 - 1. ASTM D2000 Standard Classification System for Rubber Products in Automotive Applications.
- E. Expansion Joint Manufacturers Association, Inc.:
 - 1. EJMA Standards.
- F. NSF International:
 - 1. NSF 61 Drinking Water System Components Health Effects.
 - 2. NSF 372 Drinking Water System Components Lead Content.
- 1.3 SUBMITTALS
 - A. Section 013300 Submittal Procedures: Requirements for submittals.
 - B. Product Data:

1. Submit manufacturer catalog information for each specified product.

C. Shop Drawings:

1. Identification:

- a. Submit list of wording, symbols, letter size, and color coding for pipe identification.
- b. Comply with ASME A13.1.
- 2. Indicate restrained joint details and materials.
- 3. Submit layout drawings showing piece numbers and location, indicating restrained joint locations.
- 4. Indicate layout of piping systems, including flexible connectors, expansion joints and fittings.
- D. Manufacturer's Certificate: Certify that products meet or exceed specified requirements.
- E. Manufacturer Instructions: Submit special procedures and setting dimensions.
- F. Source Quality-Control Submittals: Indicate results of shop tests and inspections.
- G. Field Quality-Control Submittals: Indicate results of Contractor-furnished tests and inspections.

1.4 QUALITY ASSURANCE

A. Materials in Contact with Potable Water: Certified to NSF Standards 61 and 372.

1.5 QUALIFICATIONS

A. Manufacturer: Company specializing in manufacturing products specified in this Section with minimum five years' documented experience.

1.6 DELIVERY, STORAGE, AND HANDLING

- A. Section 016000 Product Requirements: Requirements for transporting, handling, storing, and protecting products.
- B. Inspection: Accept materials on Site in manufacturer's original packaging and inspect for damage.
- C. Store materials according to manufacturer instructions.

D. Protection:

- 1. Protect materials from moisture and dust by storing in clean, dry location remote from construction operations areas.
- 2. Furnish temporary end caps and closures on piping and fittings and maintain in place until installation.
- 3. Provide additional protection according to manufacturer instructions.

1.7 EXISTING CONDITIONS

A. Field Measurements:

- 1. Verify field measurements prior to fabrication.
- 2. Indicate field measurements on Shop Drawings.

PART 2 - PRODUCTS

2.1 PIPING ACCESSORIES

A. Fire Hose

- 1. Manufacturer: Basis of Design
- 2. Rated pressure: 200 psi
- 3. Construction: highly abrasion –resistant extruded thermoplastic polyurethane TPU reinforced with high strength circular woven filament polyester varn.
- 4. Flexible at temperatures as low as -58 degrees F
- 5. Regulatory Requirements: Meeting NSF 61
- 6. Sections: 50ft hose length
- 7. Finished ends: M by FM, fire hose thread

B. Pressure Gauges

- 1. Manufacturer: Basis of Design (USA BlueBook 84555)
- 2. Gauge build: 2.5" dial with 1/4" NPT (m) lower mount
- 3. Case: 304 Stainless steel with glass window
- 4. Fluid Fill: glycerin
- 5. Wetted materials: Brass
- 6. Range: 0-160 psi, 1.6% accuracy

C. Hydrant Adapter

- 1. Manufacture: Basis of Design (USA Blue Book 52528 and 52533)
- 2. Swivel adapter: 2.5" NST Female by 2" NPT Male
- 3. Nipple adapter: 2.5" NST Male by 2" NPT Male
- 4. Construction: Lead Free Brass or aluminum alloy.

D. Fire Hydrant Gauge Kit

- 1. Manufacture: Basis of Design (USA BlueBook 60474)
- 2. Lugged Brass Hydrant Adapter size: 2.5" NST (FM) by 3.4" GHT (M) (Fire hose tread by Garden Hose Thread.
- 3. Pressure Gauge build: 2.5" dial with ¼" NPT (m) lower mount
 - a. Case: 304 Stainless steel with glass window
 - b. Fluid Fill: glycerin
 - c. Wetted materials: Brass
 - d. Range: 0-200 psi, 1.6% accuracy
- 4. Accessories: ¾" hose thread to NTP adapter, Brass bushings, Brass Tee, and drain petcock.

E. Hydrant Wrench

- 1. Manufacture: Basis of Design (USA BlueBook 22512) or equal
- 2. Adjustable handle screw for pentagon nut.
- 3. Used for lug or rocker style coupling spanner
- 4. Min 20" length

F. Valve and Curb Box Key Kit

- 1. Manufacturer: Basis of Design (USA BlueBook 66984) or equal
- 2. Telescoping base: 4'1" to 7'7"
- 3. Tee-handle
- 4. 2" AWWA nut box wrench
- 5. ³/₄ to 2" curb and meter stop multipurpose adaptor

G. Manhole Pick

- 1. Size: 5/8 by 30"
- 2. Construction: High Carbon Steel
- 3. Configuration: 90 deg handle position

H. Manhole Lift Magnet

- 1. Manufacture: Mag-mate, Versalift
- 2. Lift hook: 2.4" ht, by 1.7" wide
- 3. Fully shielded housing.
- 4. Lockable magnet engagement on/off release.
- 5. Lift capacity: 1200 lbs
- 6. Magnet weight (Max): 34lbs

PART 3 - EXECUTION

3.1 EXAMINATION

- A. Verify that field dimensions are as indicated on Shop Drawings.
- B. Inspect existing flanges for nonstandard bolthole configurations or design and verify that new pipe and flanges mate properly.
- C. Verify that pipe plain ends to receive sleeve-type couplings are smooth and round for 12 inches (305 mm) from pipe ends.
- D. Verify that pipe outside diameter conforms to sleeve manufacturer's requirements.

3.2 PREPARATION

- A. Cleaning: Thoroughly clean end connections before installation.
- B. Close pipe and equipment openings with caps or plugs during installation.
- C. Surface Preparation: Clean surfaces to remove foreign substances.

3.3 FIELD QUALITY CONTROL

- A. After installation, inspect for proper supports and interferences.
- B. Repair damaged coatings with material equal to original coating.


3.4 CLEANING

A. Keep equipment interior clean as installation progresses.

3.5 ATTACHMENTS

- A. Pipe Schedule:
 - 1. Ductile Iron:
 - a. Material No.: 11.
 - b. Reference Standard: AWWA C115.
 - c. Joints:
 - 1) Type: Mechanical.
 - 2) AWWA C110 and C111.
 - d. Fittings:
 - 1) Material: Ductile iron.
 - 2) AWWA C110.
 - e. Gaskets: Rubber.
 - f. Test Pressure: 200 psig (1.38 MPa).
 - 2. Copper:
 - a. Material No.: 17.
 - b. Type: Seamless.
 - c. Reference Standard: ASTM B251 (B251M).
 - d. Joints: Brazed.
 - e. Fittings:
 - 1) Material: Wrought copper.
 - 2) ASME B16.29.
 - f. Test Pressure: 200 psig (1.38 MPa).

END OF SECTION 400506



ESSEX COUNTY PUBLIC SAFETY BUILDING WATER METER INSTALLATION

PUBLIC WATER SUPPLY: TOWN OF LEWIS, NY PWS# XXXXXX







PUBLICCOUNT **DEPTARMENT OF** ESSEX

WATER PUBLIC METER INSTALLATION BUILDING **APPENDIX** SAFETY ESSEX **PROJECT**

SHE

- 1. PERFORM TEMPORARY BYPASS OF WATER SERVICE IN ACCORDANCE WITH THE "WATER SYSTEM DISINFECTION PLAN" AND SPECIFICATIONS PROVIDED.
- 2. EXCAVATE AND LOCATE EXISTING 8" DI WATER MAIN ENTRENCE, ISSOLATE AND CUT IN (3) VALVES, AND (2) TEES AS SHOWN IN DETAILS AND RETURN TO SERVICE PER "WATER SYSTEM DISINFECTION PLAN".
- 3. INSTALL METER STRUCTURE AND ASSOCIATED PIPING IN ACCORDANCE WITH THE DETAILS AND SPECIFICATIONS PROVIDED.
- 4. PERFORM PRESSURE TESTING AND DISINFECTION WITH DOCUMENTATION ON THE FORMS PROVIDED AND IN ACCORDANCE WITH THE "WATER SYSTEM DISINFECITON PLAN".
- 5. SUBMIT DOCUMENTED TESTING AND FINAL BACTERIOLOGICAL SAMPLES TO THE NYSDOH DISTRICT OFFICE IN SARANAC LAKE PRIOR TO COMMISSIONING.





PUBLIC

COUNTY

ESSEX


5


 \circ






- 1. ALL WATER PIPE IN VAULT IS TO BE FLANGED JOINT DUCTILE IRON, CLASS 53 MINIMUM.
- 2. ALL CONNECTIONS IN VAULT ARE TO BE FLANGED, EXCEPT FOR SLIDING WATER PIPE COUPLING. FLANGE ADAPTERS WITH SET SCREWS ARE NOT TO
- 3. ALL WATER PIPE OUTSIDE OF VAULT IS TO BE MECHANICAL OR PUSH-ON JOINT DUCTILE IRON PIPE, CLASS 52 MINIMUM (DOMESTIC) OR CLASS 56 MINIMUM (HOLLY). JOINTS ON ALL WATER PIPE, FITTINGS AND VALVES LOCATED WITHIN 12 FEET OF VAULT ARE TO BE RESTRAINED USING APPROVED MECHANICAL JOINT RESTRAINT DEVICES.
- 4. SEPARATE PLATE STRAINER IS REQUIRED FOR ALL COMPOUND AND TURBO
- 5. VAULTS LOCATED IN UNPAVED AREAS AND NOT SUBJECT TO VEHICULAR TRAFFIC LOADS, ARE TO BE FURNISHED WITH AN ALUMINUM ACCESS HATCH WITH STAINLESS STEEL HARDWARE. AND DESIGNED TO SUPPORT 300 PSF LOAD. (NOT USED)
- 6. VAULTS LOCATED IN PAVED AREAS ARE TO BE FURNISHED WITH ALUMINUM ACCESS HATCH, OR CAST IRON FRAME AND COVER, DESIGNED TO SUPPORT AASHTO HS-20-44 WHEEL LOADING.
- 7. IF WATER METER SIZE IS SMALLER THAN SIZE OF WATER SERVICE. PROVIDE ADEQUATE CLEARANCE FOR FUTURE INSTALLATION OF FULL SIZED WATER METER.
- 8. VAULT STRUCTURE IS TO BE PRECAST CONCRETE DESIGNED TO SUPPORT AASHTO HS-20-44 WHEEL LOADING.








- 1. WATER METER WILL BE FURNISHED SEPARATELY.
- 2. ELECTRONIC READ DEVICE (NOT IN CONTRACT).
- 3. WATER PIPE, VALVES AND FITTINGS (EXCLUDING WATER METER) ARE TO BE ASSEMBLED INSIDE METER PIT AT FACTORY.
- 4. WHEN INSTALLED IN PAVED AREA, WATER METER PIT IS TO BE DESIGNED TO SUPPORT AASHTO HS-20-44 WHEEL LOADING. SUBMIT SHOP DRAWINGS FOR APPROVAL.
- 5. SAND BACKFILL AROUND EXTERIOR WALLS OF METER PIT IS TO BE CAREFULLY PLACED AND COMPACTED.
- 6. BOTTOM INLET AND OUTLET CONNECTIONS ARE TO ACCOMMODATE TYPE k COPPER JOINT CTS GRIP COMPRESSION JOINT.
- 7. TOP LID IS TO BE LOCKING CAST IRON WITH INNER LID IS TO BE INSULATED PLUG. COVER FRAME IS TO BE SIZED TO FIT REQUIRED DIAMETER OF METER PIT SETTER TILE.

METER SIZE (INCHES)	"L" (INCHES)	"D" (INCHES) MINIMUM
5/8"	7½"	18"
5/8" x 3/4"	7½"	18"
3/4"	9"	20"
1"	10¾"	20"
SEE NOTE 7 FOR COVER TYPE		



NOTES:

- 1. WATER SERVICE PIPE IS TO HAVE MINIMUM COVER DEPTH OF 6.0 FEET FROM FINISHED SURFACE.
- 2. WATER SERVICE TAP IS TO BE MADE ON CUSTOMER SIDE OF WATER MAIN PIPE, DIRECT TAP INTO DI WATERMAIN.
- 3. WATER SERVICE PIPE IS TO RUN PERPENDICULAR TO WATER MAIN PIPE.
- 4. FOR WATER SERVICE PIPE $1\frac{1}{2}$ INCHES AND LARGER, ADD CURB BOX ARCH TO CURB BOX.



ESSEX COUNTY DEPTARMENT OF PUBLIC WORKS

PROJECT: ESSEX COUNTY PUBLIC SAFETY BUILDING WATER METER INSTALLATION

APPENDIX A

5

 \circ

SHEET:

EXHIBIT C

INSURANCE REQUIREMENTS - SERVICE PROVIDERS

- I. The Contractor shall procure and maintain during the entire term of the contract the following required insurance:
 - → Commercial General Liability Insurance \$1,000,000 per occurrence/\$2,000,000 aggregate.
 - → Excess/Umbrella Liability Insurance \$1,000,000 per occurrence / \$2,000,000 aggregate.
 - → Workers' Compensation

Statutory Workers' Compensation and Employers' Liability Insurance for all employees, except that in the event the Contractor has no employees and is exempt by law from having such insurance coverage the Contractor may provide an exemption statement.

- II. Notwithstanding any terms, conditions or provisions, in any other writing between the parties, the Contractor hereby agrees (except as to workers' compensation insurance coverage) to either effectuate:
 - (a) the naming of the County as an "additional insured as funding source for contract services" on the contractor's insurance policies, or
 - (b) the inclusion of a contractual liability endorsement covering the Contractor's contract with the County.
- III. The policy/policies of insurance furnished by the Contractor shall:
 - be from an A.M. Best rated "A" New York State licensed insurer; and
 - → contain a 30-day notice of cancellation
- IV. The Contractor agrees to indemnify the County for any applicable deductibles.
- V. Contractor acknowledges that failure to obtain such insurance on behalf of the County constitutes a material breach of contract and subjects it to liability for damages, indemnification and all other legal remedies available to the County. Prior to commencement of work or use of facilities, the Contractor shall provide to the County proof that such requirements have been met by furnishing certificate(s) of such insurance, and the declarations pages from the policies of such insurance. The failure of the County to object to the contents of the certificate(s) and/or declarations pages, or the absence of same, shall not be deemed a waiver of any and all rights held by the County.
- VI. All certificates of insurance will provide 30 days notice to the county of cancellation or non-renewal.
- VII. Contractor and subcontractor waives all rights of subrogation against the owner and will have the General Liability, Umbrella Liability Workers' Compensation policies endorsed setting forth this Waiver of Subrogation.
- VIII. All policies will also contain no exclusions with respect to Section 240 and 241 of the NYS Labor Law.
- IX. The County shall be listed as an additional insured on a primary and non-contributory basis.
- X. All Contractors Subcontractors shall comply with these provisions and shall list the County as additional insured on a primary and non-contributory basis.

APPENDIX D - STANDARD CLAUSES FOR ESSEX COUNTY CONTRACTS

1. Independent Contractor Status

The parties each acknowledge, covenant and agree that the relationship of the Contractor to the County shall be that of an independent contractor. The Contractor, in accordance with its status as an independent contractor, further covenants and agrees that it:

- (a) will conduct itself in accordance with its status as an independent contractor;
- (b) will neither hold itself out as nor claim to be an officer or employee of the County; and
- (c) will not make any claim, demand or application for any right or privilege applicable to an officer or employee of the County, including but not limited to workers' compensation benefits, unemployment insurance benefits, social security coverage or retirement membership or credits.

2. Contractor To Comply With Laws/Regulations

The Contractor shall at all times comply with all applicable state and federal laws, rules and regulations governing the performance and rendition of the services to be furnished under this agreement.

3. Licenses, Permits, Etc.

The Contractor shall, during the term of this agreement, obtain and keep in full force and effect any and all licenses, permits and certificates required by any governmental authority having jurisdiction over the rendition and performance of the services to be furnished by the Contractor under this agreement.

4. **Termination**

This agreement may be terminated without cause by either party upon 30 days prior written notice, and upon such termination neither party shall have any claim or cause of action against the other except for services actually performed and mileage expenses actually incurred prior to such termination. Notwithstanding the foregoing, this agreement may be immediately terminated by the County:

- (a) for the Contractor's breach of this agreement, by serving written notice of such termination stating the nature of the breach upon the Contractor by personal delivery or by certified mail, return receipt requested, and upon such termination either party shall have such rights and remedies against the other as provided by law; or
- (b) upon the reduction or discontinuance of funding by the State or Federal governments to be used in furnishing some or all of the work, labor and/or services provided for under this agreement, and upon such termination neither party shall have any claim or cause of action against the other except for services actually performed and expenses (if the same are to be paid under this agreement) actually incurred prior to such termination.

5. **Defense & Indemnification**

The Contractor shall defend, indemnify and hold harmless the County to the fullest extent allowed by law, and notwithstanding any insurance requirements, from and against any and all liability, losses, claims, actions, demands, damages, expenses, suits, judgments, orders, causes of action and claims, including but not limited to attorney's fees, legal costs, and all other costs of defense, by reason of any liability whatsoever imposed by law or otherwise upon the County for damages to person, property or of any other kind in nature, including but not limited to those for bodily injury, property damage, death arising out of or in connection with its officers, employees, agents, contractors, sub-contractors, guests or invitees negligence or its/their performance or failure to perform this agreement. This language shall be inserted by Contractor in all agreements between Contractor and its subcontractors and subcontractors will indemnify and hold harmless the County pursuant to its terms.

6. **Discrimination Prohibited**

The services to be furnished and rendered under this agreement by the Contractor shall be available to any and all residents of Essex County without regard to race, color, creed, sex, religion, national or ethnic origin, handicap, or source of payment; and under no circumstances shall a resident's financial ability to pay for the services provided be considered unless such consideration is allowed by State and/or Federal law, rule or regulation.

7. **Non-Discrimination In Employment**

The Contractor will not discriminate against any employee or applicant for employment because of race, creed, color, sex, national origin, age, disability or marital status. In the event that this is a contract to be performed in whole or in part within the State of New York for (a) the construction, alteration or repair of any public building or public work, (b) for the manufacture, sale or distribution of materials, equipment or supplies, (c) for building service, the Contractor agrees that neither it nor its subcontractors shall, by reason of race, creed, color, disability, sex or national origin:

- (1) discriminate in hiring against any citizen who is qualified and available to perform the work; or
- (2) discriminate against or intimidate any employee hired for the performance of work under this contract.

The Contractor agrees to be subject to fines of \$50.00 per person per day for any violation of this paragraph, as well as to possible termination of this contract or forfeiture of all moneys due hereunder for a second or subsequent violation.

8. <u>Damage/Injury To Persons & Property</u>

The Contractor shall promptly advise the County of all damages to property of the County or of others, or of injuries incurred by persons other than employees of the Contractor, in any manner relating, either directly or indirectly, to the performance of this agreement.

9. **Records**

The Contractor shall establish and maintain complete and accurate books, records, documents, accounts and other evidence directly pertinent to performance under this contract (hereinafter collectively "the Records") in accordance with the following requirements:

- (a) the Records must be kept for the balance of the calendar year in which they were made and for six (6) additional years thereafter;
- (b) the County Auditor, State Comptroller, the Attorney General or any other person or entity authorized to conduct an examination, as well as the agency or agencies involved in this contract, shall have access to the Records during normal business hours at an office of the Contractor within the State of New York, or, if no such office is available, at a mutually agreeable and reasonable venue within the State, for the term specified above for the purposes of inspection, auditing and copying.

The County shall take reasonable steps to protect from public disclosure any of the records which are exempt from disclosure under Section 87 of the Public Officers Law (the "Statute") provided that: (i) the Contractor shall timely inform an appropriate County official, in writing, that said records should not be disclosed; and (ii) said records shall be sufficiently identified and designation of said records as exempt under the statute is reasonable. Nothing contained herein shall diminish, or in any way adversely affect, the County's right to discovery in any pending or future litigation.

10. Claims For Payment

All invoices or claims for which payment is sought from the County must be submitted in accordance with the following:

- (a) each claim for payment must include
 - (1) an invoice detailing the claim,
 - (2) copies of all documentation supporting the claim,
 - (3) a properly completed County standard voucher, which includes
 - (i) the County contract number under which payment is being claimed, AND
 - (ii) the payee's Federal employer identification number or Federal social security number, or both such numbers when the payee has both such numbers. [Failure to include this number or numbers will prevent and preclude payment by the County; except that where the payee does not have such number or numbers, the payee, on the invoice or County voucher, must give the reason or reasons why the payee does not have such number or numbers and such reasons constitute a valid excuse under law.]
- (b) Unless otherwise provided in this agreement, each claim for payment must be submitted to the County no later than 30 days after the work, labor, materials, and/or services for which payment is claimed were rendered or furnished.
- (c) Notwithstanding any other provision of this agreement, no claim for payment shall be valid, and the County shall not be liable for payment thereof, unless it is submitted to the County within 30 days of the close of the calendar year in which the work, labor, materials, and/or services for which payment is claimed were rendered or furnished.
- (d) Unless otherwise provided in this agreement, the requirements of this paragraph 10, and/or of any other provisions of this agreement which supersede the same, shall constitute conditions precedent to the County's payment obligation, and failure to comply with any or all of said requirements shall entitle the County to deny payment.
- (e) As a further condition of payment, each claim of payment shall be accompanied by a Contractor and Sub-Contractor Progress Payment Waiver, Release and Discharge, and each Final Payment shall be accompanied by a Contractor and Sub-Contractor Final Payment, Waiver and Release form. As well as a Contractor Affidavit relative to Final Payment. Copies of these forms are attached and made a part hereof. (Please disregard if these forms do not pertain).

11. Consent

In the event that State or Federal law requires the recipient of services to be furnished and rendered under this agreement to give his/her prior consent thereto, the contractor shall obtain such person's consent and furnish proof thereof to the County.

12. Executory Clause

The County shall have no liability under this contract to the Contractor or to anyone else beyond the funds appropriated and available for this contract.

13. Public Work & Building Service Contract Requirements

If this is a public work contract covered by Article 8 of the Labor Law or a building service contract covered by Article 9 thereof:

- (a) neither the Contractor's employees nor the employees of its subcontractors may be required or permitted to work more than the number of hours or days stated in said statutes, except as otherwise provided in the Labor Law and as set forth in prevailing wage and supplement schedules issued by the State Labor Department; and
- (b) the Contractor and its subcontractors must pay at least the prevailing wage rate and pay or provide the prevailing supplements, including the premium rates for overtime pay, as determined by the State Labor Department in accordance with the Labor Law.

14. Public Work Contracts – Hazardous Substances

If this is a contract for public work, the Contractor agrees as follows:

(a) the Contractor acknowledges that the County uses and/or produces various substances which

- may be classified as hazardous under OSHA's Hazard Communication Standard;
- (b) the Contractor recognizes the use of said substances by the County and acknowledges that the County has provided, or upon request will provide, the Contractor with a description of such substances which may be present in the area of the County's facility/facilities to which the Contractor may have accessed during the performance of this contract;
- (c) the Contractor acknowledges that the County has provided, or upon request will provide, suggestions for appropriate protective measures which should be observed when the Contractor is in the area of any such hazardous substances;
- (d) the Contractor agrees to be solely responsible for providing training and information to its employees regarding any such hazardous substances, as well as of any protective measures suggested by the County;
- (e) the Contractor agrees to be solely responsible to ensure that the Contractor's employees observe protective measures during the performance of their duties in the performance of the contract, and that all such protective measures will be at least as stringent as those suggested or which would have been suggested by the County;
- (f) in the event that the Contractor's performance of the work under this contract requires the use of any hazardous substances, the Contractor shall notify the County in advance of bringing in and/or using such substances in or upon County property and suggest to the County appropriate measures to be observed by the County, its officers and employees, and/or the public; and
- (g) in the event the Contractor fails in whole or in part to comply with the terms of this paragraph, the County shall have the right to interrupt the Contractor's work and/or terminate this contract, and the Contractor shall be prohibited from renewing such work until all applicable safety and health procedures and practices are implemented by the Contractor.

15. **Disputes**

Disputes involving this contract, including the breach or alleged breach thereof, may not be submitted to binding arbitration, but must, instead, be heard in the Essex County Supreme Court or any other court of competent jurisdiction within Essex County, New York.

16. **Non-Assignment**

This agreement may not be assigned, subcontracted, transferred, conveyed, sublet or otherwise disposed of in whole or in part, by the Contractor, without the prior written consent of the County, and any attempts to assign the contract without the County's written consent are null and void.

17. No Collusion

If this contract was awarded based upon the submission of bids, the Contractor warrants, under penalty of perjury, that:

- (a) its bid was arrived at independently and without collusion aimed at restricting competition; and
- (b) at the time Contractor submitted its bid, an authorized and responsible person executed and delivered to the County a non-collusive bidding certification on Contractor's behalf.

18. International Boycott

In accordance with Section 220-f of the Labor Law, if this contract exceeds \$5,000.00, the Contractor agrees, as a material condition of the contract, that neither the Contractor nor any substantially owned or affiliated person, firm, partnership or corporation, has participated, is participating, or shall participate in an International boycott in violation of the federal Export Administration Act of 1979, or regulations thereunder. If such contractor, or any of the aforesaid affiliates of Contractor, is convicted, or is otherwise found to have violated said laws or regulations upon the final determination of the United States Commerce Department or any other appropriate agency of the United States subsequent to the contract's execution, such contract, amendment or modification thereto shall be rendered forfeit and void. The Contractor shall so notify the County Manager within five

(5) business days of such conviction, determination or disposition of appeal.

19. County's Rights of Set-Off

The County shall have all of its common law, equitable and statutory rights of set-off. These rights shall include, but not be limited to, the County's option to withhold for the purposes of set-off any moneys due to the Contractor under this agreement up to any amounts due and owing to the County with regard to this contract, any other contract with any County department or agency, including any contract for a term commencing prior to the term of this contract, plus any amounts due and owing to the County for any other reason, including, without limitation, tax delinquencies, fee delinquencies or monetary penalties relative thereto. The County shall exercise its set-off rights in accordance with normal County practices, including, in cases of set-off pursuant to an audit, the acceptance of such audit by the County Board of Supervisors or its designated representative.

20. Contractor Defined

Whenever the term "Contractor" is used in this agreement, such term shall include and apply to all employees, all officers, directors and agents, if any, of the Contractor.

21. Amendment

This agreement may not be amended, modified or renewed except by written agreement signed by the Contractor and the County.

22. Ownership Of Work Products

All final and written or tangible work products completed by the Contractor shall belong to the County. In the event of premature discontinuance of performance, the Contractor agrees to deliver all existing products and data files to the County.

23. <u>Executive Order Debarment/Suspension</u>

In the event that this contract involves the Contractor furnishing goods and services in excess of \$100,000.00, or constitutes a subaward to subrecipients, under any Federal program, grant or other funding source, then by executing this agreement the Contractor certifies that neither it nor any of its principals are suspended or debarred within the scope or meaning of Executive Orders 12549 and 12689, any Federal or State regulation implementing or codifying the same, or any other Federal or State law, rule or regulation.

24. Health Insurance Portability and Accountability Act of 1996 (HIPAA)

In the event that this contract involves the use or disclosure of protected health information within the meaning or application of the Health Insurance Portability and Accountability Act of 1996 (HIPAA), and the regulations thereunder, the following provisions of this paragraph shall apply.

- (a) <u>Definitions.</u> The terms used, but not otherwise defined, in this Agreement shall have the same meaning as given such terms in 45 CFR §160.103 and §164.501, as the same may be amended from time to time, including but not limited to the following.
 - (1) "Business Associate" shall mean the Contractor, its officers, employees, agents and subcontractors.
 - (2) "Covered Entity" shall mean Essex County (the "County"), its departments, agencies, officers and employees.
 - (3) "Individual" shall have the same meaning as given such term in 45 CFR §164.501 and shall also include a person who qualifies as a personal representative in accordance with 45 CFR §164.502(g).
 - (4) "Privacy Rule" shall mean the Standards for Privacy of Individually Identifiable Health Information at 45 CFR Part 160 and Part 164, subparts A and E.

- (5) "Protected Health Information" shall have the same meaning as given such term in 45 CFR §164.501, limited to the information created or received by Contractor from or on behalf of the County.
- (6) "Required by law" shall have the same meaning as given such term in 45 CFR §164.501.
- (7) "Secretary" shall mean the Secretary of the Department of Health and Human Services or his/her designee.

(b) Obligations and Activities of Contractor.

Contractor agrees to:

- (1) not use or disclose Protected Health Information other than as permitted or required by this Agreement or as required by law;
- (2) use appropriate safeguards to prevent use or disclosure of the Protected Health Information other than as provided for by this Agreement;
- (3) mitigate, to the extent practicable, any harmful effect that is known, should have been known, and/or discovered to/by Contractor of a use or disclosure of Protected Health Information by Contractor in violation of the requirements of this Agreement;
- (4) report to the County any use or disclosure of the Protected Health Information not provided for by this Agreement of which it becomes aware;
- (5) ensure that any agent, including a subcontractor, to whom it provides Protected Health Information received from, or created or received by Contractor on behalf of the County agrees to the same restrictions and conditions that apply through this Agreement to Contractor with respect to such information;
- (6) provide access, at the request of the County, and in the time and manner designated by the County or the Secretary, to Protected Health Information in a Designated Record Set, to the County or, as directed by the County, to an Individual in order to meet the requirements under 45 CFR §164.524;
- (7) make any amendment(s) to Protected Health Information in a Designated Record Set that the County directs or agrees to pursuant to 45 CFR §164.526 at the request of the County or an Individual, and in the time and manner designated by the County or the Secretary;
- (8) make internal practices, books, and records, including policies and procedures and Protected Health Information, relating to the use and disclosure of Protected Health Information received from, or created or received by Contractor on behalf of, the County available to the County, and/or to the Secretary, in a time and manner designated by the County or by the Secretary, for purposes of the Secretary determining the County's compliance with the Privacy Rule;
- (9) document such disclosures of Protected Health Information and information related to such disclosures as would be required for the County to respond to a request by an Individual for an accounting of disclosures of Protected Health Information in accordance with 45 CFR §164.528;
- (10) provide to the County or an Individual, in time and manner designated by the County or the Secretary, information collected in accordance with the above subparagraph (b)(9) of this Agreement, to permit the County to respond to a request by an Individual for an accounting of disclosures of Protected Health Information in accordance with 45 CFR §164.528.

(c) Permitted Uses and Disclosures by Contractor.

Except as otherwise limited in this Agreement, Contractor may use or disclose Protected Health Information on behalf of, or to provide services to, the persons entitled to services under this Agreement:

(1) solely for the purposes of performing Contractor's obligations under this Agreement, if such use or disclosure of Protected Health Information would not violate the Privacy Rule if done by the County or the minimum necessary policies and procedures of the County; or

- (2) provided that such use or disclosures are required by law; or
- (3) Contractor
 - (A) obtains written authorization(s) from the individual to which the information pertains permitting the specific uses or disclosures of such information to third persons,
 - (B) represents and agrees in writing with such individual that the information to be used and/or disclosed will remain confidential and used or further disclosed only as required by law or for the purposes specified in the written authorization(s), and
 - (C) such third persons agree in writing to notify the County as soon as practicable and in writing of any instances of which such third person(s) is/are aware in which the confidentiality of the information has been breached; or
- (4) provide Data Aggregation services to the County as permitted by 42 CFR §164.504(e)(2)(i)(B); or
- (5) report violations of law to appropriate Federal and State authorities, consistent with §164.502(j)(1).

(d) County To Inform Contractor of Privacy Practices and Restrictions.

The County agrees to notify the Contractor of any

- (1) limitation(s) in its notice of privacy practices of the County in accordance with 45 CFR §164.520, to the extent that such limitation may affect the Contractor's use or disclosure of Protected Health Information;
- (2) changes in, or revocation of, permission by Individual to use or disclose Protected Health Information, to the extent that such changes may affect the Contractor's use or disclosure of Protected Health Information; and/or
- (3) restriction to the use or disclosure of Protected Health Information that the County has agreed to in accordance with 45 CFR §164.522, to the extent that such restriction may affect Contractor's use or disclosure of Protected Health Information.

(e) Permissible Requests by County.

The County shall not request Contractor to use or disclose Protected Health Information in any manner that would not be permissible under the Privacy Rule if done by the County; except that in the event that the services to be furnished by the Contractor under this Agreement requires data aggregation by the Contractor, the Contractor may use or disclose protected health information for such data aggregation or management and administrative activities of Contractor.

(f) Survival of Provisions.

The obligations of the Contractor under this paragraph 24 shall survive the expiration of the term of this Agreement and/or the termination of this Agreement, and said obligations shall remain effective and shall not terminate until all of the Protected Health Information provided by the County to Contractor, or created or received by Contractor on behalf of the County, is destroyed or returned to the County, or, if it is infeasible to return or destroy Protected Health Information, protections are extended to such information, in accordance with the termination provisions in subparagraph (g) below.

(g) Return or Destruction of Protected Health Information.

Except as otherwise provided below, upon termination of this Agreement for any reason, Contractor shall return or destroy all Protected Health Information received from the County, or created or received by Contractor on behalf of the County. This provision shall apply to Protected Health Information that is in the possession of subcontractors or agents of Contractor. Contractor shall retain no copies of the Protected Health Information.

In the event that Contractor determines that returning or destroying the Protected Health Information is infeasible, Contractor shall provide to the County notification of the conditions that make return or destruction infeasible. Upon determination by the County that return or destruction of Protected

Health Information is infeasible, Contractor shall extend the protections of this Agreement to such Protected Health Information and limit further uses and disclosures of such Protected Health Information to those purposes that make the return or destruction infeasible, for so long as Contractor maintains such Protected Health Information.

(h) Termination for Cause.

Upon the County's knowledge of a material breach of this paragraph by Contractor, the County shall:

- (1) either:
 - (A) provide an opportunity for Contractor to cure the breach or end the violation and terminate this Agreement within the time specified by the County, or
 - (B) immediately terminate this Agreement if cure is not possible; and
- (2) report the violation to the Secretary.

(I) <u>Miscellaneous.</u>

- (1) Regulatory References. A reference in this Agreement to a section in the Privacy Rule means the section as in effect or as amended.
- (2) Amendment. The Parties agree to take such action as is necessary to amend this Agreement from time to time as is necessary for the County to comply with the requirements of the Privacy Rule and the Health Insurance Portability and Accountability Act of 1996, Pub. L. No. 104-191.
- (3) Survival. The respective rights and obligations of Contractor under this paragraph 24 of this Agreement shall survive the termination of this Agreement.
- (4) Interpretation. Any ambiguity in this Agreement shall be resolved to permit the County to comply with the Privacy Rule.

25. **Severability**

If any term or provision of this agreement or the application thereof to any person or circumstance shall to any extent be held invalid or unenforceable, the remainder of this agreement or the application of such term or provision to persons or circumstances other than those as to which it is held invalid or unenforceable, shall not be affected thereby and every other term and provision of this agreement shall be valid and be enforced to the fullest extent permitted by law.

26. Entire Agreement

This agreement is the entire agreement between the parties, and the same shall be construed in accordance with the laws of the State of New York.

27. For Medicaid/Federal Health Care Related Work

Excluded/Debarred Party Clause

The Vendor/Contractor represents and warrants that it, nor its employees or contractors, are not excluded from participation, and is not otherwise ineligible to participate, in a "federal health care program" as defined in 42 U.S.C. § 1320a-7b(f) or in any other government payment program. In the event Vendor/Contractor, or one of it employees or contractors, is excluded from participation, or becomes otherwise ineligible to participate in any such program during the Term, Vendor/Contractor will notify Essex County in writing within three (3) days after such event. Upon the occurrence of such event, whether or not such notice is given to the Vendor/Contractor, Essex County reserves the right to immediately cease contracting with the Vendor/Contractor.

If Vendor/Contractor is an Employment Agency, the Vendor/Contractor represents and warrants that its employees and contractors are not excluded from participation in a "federal health care program"

as defined in 42 U.S.C. § 1320a-7b(f) or debarred from participation in any federal or other program. The Vendor/Contractor further represents and warrants it will, at a minimum, check monthly all of it employees and subcontractors against:

- The General Services Administration's Federal Excluded Party List System (or any successor system,
- The United States Department of Health and Human Service's Office of the Inspector General's Lists of Excluded Individuals and Entities or any successor list,
- The New York State Department of Health's Office of the Medicaid Inspector General's list of Restricted, Terminated or Excluded Individuals or Entities.

In the event an excluded party is discovered the Vendor/Contractor will notify Essex County in writing within three (3) days after such event.


Upon the occurrence of such event, whether or not such notice is given to the Vendor/Contractor, Essex County reserves the right to immediately cease contracting with the Vendor/Contractor.

28. Cooperative Purchasing (Piggybacking)

Pursuant to General Municipal Law §103 and County Law §408-a, any political sub-division or fire company (as both are defined in Section 100 of the GML) or district authorized to make purchases of apparatus, materials, equipment or supplies, or to contract for services related to the installation, maintenance or repair of apparatus, materials, equipment and supplies may make said purchases under this existing contract (Piggyback) provided, and on condition that this present contract was **LET TO THE LOWEST RESPONSIBLE BIDDER**. Therefore all terms and conditions under this contract are extended to other political sub-divisions and governmental entities.

Purchases under this contract by any other political sub-division other than Essex County shall be pursuant to the terms and conditions of Resolution No. 207 of 2013 dated July 1, 2013.

APPENDIX E



ESSEX COUNTY

Office of the Purchasing Agent

7551 Court Street, P.O. Box 217 Elizabethtown, NY 12932 518-873-3330/Fax 518-873-3339

GENERAL SPECIFICATIONS FOR PROCUREMENT CONTRACTS

Adopted May 20, 1999.

TABLE OF CONTENTS

	<u>PART I</u>	<u>Page</u>
	General Provisions	
1.	Applicability	5
2.	Governing Law	5
3.	Appendix A / Insurance	5
4.	Ethics Compliance	5
5.	Conflict of Clauses	5
6.	Definition.	5
	Bid Submission	
7.	Bid Language & Currency	8
8.	Bid Opening	8
9.	Bid Submission	8
10.	Facsimile Submissions	8
11.	Authentication of Facsimile Bids	9
12.	Late Bids	9
13.	Bid Contents_	9
14.	Extraneous Terms	
15.	Confidential/Trade Secret Materials	10
16.	Prevailing Wage Rates	
17.	Taxes	12
18.	Expenses Prior to Award	12
19.	Advertising Bid Results	12 12
20. 21.	Product References	12
21. 22.	Recycled/Recovered MaterialsProducts Manufactured in Public Institutions	13
22. 23.		13
23. 24.	Pricing Drawings	
2 4 . 25.	Site Inspection	_
26.	Samples	
27.	Addenda/Interpretation	
21.	Addition The French Control of the French Co	10
00	Bid Evaluation	4.5
28.	Bid Evaluation	15
29.	Conditional Bid	15
30.	Clarification/Revisions	16
31.	Prompt Payment Discounts	16
32.	Equivalent or Identical Bids	16 16
33.	Performance Qualifications	16
34.	Disqualification for Past Performance	
35.	Quantity Changes Prior to Award	
36. 37.	Release of Bid Evaluation Materials Time Frame for Offers	16
31.	Time I fame for Otters	10
	Terms & Conditions	
38.	Contract Creation/Execution	17
39.	Compliance With Laws, Etc.	17

40.	Modification of Terms	17
41.	Scope Changes	17
42.	Estimated Quantity Contracts	17
43.	Best Pricing Offer	18
44.	Purchase Orders	18
45.	Product Delivery	18
46.	Saturday & Holiday Deliveries	19
47.	Shipping/Receipt of Product	19
48.	Title & Risk of Loss	19
49.	Re-Weighing Product	19
50.	Product Substitution	20
51.	Rejected Product	20
52.	Installation	20
53.	Repaired or Replaced Product/Components	20
54.	On-Site Storage	20
55.	Employees/Subcontractors/Agents	20
56.	Assignment/Subcontractors	20
57.	Performance/Bid Bond	21
58.	Stop/Suspension of Work	21
59.	Cancellation	21
60.	Force Majeure	21
61.	Contract Billings	22
62.	Default – Authorized User	22
63.	Interest on Late Payments	22
64.	• • • • • • • • • • • • • • • • • • •	23
65.	Remedies for Breach	23 23
66.	•	23 24
	Toxic Substances	24
67.	Independent Contractor	
68.	Security/Confidential	24
69. 70	Cooperation With Third Parties	24
70.	Contract Terms – Extension	24
71.	Warranties/Guarantees	24
	PART II	
	Software/Technology	
	General Provisions	
72.	Applicability	26
73.	Definitions – Part II	26
74.	Terms & Conditions Software License Grant	27
75.	Software License Grant Enterprise License Option for Software	29
76.	Product Acceptance	31
70. 77.	Audit of Licensed Product Usage	31
77. 78.	Ownership/Title to Custom Products or Programming	32
76. 79.	Proof of License	32 33
		33
80.	Product Version	
81.	Migration to Centralized Contract	33
82. 83.	Notice of Product Discontinuance	33 33
os.	Reinstatement of Maintenance	33

84.	No Hard-stop/Passive License Monitoring	33
	Additional Warranties/Guarantees	34
86.	Indemnification	34
87.	Source Code Escrow for Licensed Products	34

<u>PART I</u> General Provisions

- 1. APPLICABILITY The terms and conditions set forth herein are expressly incorporated in and applicable to all procurements and resulting procurement contracts let by the Office of the Essex County Purchasing Agent where incorporated by reference in its Bid Documents. The provisions herein shall govern such procurement or contract unless expressly modified or amended by the terms of a Bid Specifications, or a negotiated Contract/Clarification document, if any. Captions are intended as descriptive and are not intended to limit or otherwise restrict the terms and conditions set forth herein.
- 2. GOVERNING LAW The laws of the State of New York shall govern and apply to the procurement, any resulting contract and for determinations in a court of competent jurisdiction in New York of any and all disputes, litigation or interpretations arising from or connected with the procurement or contract, except where expressly superseded in a specific contract letting or where the Federal supremacy clause requires otherwise. These specifications are modeled after and upon the specifications developed and used by the New York State Office of General Services for procurements by New York State.
- **3. APPENDIX A / INSURANCE** The mandatory terms for all Essex County contracts are expressly incorporated herein and in all bid documents and/or resulting contracts, such terms being set forth in Appendix A *(Standard Clauses for Essex County Contracts).* Insurance requirements are also attached and incorporated herein.
- **4. ETHICS COMPLIANCE** All Bidders/Contractors and their employees must comply with the requirements of the *General Municipal Law*, the *Public Officers Law*, and other State codes, rules and regulations establishing ethical standards for the conduct of business with New York State and/or municipalities. In signing the bid, Bidder certifies full compliance with those provisions for any present or future dealings, transactions, sales, contracts, services, offers, relationships, etc., involving Essex County and/or its employees. Failure to comply with those provisions may result in disqualification from the bidding process, termination of contract, and/or other civil or criminal proceedings as required by law.
- **5. CONFLICT OF CLAUSES** Conflicts between procurement or contract documents shall be resolved in the following order of precedence:
 - (a) Appendix A (Standard Clauses for Essex County Contracts)
 - **(b)** Contract/Clarification Documents Writing(s) setting forth the final agreements, clarifications, terms, statement of work and/or modifications between the Bid Documents and Contractors Bid or Mini-bid.
 - (c) Bid Documents Bid Specifications prepared by Essex County
 - (d) Contractors Bid or Proposal

6. **DEFINITIONS**

Terms used in this document shall have the following meanings:

AGENCY OR AGENCIES Essex County, New York, acting by or through one or more departments, boards, commissions, offices or institutions of Essex County.

ANCILLARY PRODUCT: Product which is purchased or licensed on a restricted use basis in conjunction with the principal manufacturers Product being acquired (e.g. may be used only in combination, or by educational institutions for research use).

AUTHORIZED USER(S) Agencies, or any other entity authorized by Essex County to participate in Essex County procurement contracts (including but not limited to political subdivisions, public authorities, school districts and public benefit corporations), provided that each such Agency or other entity shall be held solely responsible for liabilities or payments due as a result of its participation. The term "Authorized User" shall include "Licensees."

BID OR BID PROPOSAL An offer or proposal submitted by a Bidder to furnish a described product or a solution or means of achieving a practical end, at a stated price for the stated contract term.

BIDDER Any individual or other legal entity, (including but not limited to partnership, firm or corporation) which submits a bid in response to a Bid Solicitation. The term Bidder shall also include "offeror" and/or "contractor".

BID DOCUMENTS Writings setting forth the scope, terms, conditions and technical specifications for a procurement of Product. Such writings typically include, but are not limited to: Invitation for Bids (IFB), Request for Quotation (RFQ), Request for Proposals (RFP), addenda or amendments thereto, and terms and conditions which are incorporated by reference, e.g. Appendix A (Standard Clauses for NYS Contracts), Appendix B, (General Specifications). Where these General Specifications are incorporated in negotiated contracts which have not been competitively bid, the term "Bid Documents" shall be deemed to refer to the terms and conditions set forth in the negotiated contract.

BID SOLICITATION The notice or advertisement of an intent to purchase a specified Product by or on behalf of Authorized User(s).

BID SPECIFICATION A written description drafted by Essex County or an authorized user setting forth the specific terms of the intended procurement, which may include: physical or functional characteristics, the nature of a commodity or construction item, any description of the work to be performed, Products to be provided, the necessary qualifications of the Bidder, the capacity and capability of the Bidder to successfully carry out the proposed contract, or the process for achieving specific results and/or anticipated outcomes or any other requirement necessary to perform work. Where these *General Specifications* are incorporated in negotiated contracts which have not been competitively bid, the term "Bid Specifications" shall be deemed to refer to the terms and conditions set forth in the negotiated contract.

CONTRACT The writing(s) which contain the agreement of the Commissioner and the Bidder/Contractor setting forth the total legal obligation between the parties as determined by applicable rules of law.

CONTRACT AWARD NOTIFICATION An announcement to Authorized Users that a contract has been established.

CONTRACTOR Any successful Bidder(s) to whom a contract has been awarded by the Purchasing Agent. The term "Contractor" includes Licensors.

COUNTY Essex County, New York.

EMERGENCY An urgent and unexpected requirement where health and public safety or the conservation of public resources is at risk.

ERROR CORRECTIONS Machine executable software code furnished by Contractor which corrects the Product so as to conform to the applicable warranties, performance standards and/or obligations of the Contractor.

GROUP A classification of Product (commodities, services or technology).

INVITATION FOR BIDS (IFB) A type of Bid Document which is most typically used where requirements can be stated and award will be made to the lowest responsive bid submitted by the most responsible Bidder(s).

LATE BID For purposes of bid openings held and conducted by the Essex County Purchasing Agent, a bid not received in such place as may be designated on the Bid Specifications or in the Office of the Essex County Purchasing Agent, at or before the date and time established in the Bid Specifications for the bid opening.

LETTER OF ACCEPTANCE A letter to the successful Bidder(s) indicating acceptance of its bid in response to a solicitation. Unless otherwise specified, the issuance of a Letter of Acceptance forms a contract but is not an order for Product, and Contractor should not take any action with respect to actual contract deliveries except on the basis of Purchase Orders sent from Authorized User(s).

LICENSED SOFTWARE Software transferred upon the terms and conditions set forth in the Contract. "Licensed Software" includes ancillary products, error corrections, upgrades, enhancements or new releases, and any deliverables due under a maintenance or service contract (e.g. patches, fixes, PTFs, programs, code or data conversion, or custom programming).

LICENSEE The County, or one or more Agencies or Authorized Users who acquire Product from Contractor by execution of a license in accordance with the terms and conditions of the Contract; provided that, for purposes of compliance with an individual license, the term "Licensee" shall be deemed to refer separately to the individual Authorized User(s) on whose behalf the license was executed who took receipt of the Product, and who shall be solely responsible for performance and liabilities incurred.

LICENSOR A Contractor who transfers rights in proprietary Product to Authorized Users in accordance with the rights and obligations specified in the Contract.

MULTIPLE AWARD A determination and award of a contract in the discretion of the Purchasing Agent to more than one responsive and responsible Bidder who meets the requirements of a specification, where the multiple award is made on the grounds set forth in the Bid Document in order to satisfy multiple factors and needs of Authorized Users (e.g., complexity of items, various manufacturers, differences in performance required to accomplish or produce required end results, production and distribution facilities, price, compliance with delivery requirements, geographic location or other pertinent factors).

NEW PRODUCT RELEASES (Product Revisions) Any commercially released revisions to the version of a Product as may be generally offered and available to Authorized Users. New releases involve a substantial revision of functionality from a previously released version of the Product.

PROCUREMENT RECORD Documentation by the Essex County Purchasing Agent of the decisions made and approach taken during the procurement process.

PRODUCT A deliverable under any Bid or Contract which may include commodities (including printing), services and/or technology. The term "Product" includes Licensed Software.

PURCHASE ORDER The County's fiscal form or format which is used when making a purchase.

REQUEST FOR PROPOSALS (RFP) A type of Bid Document which is used for procurements where factors in addition to cost are considered and weighted in awarding the contract and where the method of award is "best value", as defined by the County's Procurement Policy and New York Law.

REQUEST FOR QUOTATION (RFQ) A type of Bid Document which can be used when a formal bid opening is not required (e.g. discretionary, sole source, single source or emergency purchases).

RESPONSIBLE BIDDER A Bidder that is determined to have skill, judgment and integrity, and that is found to be competent, reliable, experienced and qualified financially, as determined by the Purchasing Agent.

RESPONSIVE BIDDER A Bidder meeting the specifications or requirements prescribed in the Bid Document or solicitation, as determined by the Purchasing Agent.

SINGLE SOURCE A procurement where two or more offerors can supply the required Product, and the Purchasing Agent may award the contract to one Bidder over the other.

SOLE SOURCE A procurement where only one offeror is capable of supplying the required Product.

Bid Submission

- **7. BID LANGUAGE & CURRENCY** All offers (tenders), and all information and Product documentation required by the solicitation or provided as explanation thereof, shall be submitted in English. All prices shall be expressed, and all payments shall be made, in United States Dollars (\$ US). Any offers (tenders) submitted which do not meet the above criteria will be rejected.
- **8. BID OPENING** Bids may, as applicable, be opened publicly. The Purchasing Agent reserves the right at anytime to postpone or cancel a scheduled bid opening.
- **9. BID SUBMISSION** The submission of a bid will be construed to mean that the bidder is fully informed as to the extent and character of the supplies, material, or equipment required and a representation that the bidder can furnish the supplies, materials, or equipment satisfactorily in complete compliance with the specifications.

All bids shall comply with the following:

- (a) Bids are to be packaged, sealed and submitted to the location stated in the Bid Specifications. Bidders are solely responsible for timely delivery of their bids to the location set forth in the Bid Specifications prior to the stated bid opening date/time.
- **(b)** A bid return envelope, if provided with the Bid Specifications, should be used with the bid sealed inside. If the bid response does not fit into the envelope, the bid envelope should be taped onto the outside of the sealed box or package with the bid inside. If using a commercial delivery company which requires use of their shipping package or envelope, Bidders sealed bid, labeled as detailed below, should be placed within the shippers sealed envelope to ensure that the bid is not prematurely opened. All bids must have a label on the outside of the package or shipping container outlining the following information:

"BID ENCLOSED" (bold print, all capitals)
IFB or RFP Number
Bid Submission date and time

In the event that a Bidder fails to provide such information on the return bid envelope or shipping material, the County reserves the right to open the shipping package or envelope to determine the proper bid number or Product group, and the date and time of bid opening. Bidder shall have no claim against the receiving entity arising from such opening and such opening shall not affect the validity of the bid or the procurement. Notwithstanding the County's right to open a bid to ascertain the foregoing information, Bidder assumes all risk of late delivery associated with the bid not being identified, packaged or labeled in accordance with the foregoing requirements.

10. FACSIMILE SUBMISSIONS Unless specifically authorized by the terms of the Bid Specifications,

facsimile bids ARE PROHIBITED AND SHALL NOT BE ACCEPTED. Where the bid specifications are silent as to the submission of bids by facsimile, no fax bids shall be permitted or accepted. Where specifically authorized, the following rules and conditions apply:

- (a) FAX number(s) indicated in the Bid Specifications must be used.
- **(b)** Access to the facsimile machine(s) is on a "first come, first serve" basis, and the Purchasing Agent bears no liability or responsibility and makes no guarantee whatsoever with respect to the Bidders access to such equipment at any specific time.
- (c) Bidders are solely responsible for submission and receipt of the entire facsimile bid by the Essex County Purchasing Agent prior to bid opening and must include on the first page of the transmission the total number of pages transmitted in the bid, including the cover page. Incomplete, ambiguous or unreadable transmissions in whole or in part may be rejected at the sole discretion of the Purchasing Agent.
- (d) Facsimile bids are fully governed by all conditions outlined in the Bid Documents and must be submitted on forms or in the format required in the Bid Specifications, including the executed signature page and acknowledgment.
- **11. AUTHENTICATION OF FACSIMILE BIDS** The act of submitting a bid by facsimile transmission, when, as and if specifically authorized, including an executed signature page, shall be deemed a confirming act by Bidder which authenticates the signing of the bid.
- 12. LATE BIDS Any bid received at the specified location after the time specified will be considered a late bid. A late bid shall not be considered for award unless acceptance of the late bid is in the best interests of Essex County and either (a) no timely bids meeting the requirements of the Bid Documents are received, or (b) in the case of a multiple award, an insufficient number of timely bids were received to satisfy the multiple award. Delays in United States mail deliveries or any other means of transmittal, including couriers or agents of Essex County, shall not excuse late bid submissions. Otherwise, all late bids will not be considered and will be returned unopened to the bidder. The bidder assumes the risk of any delay in the mail or in the handling of the mail by employees of the County. Whether sent by mail or by means of personal delivery, the bidder assumes responsibility for having his bid deposited on time at the place specified.
- 13. BID CONTENTS Bids must be complete and legible. All bids must be signed. All information required by the Bid Specifications must be supplied by the Bidder on the forms or in the format specified in the Bid Specifications. No alteration, erasure or addition is to be made to the Bid Documents. Changes may be ignored by the Purchasing Agent or may be grounds for rejection of the bid. Changes, corrections and/or use of white-out in the bid or Bidders response portion of the Bid Document must be initialed by an authorized representative of the Bidder. Bidders are cautioned to verify their bids before submission, as amendments to bids or requests for withdrawal of bids received by the Purchasing Agent after the time specified for the bid opening, may not be considered. All lines must have an indication of bidders response whether it be "o", "N/A" or a dollar figure. All lines must be filled in to indicate bidder acknowledgment of the request. Bids that do not have all applicable lines filled in on bid sheet may be disqualified as a non-responsive bid. The Purchasing Agent shall not assume there is "no charge" when lines are left empty.

Bidders must submit with bid detailed specifications, circulars, warranties and all necessary data on items he proposes to furnish. This information must show clearly that the item offered meets all detailed specifications herein. The Purchasing Agent reserves the right to reject any bid if its compliance with the specifications is not clearly evident. If item offered differs from the provisions contained in these specifications such differences must be explained in detail, and bid will receive careful consideration if such deviations do not depart from the intent of these specifications and are to the best interests of Essex County as interpreted by the Purchasing Agent of Essex County.

It is the responsibility of the bidder to offer a product that meets the specifications of the manufacturer model as listed.

All stock electrical items must be listed and approved by Underwriters' Laboratories, Inc.

14. EXTRANEOUS TERMS Bids must conform to the terms set forth in the Bid Documents, as extraneous terms or material deviations (including additional, inconsistent, conflicting or alternative terms) may render the bid non-responsive and may result in rejection of the bid.

Extraneous term(s) submitted on standard, pre-printed forms (including but not limited to: product literature, order forms, license agreements, contracts or other documents) which are attached or referenced with the submission shall not be considered part of the bid, but shall be deemed included for informational or promotional purposes only.

Only those extraneous terms which meet all the following requirements will be considered as having been submitted as part of the Bid:

- (a) Each proposed extraneous term (addition, counter-offer, deviation, or modification) must be specifically enumerated in a writing which is not part of a pre-printed form; and
- **(b)** The writing must identify the particular specification requirement (if any) which Bidder rejects or proposes to modify by inclusion of the extraneous term; and
- **(c)** The Bidder shall enumerate the proposed addition, counteroffer, modification or deviation from the Bid Document, and the reasons therefore.

No extraneous term(s), whether or not deemed "material," shall be incorporated into a contract unless the Purchasing Agent expressly accepts each such term(s) in writing. Acceptance and/or processing of the Bid shall not constitute such written acceptance of Extraneous Term(s).

- **15. CONFIDENTIAL** *I* **TRADE SECRET MATERIALS** Confidential, trade secret or proprietary materials as defined by the laws of the State of New York must be clearly marked and identified as such upon submission. Bidders/Contractors intending to seek an exemption from disclosure of these materials under the *Freedom of Information Law* must request the exemption in writing, setting forth the reasons for the claimed exemption, at the time of submission. Acceptance of the claimed materials does not constitute a determination on the exemption request, which determination will be made in accordance with statutory procedures.
- **16. PREVAILING WAGE RATES Public Works and Building Services Contracts** If any portion of work being bid is subject to the prevailing wage rate provisions of Labor Law, the following shall apply:
 - (a) "Public Works" and "Building Services" Definitions
- **i. Public Works** *Labor Law* Article 8 applies to contracts for public improvement in which laborers, workers or mechanics are employed on a "public works" project (distinguished from public "procurement" or "service" contracts). The State, a public benefit corporation, a municipal corporation (including a school district), or a commission appointed by law must be a party to the contract. The wage and hours provision applies to any work performed by contractor or subcontractors.
- **ii. Building Services** *Labor* Law Article 9 applies to contracts for building service work over \$1,500 with a public agency, which 1) involve the care or maintenance of an existing building, or 2) involve the transportation of office furniture or equipment to or from such building, or 3) involve the transportation and delivery of fossil fuel to such building, and 4) the principal purpose of which is to furnish services through use of building service employees.

- (b) Prevailing Wage Rate Applicable to Bid Submissions A copy of the applicable prevailing wage rates to be paid or provided are attached to this solicitation. Bidders must submit bids which are based upon the prevailing hourly wages, and supplements in cash or equivalent benefits (i.e., fringe benefits and any cash or non-cash compensation which are not wages, as defined by law) that equal or exceed the applicable prevailing wage rate(s) for the location where the work is to be performed. Where the Bid Documents require the Bidder to enumerate hourly wage rates in the bid, Bidders may not submit bids based upon hourly wage rates and supplements below the applicable prevailing wage rates as established by the New York State Department of Labor. Bids which fail to comply with this requirement will be disqualified.
- (c) Wage Rate Payments / Changes During Contract Term The wages to be paid under any resulting contract shall not be less than the prevailing rate of wages and supplements as set forth by law. It is required that the Contractor keep informed of all changes in the Prevailing Wage Rates during the contract term that apply to the classes of individuals supplied by the contractor on any projects which result from this contract which are subject to the provisions of the *Labor Law*. Contractor is solely liable for and must pay such required prevailing wage adjustments during the contract term as required by law.
- (d) Public Posting & Certified Payroll Records In compliance with Article 8, Section 220 of the Labor Law, as amended by Chapter 565 of the Laws of 1997:
- **i. Posting** The Contractor must publicly post on the work site, in a prominent and accessible place, a legible schedule of the prevailing wage rates and supplements.
- **ii. Payroll Records** Contractors and sub-contractors must keep original payrolls or transcripts subscribed and affirmed as true under the penalties of perjury as required by law. For public works contracts over \$25,000 where the contractor maintains no regular place of business in New York State, such records must be kept at the work site. For building services contracts, such records must be kept at the work site while work is being performed.
- iii. Submission of Certified Payroll Transcripts for Public Works Contracts Only Contractors and sub-contractors on public works projects must submit monthly payroll transcripts to Essex County which has prepared or directs the preparation of the plans and specifications for a public works project, as set forth in the Bid Specifications. For mini-bid solicitations, the payroll records must be submitted to the entity preparing the agency mini-bid project specification. For "agency specific" bids, the payroll records should be submitted to the entity issuing the purchase order. For all other Essex County procurement contracts, such records should be submitted to the individual agency issuing the purchase order(s) for the work. Upon mutual agreement of the Contractor and Essex County, the form of submission may be submitted in a specified disk format acceptable to the Department of Labor so long as: 1) the contractor/subcontractor retains the original records; and, (2) an original signed letter by a duly authorized individual of the contractor or subcontractor attesting to the truth and accuracy of the records accompanies the disk. This provision does not apply to building services contracts.
- **iv. Records Retention** Contractors and subcontractors must preserve such certified transcripts for a period of three years from the date of completion of work on the awarded contract.
- (e) Days Labor Defined for Article 8, Public Works (For Purposes of Article 8 of the Labor Law) No laborer, worker or mechanic in the employ of the contractor, subcontractor or other person doing or contracting to do all or part of the work contemplated by the contract shall be permitted or required to work more than eight hours in any one calendar day or more than five days in any one week except in cases of extraordinary emergency including fire, flood or danger to life or property. "Extraordinary emergency" shall be deemed to include situations in which sufficient laborers, workers and mechanics cannot be employed to carry on public work expeditiously as a result of such

restrictions upon the number of hours and days of labor and the immediate commencement or prosecution or completion without undue delay of the public work is necessary in the judgment of the Essex County Purchasing Agent for the preservation of the contract site or for the protection of the life and limb of the persons using the contract site.

17. TAXES

- (a) Unless otherwise specified in the Bid Specifications or set forth in this clause, the quoted bid price includes all taxes applicable to the transaction.
- (b) Purchases made by Essex County and certain non-County Authorized Users are exempt from New York State and local sales taxes and, with certain exceptions, federal excise taxes. To satisfy the requirements of the New York State Sales tax exemption, either the Purchase Order issued by a County Agency or the invoice forwarded to authorize payment for such items will be sufficient evidence that the sale by the Contractor was made to the County, an exempt organization under Section 1116 (a) (1) of the *Tax Law*. Non-County Authorized Users must offer their own proof of exemption where required. No person, firm or corporation is, however, exempt from paying the State Truck Mileage and Unemployment Insurance or Federal Social Security taxes, which remain the sole responsibility of the Bidder/Contractor. For tax free transactions under the Internal Revenue Code, the Essex County Registration Number is 14 6002889.
- **(c)** Purchases by Authorized Users other than Essex County may be subject to such taxes, and in those instances the tax should be computed based on the bid price and added to the invoice submitted to such entity for payment.
- **18. EXPENSES PRIOR TO AWARD** Essex County is not liable for any costs incurred by a Bidder in the preparation and production of a bid or for any work performed prior to contract award and/or issuance of an approved Purchase Order.
- **19. ADVERTISING BID RESULTS** A Bidder in submitting a bid agrees not to use the results therefrom as a part of any commercial advertising without the prior written approval of the Purchasing Agent. In addition to any other sanctions or remedies available to it in law or equity, the Purchasing Agent may suspend from bidding on its requirements or terminate a contract of any Bidder/Contractor who violates the terms of this clause.

20. PRODUCT REFERENCES

- (a) "Or Equal" On all Bid Specifications the words "or equal" are understood to apply where a copyright brand name, trade name, catalog reference, or patented Product is referenced. References to such specific Product are intended as descriptive, not restrictive, unless otherwise stated. Comparable Product will be considered if proof of compatibility is provided, including appropriate catalog excerpts, descriptive literature, specifications and test data, etc. The Purchasing Agents decision as to acceptance of the Product as equal shall be final.
- **(b)** Discrepancies in References In the event of a discrepancy between the model number referenced in the Bid Specifications and the written description of the Products therein which cannot be reconciled, with respect to such discrepancy, then the written description shall prevail.
- **21. RECYCLED OR RECOVERED MATERIALS** Upon the conditions specified in the Bid Specifications and in accordance with the laws of the State of New York, Contractors are encouraged to use recycled or recovered materials in the manufacture of Products and packaging to the maximum extent practicable without jeopardizing the performance or intended end use of the Product or packaging unless such use is precluded due to health, welfare, safety requirements or in the Bid

Specifications. Where such use is not practical, suitable, or permitted by the Bid Specifications, Contractor shall deliver new materials in accordance with the "Warranties & Guaranties" set forth below.

Refurbished or remanufactured components or items may only be accepted at the discretion of the Purchasing Agent, or upon the conditions set forth in the Bid Specifications.

Items with recycled, recovered, refurbished or remanufactured content must be identified in the bid or will be deemed new Product.

22. PRODUCTS MANUFACTURED IN PUBLIC INSTITUTIONS Bids offering Products which are manufactured or produced in public institutions will be rejected.

23. PRICING

- (a) Unit Pricing If required by the Bid Specifications, the Bidder should insert the price per unit specified and the price extensions in decimals, not to exceed four places for each item, in the bid. In the event of a discrepancy between the unit price and the extension, the unit price shall govern unless, in the sole judgment of the Purchasing Agent, such unit pricing is obviously erroneous.
- **(b) Net Pricing** Prices must be net, including transportation, customs, tariff, delivery and other charges fully prepaid by the Contractor to the destination(s) indicated in the Bid Specifications, subject only to the cash discount. If the award is to be made on another basis, transportation and other charges must be prepaid by the Contractor and added to the invoice as a separate item, unless otherwise required in the Bid Specifications.
- **(c) "No Charge" Bid** When bids are requested on a number of Products as a group or Lot, a Bidder desiring to bid "no charge" on a Product in the grouping or Lot must clearly indicate such. Otherwise, such bid may be considered incomplete and be rejected, in whole or in part, at the discretion of the Purchasing Agent.

If a price is written in numbers and alpha, the alpha will govern.

Prices shall be net FOB any point in Essex County, New York. Price quoted shall include all delivery costs. Prices shall be net, including transportation and delivery charges fully prepaid by the successful bidder to destination indicated in the proposal. If award is made on any other basis, transportation charges must be prepaid by the successful bidder and added to the invoice as a separate item. In any case, title shall not pass until items have been delivered and accepted by the County.

24. DRAWINGS

- (a) Drawings Submitted With Bid When the Bid Specifications require the Bidder to furnish drawings and/or plans, such drawings and/or plans shall conform to the mandates of the Bid Documents and shall, when approved by the Purchasing Agent, be considered a part of the bid and of any resulting contract. All symbols and other representations appearing on the drawings shall be considered a part of the drawing.
- (b) Drawings Submitted During the Contract Term Where required by the Bid Specifications to develop, maintain and deliver diagrams or other technical schematics regarding the scope of work, Contractor shall be required to develop, maintain, deliver and update such drawings on an ongoing basis at no additional charge. Contractor shall be responsible for updating drawings and plans during the contract term to reflect additions, alterations, and deletions. Such drawings and diagrams shall be delivered to the Authorized

Users representative as required by the Bid Specifications. Where required, Contractor shall furnish to Authorized User in a timely manner the required drawings representing the then current, "as modified" condition of all product included in the scope of work.

- **(c)** Accuracy of Drawings Submitted All drawings shall be neat and professional in manner and shall be clearly labeled as to locations and type of product, connections and components. Drawings and diagrams are to be in compliance with accepted drafting standards. Acceptance or approval of such plans shall not relieve the Contractor from responsibility for design or other errors of any sort in the drawings or plans, or from its responsibility for performing as required, furnishing product, services or installation, or carrying out any other requirements of the intended scope of work.
- 25. SITE INSPECTION Where Bidder is required by the Bid Specifications to deliver or install Product, or to service installed product(s) or equipment, Bidder shall be given an opportunity and shall be required to inspect the site prior to submission of the Bid, including environmental or other conditions or pre-existing deficiencies in the installed product, equipment or environment, which may affect Bidders ability to deliver, install or otherwise provide the required product. All inquiries regarding such conditions may only be made in writing. Bidder shall be deemed to have knowledge of any deficiencies or conditions which such inspection or inquiry might have disclosed, and to have included the costs of repair in its bid. Bidder must provide a detailed explanation of work intended to be performed under this clause. Bidder shall be required to remedy any pre-existing deficiencies or conditions at the commencement of the contract term. Reimbursement for the cost of repairing the conditions or deficiencies shall be separately enumerated in the bid.

26. SAMPLES

- (a) Standard Samples Bid Specifications may indicate that the Product to be purchased must be equal to a standard sample on display in a place designated by the Purchasing Agent and such sample will be made available to the Bidder for examination prior to the opening date. Failure by the Bidder to examine such sample shall not entitle the Bidder to any relief from the conditions imposed by the Bid Documents.
- **(b) Bidder Supplied Samples** The Purchasing Agent reserves the right to request from the Bidder/Contractor a representative sample(s) of the Product offered at any time prior to or after award of a contract. Unless otherwise instructed, samples shall be furnished within the time specified in the request. Untimely submission of a sample may constitute grounds for rejection of bid or cancellation of the Contract. Samples must be submitted free of charge and be accompanied by the Bidders name and address, any descriptive literature relating to the Product and a statement indicating how and where the sample is to be returned. Where applicable, samples must be properly labeled with the appropriate bid or Essex County contract reference.

A sample may be held by the Purchasing Agent during the entire term of the contract and for a reasonable period thereafter for comparison with deliveries. At the conclusion of the holding period the sample, where feasible, will be returned as instructed by the Bidder, at the Bidders expense and risk. Where the Bidder has failed to fully instruct the Purchasing Agent as to the return of the sample (i.e. mode and place of return, etc.) or refuses to bear the cost of its return, the sample shall become the sole property of the receiving entity at the conclusion of the holding period.

(c) Enhanced Samples When an approved sample exceeds the minimum specifications, all Product delivered must be of the same enhanced quality and identity as the sample. Thereafter, in the event of a Contractors default, the Purchasing Agent may procure a commodity substantially equal to the enhanced sample from other sources, charging the Contractor for any additional costs incurred.

- (d) Conformance with Sample(s) Submission of a sample (whether or not such sample is tested by, or for, the Purchasing Agent) and approval thereof shall not relieve the Contractor from full compliance with all conditions and terms, performance related and otherwise, specified in the Bid Documents. If in the judgment of the Purchasing Agent the sample or product submitted is not in accordance with the specifications or testing requirements prescribed in the Bid Documents, the Purchasing Agent may reject the bid. If an award has been made, the Purchasing Agent may cancel the contract at the expense of the Contractor.
- **(e) Testing** All samples are subject to tests in the manner and place designated by the Purchasing Agent, either prior to or after contract award. Unless otherwise stated in the Bid Specifications, Bidder Samples consumed or rendered useless by testing will not be returned to the Bidder.
- **27. ADDENDA / INTERPRETATION** No verbal interpretation of the intent of any of the specifications or other Contract Documents will be made before receipt of bids. Requests for interpretations prior to receipt of bids must be presented, in writing, to the Purchasing Agent, 100 Court Street, P.O. Box 217, Elizabethtown, NY 12932, and to be given consideration must be received by the Purchasing Agent at least seven (7) days prior to the date set for the opening of bids.

Any interpretation, and any additional information or instruction will, if issued, be in the form of a written Addendum or Addenda sent to all holders of Contract Documents at the addresses furnished therefor, at least five (5) days prior to the date of the opening of bids.

Failure of any bidder to receive any Addenda shall not relieve such bidder from any obligation under this bid as submitted. All Addenda so issued shall become a part of the Contract Documents.

Bid Evaluation

28. BID EVALUATION The Purchasing Agent reserves the right to accept or reject any and all bids, or separable portions of offers, and waive technicalities, irregularities, and omissions if the Purchasing Agent determines the best interests of the County will be served. The Purchasing Agent, in his/her sole discretion, may accept or reject illegible, incomplete or vague bids and his/her decision shall be final. A conditional or revocable bid which clearly communicates the terms or limitations of acceptance may be considered and contract award may be made in compliance with the Bidders conditional or revocable terms in the offer.

Where a bidder is requested to submit a bid on individual items and/or on a total sum or sums, the right is reserved to award bids on individual items or on total sums. The County reserves the right to award in whole or in part based on the lowest responsible bid.

The following three items will automatically render a bid unacceptable to Essex County:

- a. Failure to sign bid proposal page.
- b. Failure to include necessary bid deposit (as required).
- c. Failure to sign and submit non-collusive bidding certificate.

It shall be fully understood that any deviations from the inclusion of the above items will be grounds to see the bid as non-compliant and will not be considered for award.

The Purchasing Agent reserves the right to reject such bids, as in his opinion, are incomplete, conditional, obscure, or which contain irregularities of any kind including unbalanced bids. One in which the amount bid for one or more separate items is substantially out of line with the current market prices for the materials and/or work covered thereby.

- **29. CONDITIONAL BID** Unless the Bid Specifications provides otherwise, a bid is not rendered non-responsive if the Bidder specifies that the award will be accepted only on all or a specified group of items or Product included in the specification. It is understood that nothing herein shall be deemed to change or alter the method of award contained in the Bid Documents.
- **30. CLARIFICATIONS / REVISIONS** Prior to award, the Purchasing Agent reserves the right to seek clarifications, request bid revisions, or to request any information deemed necessary for proper evaluation of bids from all Bidders deemed to be eligible for contract award. Failure to provide requested information may result in rejection of the bid.
- **31. PROMPT PAYMENT DISCOUNTS** While prompt payment discounts will not be considered in determining the low bid, the Purchasing Agent may consider any prompt payment discount in resolving bids which are otherwise tied. However, any notation indicating that the price is net, (e.g. net 30 days), shall be understood to mean only that no prompt payment discount is offered by the Bidder. The imposition of service, interest, or other charges, except pursuant to the provisions of Article 11_A of the *State Finance Law,* which are applicable in any case, may render the bid non-responsive and may be cause for its rejection.
- **32. EQUIVALENT OR IDENTICAL BIDS** In the event two offers are found to be substantially equivalent, price shall be the basis for determining the award recipient. If two or more Bidders submit substantially equivalent bids as to pricing or other factors, the decision of the Purchasing Agent to award a contract to one or more of such Bidders shall be final.
- 33. PERFORMANCE QUALIFICATIONS The Purchasing Agent reserves the right to investigate or inspect at any time whether or not the Product, qualifications or facilities offered by the Bidder/Contractor meet the requirements set forth in the Bid Documents. Contractor shall at all times during the contract term remain responsible and responsive. A Bidder/Contractor must be prepared, if requested by the Purchasing Agent, to present evidence of experience, ability and financial standing, as well as a statement as to plant, machinery and capacity of the manufacturer for the production, distribution and servicing of the Product bid. If the Purchasing Agent determines that the conditions and terms of the Bid Documents or Contract are not complied with, or that items or Product proposed to be furnished do not meet the specified requirements, or that the qualifications, financial standing or facilities are not satisfactory, or that performance is untimely, the Purchasing Agent may reject such bid or terminate the contract. Nothing in the foregoing shall mean or imply that it is obligatory upon the Purchasing Agent to make an investigation either before or after award of a contract, but should such investigation be made, it in no way relieves the Bidder/Contractor from fulfilling all requirements and conditions of the contract.
- **34. DISQUALIFICATION FOR PAST PERFORMANCE** Bidder may be disqualified from receiving awards if Bidder, or anyone in Bidders employment, has previously failed to perform satisfactorily in connection with public bidding or contracts.
- **35. QUANTITY CHANGES PRIOR TO AWARD** The Purchasing Agent reserves the right, at any time prior to the award of a specific quantity contract, to alter in good faith the quantities listed in the Bid Specifications to conform with requirements. In the event such right is exercised, the lowest responsible Bidder meeting specifications will be advised of the revised requirements and afforded an opportunity to extend or reduce its bid price in relation to the changed quantities. Refusal by the low Bidder to so extend or reduce its bid price may result in the rejection of its bid and the award of such contract to the lowest responsible Bidder who accepts the revised requirements.
- **36. RELEASE OF BID EVALUATION MATERIALS** Requests concerning the evaluation of bids may be submitted under the *Freedom of Information Law*. Information, other than the Bid Tabulation, shall be released as required by law after contract award. Written requests should be directed to the Purchasing Agent.

37. TIME FRAME FOR OFFERS The Purchasing Agent reserves the right to make awards within sixty (60) days after the date of the bid opening, during which period, bids must remain firm and cannot be withdrawn. If, however, an award is not made within the sixty (60) day period, bids shall remain firm until such later time as either a contract is awarded or the Bidder delivers to the Purchasing Agent written notice of the withdrawal of its bid. Any bid which expressly states therein that acceptance must be made within a shorter specified time, may at the sole discretion of the Purchasing Agent, be accepted or rejected.

TERMS & CONDITIONS

- **38. CONTRACT CREATION / EXECUTION** Except as may be otherwise provided by law or by the Purchasing Agent, upon receipt of all required approvals a Contract shall be deemed executed and created with the successful Bidder(s) upon the Purchasing Agent's mailing or electronic communication to the address on the bid of (a) a Letter of Acceptance and (b) a fully executed contract, or (c) a Purchase Order authorized by the Purchasing Agent.
- **39. COMPLIANCE WITH LAWS, ETC.** The Bidder shall comply with all the provisions of the laws of the State of New York and of the United States of America which affect municipalities and municipal contracts, and any and all State and Federal rules and regulation, and of amendments and additions thereto, insofar as the same shall be applicable to any contract awarded hereunder with the same force and effect as if set forth at length herein. The Bidder's special attention is called to the following laws: *General Municipal Law* Section 1 03-d, *State Finance* Law Section 167-b prohibiting the purchase of tropical hardwood products, and the New York State Public Employee Safety & Health Act of 1980.
- **40. MODIFICATION OF TERMS** The terms and conditions set forth in the Contract shall govern all transactions by Authorized User(s) under this Contract. The Contract may only be modified or amended upon mutual written agreement of the Purchasing Agent and Contractor.

The Contractor may, however, offer Authorized User(s) more advantageous pricing, payment, or other terms and conditions than those set forth in the Contract. In such event, a copy of such terms shall be furnished to the Authorized User(s) and Purchasing Agent by the Contractor.

Other than where such terms are more advantageous for the Authorized User(s) than those set forth in the Contract, no alteration or modification of the terms of the Contract, including substitution of Product, shall be valid or binding against Authorized User(s) unless authorized by the Purchasing Agent or specified in the Contract Award Notification. No such alteration or modification shall be made by unilaterally affixing such terms to Product upon delivery (including, but not limited to, attachment or inclusion of standard pre-printed order forms, product literature, "shrink wrap" terms accompanying software upon delivery, or other documents) or by incorporating such terms onto order forms, purchase orders or other documents forwarded by the Contractor for payment, notwithstanding Authorized Users subsequent acceptance of Product, or that Authorized User has subsequently processed such document for approval or payment.

41. SCOPE CHANGES The Purchasing Agent reserves the right, unilaterally, to require, by written order, changes by altering, adding to or deducting from the contract specifications, such changes to be within the general scope of the contract. The Purchasing Agent may make an equitable adjustment in the contract price or delivery date if the change affects the cost or time of performance.

With respect to any specific quantity stated in the contract, the Purchasing Agent reserves the right after award to order up to 20% more or less (rounded to the next highest whole number) than the specific quantities called for in the contract. Notwithstanding the foregoing, the Purchasing Agent may purchase greater or lesser percentages of contract quantities should the Purchasing Agent and Contractor so agree.

42. ESTIMATED QUANTITY CONTRACTS Estimated quantity contracts are expressly agreed and

understood to be made for only the quantities, if any, actually ordered during the contract term. No guarantee of any estimated quantity(s) is implied or given. Unless otherwise set forth in the Bid Specifications, contracts for services and technology are completely voluntary as to use, and therefore no quantities are guaranteed.

- **43. BEST PRICING OFFER** During the contract term, if substantially the same or a smaller quantity of a Product is sold by the Contractor outside of this contract vehicle upon the same or similar terms and conditions as that of this contract at a lower price, the price under this contract shall be immediately reduced to the lower price.
- **44. PURCHASE ORDERS** Unless otherwise authorized in writing by the Purchasing Agent, no Products are to be delivered or furnished by Contractor until transmittal of an official Purchase Order from the Authorized User requiring the Product. Unless terminated or canceled pursuant to the authority vested in the Purchasing Agent, Purchase Orders shall be effective and binding upon the Contractor when placed in the mail or electronically transmitted prior to the termination of the contract period, addressed to the Contractor at the address set forth in the Contract for receipt of orders, or in the Contract Award Notification.

All Purchase Orders issued pursuant to contracts let by the Purchasing Agent must bear the appropriate contract number and, if necessary, required State approvals. Unless otherwise specified, all Purchase Orders against centralized contracts will be placed by Authorized Users directly with the Contractor and any discrepancy between the terms stated on the vendors order form, confirmation or acknowledgment, and the contract terms shall be resolved in favor of the terms most favorable to the Authorized User.

If, with respect to an agency specific contract, a Purchase Order is not received within two weeks after the issuance of a Contract Award Notification, it is the responsibility of the Contractor to request in writing that the appropriate Authorized User forward a Purchase Order. If, thereafter, a Purchase Order is not received within a reasonable period of time, the Contractor shall promptly notify the appropriate purchasing officer in Essex County. Failure to timely notify such officer may, in the discretion of the Purchasing Agent and without cost to the State, result in the canceling of such requirement by the Purchasing Agent with, at the Purchasing Agents discretion, a corresponding reduction in the contract quantity and price.

45. PRODUCT DELIVERY It shall be understood that with respect to contract deliveries, time is of the essence. Delivery must be made as ordered and in accordance with the terms of the contract. Unless otherwise specified in the Bid Specifications, delivery shall be made within thirty calendar days after receipt of a purchase order by the Contractor. The decision of the Purchasing Agent as to compliance with delivery terms shall be final. The burden of proof for delay in receipt of Purchase Order shall rest with the Contractor. In all instances of a potential or actual delay in delivery, the Contractor shall immediately notify the Purchasing Agent and the Authorized User, and confirm in writing the explanation of the delay, and take appropriate action to avoid any subsequent late deliveries. Any extension of the time for delivery must be requested in writing by the Contractor and approved in writing by the Purchasing Agent. Failure to meet such time schedule may be grounds for cancellation of the order or, in the Purchasing Agents discretion, the Contract.

The County must be notified twenty-four (24) hours in advance of delivery. The County reserves the right to deny acceptance of delivery if this notice is not given, at no cost to the County.

The successful bidder shall be responsible for delivery of items in good condition at point of destination, and shall file with the carrier all claims for breakage, imperfections, and other losses, which will be deducted from invoices. The Purchasing Agent will note for the benefit of successful bidder when packages are not received in good condition. Carton shall be labeled with purchase order or contract number, successful bidders name and general statement of contents. Failure to comply with this condition shall be considered sufficient reason for refusal to accept the goods.

Unless otherwise stated in the specifications, all items must be delivered into and placed at a point within the building as directed by the shipping instructions or the Purchasing Agent. The successful bidder will be required to furnish proof of delivery in every instance.

Unloading and placing of equipment and furniture is the responsibility of the successful bidder, and the County accepts no responsibility for unloading and placing of equipment Any costs incurred due to the failure of the successful bidder to comply with this requirement will be charged to him. No help for unloading will be provided by the County, and suppliers should notify their truckers accordingly.

All deliveries shall be accompanied by delivery tickets or packing slips. Ticket shall contain the following information for each item delivered:

Contract Number and/or Purchase Order Number Name of Article Item Number (if applicable) Quantity Name of the Successful Bidder

46. SATURDAY & HOLIDAY DELIVERIES Unless otherwise specified in the Bid Specifications or by an Authorized User, deliveries will not be scheduled for Saturdays, Sundays or legal holidays observed by the State of New York except of Product for daily consumption or where an emergency exists or the delivery is a replacement or is late, in which event the convenience of the Authorized User shall govern.

47. SHIPPING / RECEIPT OF PRODUCT

- (a) Packaging Tangible Product shall be securely and properly packed for shipment, storage and stocking in appropriate, clearly labeled shipping containers and according to accepted commercial practice, without extra charge for packing materials, cases or other types of containers. The container shall become and remain the property of the receiving entity unless otherwise specified in the contract documents.
- (b) Shipping Charges Contractor shall be responsible for insuring that the Bill of Lading states "charges prepaid" for all shipments. Unless otherwise stated in the Bid Specifications, all deliveries shall be deemed to be FOB Destination tailgate delivery at the dock of the Authorized User. Unless otherwise agreed, items purchased at a price F.O.B. Shipping point plus transportation charges are understood to not relieve the contractor from responsibility for safe and proper delivery notwithstanding the Authorized Users payment of transportation charges.
- **(c)** Receipt of Product The Contractor shall be solely responsible for assuring that deliveries are made to personnel authorized to accept delivery on behalf of the Authorized User. Any losses resulting from the Contractors failure to deliver Product to authorized personnel shall be borne exclusively by the Contractor.
- **48. TITLE AND RISK OF LOSS** Notwithstanding the form of shipment, title and risk of loss shall not pass from the Contractor to the Authorized User until the Products have been received, inspected and accepted by the receiving entity. Acceptance shall occur within a reasonable time or in accordance with such other defined acceptance period as may be specified in the Bid Specifications. Mere acknowledgment by Authorized User personnel of the delivery or receipt of goods (e.g. signed bill of lading) shall not be deemed or construed as acceptance of the Products received. Any delivery of Product which is substandard or does not comply with the Contract terms, may be rejected or accepted on an adjusted price basis, as determined by the Purchasing Agent.
- **49. RE-WEIGHING PRODUCT** Deliveries are subject to re-weighing at the point of destination by the receiving entity. If shrinkage occurs which exceeds that normally allowable in the trade, the receiving

entity shall have the option to require delivery of the difference in quantity, or to reduce the payment accordingly.

- **50. PRODUCT SUBSTITUTION** In the event a specified manufacturers Product listed in the Contractors Bid becomes unavailable or cannot be supplied by the Contractor for any reason (except as provided for in the Force Majeure Clause below) a Product deemed by the Purchasing Agent to be the equal or better of the specified commodity or service must be substituted by the Contractor at no additional cost or expense to the Authorized User. Unless otherwise specified, any substitution of Product prior to the Purchasing Agents approval may be cause for cancellation of contract.
- **51. REJECTED PRODUCT** When Products are rejected, they must be removed by the Contractor from the premises of the receiving entity within ten days of notification of rejection by Authorized User. Upon rejection notification, risk of loss of rejected or non-conforming Product shall remain on Contractor. Rejected items not removed by the Contractor within ten days of notification shall be regarded as abandoned by the Contractor, and the Authorized User shall have the right to dispose of the items as its own property. The Contractor shall promptly reimburse the Authorized User for any and all costs and expenses incurred in storage or effecting removal or disposition.
- **52. INSTALLATION** Where installation is required, Bidder shall be responsible for placing and installing the equipment in the required locations. All materials used in the installation shall be of good quality and shall be free from any and all defects which would mar the appearance of the equipment or render it structurally unsound. Installation includes the furnishing of any equipment, rigging and materials required to install or replace the Product in the proper location. The Contractor shall protect the site from damage for all its work and shall repair damages or injury of any kind caused by the Contractor, its employees, officers or agents. If any alteration, dismantling or excavation, etc. is required to effect installation, the Contractor shall thereafter promptly restore the structure or site to its original condition. Work shall be performed so as to cause the least inconvenience to the Authorized User(s) and with proper consideration for the rights of other contractors or workers. The Contractor shall promptly perform its work and shall coordinate its activities with those of other contractors. The Contractor shall clean up and remove all debris and rubbish from its work as required or directed. Upon completion of the work, the building and surrounding area of work shall be left clean and in a neat, unobstructed condition, and everything in satisfactory repair and order.
- **53. REPAIRED OR REPLACED PRODUCT / COMPONENTS** Where the Contractor is required to repair, replace or substitute Product or components under the Contract, the repaired, replaced or substituted Product shall be subject to all terms and conditions for new Product set forth in the contract, including product warranties.
- **54. ON-SITE STORAGE** Materials, equipment or supplies may be stored at the County/s or Authorized User's site at the Contractors sole risk and only with the approval of, as the case may be, the County or the Authorized User.
- 55. EMPLOYEES / SUBCONTRACTORS / AGENTS All employees, subcontractors or agents performing work under the contract must be trained technicians who meet or exceed the technical and training qualifications set forth in the Bid Specifications or the Bid, whichever is greater, and must comply with all rules and requirements of the Contract. The Purchasing Agent reserves the right to conduct a security background check or otherwise approve any employee or agent furnished by Contractor and to refuse access to or require replacement of any personnel for cause, including but not limited to, technical or training qualifications, quality of work or change in security status or non-compliance with Authorized Users security or other requirements. Such approval shall not relieve the Contractor of the obligation to perform all work in compliance with the contract terms. The Purchasing Agent reserves the right to reject and/or bar from the facility for cause any employee, subcontractor, or agents of the Contractor.

56. ASSIGNMENT / SUBCONTRACTORS The Contractor shall not assign, transfer, convey, sublet, or otherwise dispose of the contract or its right, title or interest therein, or its power to execute such contract to any other person, company, firm or corporation in performance of the contract, other than the assignment of the right to receive moneys due, without the prior written consent of Essex County. Prior to an assignment of the right to receive moneys becoming effective, Contractor shall file a written notice of such assignment simultaneously with Essex County and participating Authorized User(s).

The Purchasing Agent reserves the right to reject any proposed subcontractor, assignee or supplier for bona fide business reasons, which may include, but are not limited to: that the proposed transferee is on the Department of Labors list of companies with which New York State cannot do business; the Purchasing Agent determines that the company is not qualified; unsatisfactory contract performance or service has been previously provided; or attempts were not made to solicit minority and womens business enterprises (M/WBE) bidders for the subcontract.

57. PERFORMANCE / BID BOND Essex County reserves the right to require the Bidder/Contractor to furnish without additional cost, a performance, payment or bid bond or negotiable irrevocable letter of credit or other form of security for the faithful performance of the contract, whenever the Purchasing Agent in his/her sole discretion deems such bond or security to be in Essex County's best interest. Where required, such bond or other security shall be in the form prescribed by the Purchasing Agent.

58. STOP / SUSPENSION OF WORK

- (a) Stop Work Order The Purchasing Agent reserves the right to stop the work covered by this contract at any time that the successful Contractor becomes unable or incapable of performing the work or meeting any requirements or qualifications set forth in the contract. In the event of such stopping, the Purchasing Agent shall have the right to arrange for the completion of the work in such manner as it may deem advisable and if the cost thereof exceeds the amount of the bid, the successful Contractor shall be liable for any such cost on account thereof.
- (b) Suspension of Work Order The Purchasing Agent, in his/her sole discretion, reserves the right to suspend any or all activities under this contract, at anytime, in the best interests of the State or Issuing Entity. In the event of such suspension, the contractor will be given a formal written notice outlining the particulars of such suspension. Examples of the reason for such suspension include, but are not limited to, a budget freeze on County spending, declaration of emergency, or other such circumstances. Upon issuance of such suspension of work, the Contractor is not to accept any purchase orders, as specified in the Suspension Order. Activity may resume at such time as the Purchasing Agent issues a formal written notice authorizing a resumption of work.
- **59. CANCELLATION** A contract may be canceled by the Purchasing Agent, and/or an Authorized User may cancel its participation, license or service order under the contract, at the Contractors expense upon non-performance, or upon a determination that Contractor is non-responsive, or non-responsible.
- **60. FORCE MAJEURE** The Contractor shall not be responsible for delay resulting from its failure to perform if neither the fault nor negligence of the Contractor, its officers, employees or agents contributed to such delay and the delay is due directly to acts of God, wars, acts of public enemies, strikes, fires or floods, or other similar cause beyond the control of the Contractor, or for any of the foregoing which affect subcontractors or suppliers and no alternate source of supply is available to the Contractor. In such event, Contractor shall notify the Purchasing Agent, by certified or registered mail, of the delay or potential delay and the cause(s) thereof either (a) within ten (10) calendar days after the cause which creates or will create the delay first arose if the Contractor could reasonably foresee that a delay could occur by reason thereof, or (b), if delay is not reasonably foreseeable, within five (5) calendar days after the date the Contractor first had reason to believe a delay could result. The foregoing shall constitute the Contractors sole remedy or excuse with respect to such delay. In the

event performance is suspended or delayed, in whole or in part, by reason of any of the aforesaid causes or occurrences and proper notification is given the Purchasing Agent, any performance so suspended or delayed shall be performed by the Contractor at no increased cost, promptly after such disabilities have ceased to exist unless it is determined in the sole discretion of the Purchasing Agent that the delay will significantly impair the value of the contract to the County or to Authorized Users, whereupon the Purchasing Agent may:

- (a) Accept allocated performance or deliveries from the Contractor. The Contractor, however, hereby agrees to grant preferential treatment to County Agencies with respect to Product subjected to allocation; and/or
- (b) Purchase from other sources (without recourse to and by the Contractor for the costs and expenses thereof) to replace all or part of the Products which are the subject of the delay, which purchases may be deducted from the contract quantity; or
- (c) Terminate the contract or the portion thereof which is subject to delivery delays, and thereby discharge any unexecuted portion of the contract or the relative part thereof.
- **61. CONTRACT BILLINGS Contractor** shall provide complete and accurate billing invoices to each Authorized User in order to receive payment. Billings for Agencies must contain all information required by the County Treasurer and/or Auditor. The County Treasurer shall render payment for Agency purchases, and such payment shall be made in accordance with ordinary County procedures and practices. Payment of contract purchases made by Authorized Users other than Agencies shall be billed directly by Contractor on invoices/vouchers, together with complete and accurate supporting documentation as required by the Authorized User.

Submission of an invoice and payment thereof shall not preclude the Purchasing Agent from reimbursement or demanding a price adjustment in any case where the Product delivered is found to deviate from the terms and conditions of the bid and award documents.

62. DEFAULT - **AUTHORIZED USER** An Authorized Users breach shall not be deemed a breach of the centralized contract. In the event a participating Authorized User fails to make payment to the Contractor for Products delivered, accepted and properly invoiced, within 60 days of such delivery and acceptance, the Contractor may, upon 10 days advance written notice to both the Purchasing Agent and the Authorized Users purchasing official, suspend additional shipments of Product or provision of services to such entity until such time as reasonable arrangements have been made and assurances given by such entity for current and future contract payments.

Notwithstanding the foregoing, the Contractor shall, at least 10 days prior to declaring a breach of contract by any Authorized User, by certified or registered mail, notify both the Purchasing Agent and the purchasing official of the breaching Authorized User of the specific facts, circumstances and grounds upon which a breach will be declared. It is understood, however, that if the Contractors basis for declaring a breach is insufficient, the Contractors declaration of breach and failure to service an Authorized User shall constitute a breach of its contract and the County or Authorized User may thereafter utilize any remedy available at law or equity.

63. INTEREST ON LATE PAYMENTS

- (a) County Agencies The payment of interest on certain payments due and owed by a County agency may be made in accordance with Section 3-a of the *General Municipal Law* at the rate of three percent (3%) per annum.
- **(b)** By Non-County Agencies The terms of Article 11-A apply only to procurements by and the consequent payment obligations of the County. Neither expressly nor by any implication is the County responsible for payments on any purchases made by a Non-County Agency

Authorized User.

- (c) By Contractor Should the Contractor be liable for any payments to the County hereunder, interest, late payment charges and collection fee charges will be determined and assessed pursuant to Section 18 of the *State Finance Law to* the same extent as though the contract was with the State of New York rather than the County.
- **64. REMEDIES FOR BREACH** It is understood and agreed that all rights and remedies afforded below shall be in addition to all remedies or actions otherwise authorized or permitted by law:
 - (a) Cover / Substitute Performance Upon the failure of the Contractor to properly perform within the time specified, failure to provide acceptable service, to make immediate replacement of rejected Product when so requested, or upon the revocation of the Contract by the Purchasing Agent for cause, or upon repudiation of the contract by the Contractor, the Purchasing Agent may, with or without formally bidding same:
 - i. Purchase from other sources to replace the Product rejected, revoked, not timely delivered or repudiated; or
 - ii. If after making reasonable attempts, under the circumstances then existing, to timely provide acceptable service or acquire replacement product of equal or comparable quality, the Purchasing Agent is unsuccessful, the Purchasing Agent may acquire acceptable service or replacement product of lesser or greater quality.

Such purchases may, in the discretion of the Purchasing Agent, be deducted from the contract quantity.

- **(b) Withhold Payment** In any case where a question of non-performance by Contractor arises, payment may be withheld in whole or in part at the discretion of the Purchasing Agent. Should the amount withheld be finally paid, a cash discount originally offered may be taken as if no delay in payment had occurred.
- (c) Reimbursement of Costs Incurred The Contractor agrees to reimburse the County and/or Authorized User promptly for any and all additional costs and expenses incurred for acquiring acceptable services, and/or replacement Product. Should the cost of cover be less than the contract price, the Contractor shall have no claim to the difference. The Contractor covenants and agrees that in the event suit is successfully prosecuted for any default on the part of the Contractor, all costs and expenses expended or incurred by the County or Authorized User in connection therewith, including reasonable attorneys fees, shall be paid by the Contractor.

Where the Contractor fails to timely deliver pursuant to the guaranteed delivery terms of the contract, the Purchasing Agent may authorize an ordering Authorized User to rent substitute equipment temporarily. Any sums expended for such rental shall, upon demand, be reimbursed to the Authorized User promptly by the Contractor or deducted by the Authorized User from payments due or to become due the Contractor on the same or another transaction.

(d) Deduction / Credit Sums due as a result of these remedies may be deducted or offset by the County or Authorized User from payments due, or to become due, the Contractor on the same or another transaction. If no deduction or only a partial deduction is made in such fashion the Contractor shall pay to the County or Authorized User the amount of such claim or portion of the claim still outstanding, on demand. The Purchasing Agent reserves the right to determine the disposition of any rebates, settlements, restitution, liquidated damages, etc. which arise from the administration of the contract.

- **65. ASSIGNMENT OF CLAIM** Contractor hereby assigns to the County any and all its claims for overcharges associated with this contract which may arise under the antitrust laws of the United States, 15 U.S.C. Section 1, *et seq.* and the antitrust laws of the State of New York, *General Business Law* Section 340, *et seq.*
- **66. TOXIC SUBSTANCES** Each Contractor furnishing a toxic substance as defined by Section 875 of the *Labor Law*, shall provide such Authorized User with not less than two copies of a material safety data sheet, which sheet shall include for each such substance the information outlined in Section 876 of the *Labor Law*.

Before any chemical product is used or applied on or in any building, a copy of the product label and Material Safety Data Sheet must be provided to and approved by the user agency representative.

- 67. INDEPENDENT CONTRACTOR It is understood and agreed that the legal status of the Contractor, its agents, officers and employees under this Contract is that of an independent contractor, and in no manner shall they be deemed employees of the County or Authorized User, and therefore are not entitled to any of the benefits associated with such employment. The Contractor agrees, during the term of this contract, to maintain at Contractors expense those benefits to which its employees would otherwise be entitled by law, including health benefits, and all necessary insurance for its employees, including workers compensation, disability and unemployment insurance, and to provide the Authorized User with certification of such insurance upon request. The Contractor remains responsible for all applicable federal, state and local taxes, and all FICA contributions.
- **68. SECURITY / CONFIDENTIALITY** Contractor warrants, covenants and represents that it will comply fully with all security procedures of the County and any Authorized User(s) in performance of the Contract.

Contractor further warrants, covenants and represents that any confidential information obtained by Contractor, its agents, subcontractors, officers, or employees in the course of performing its obligations, including without limitation, security procedures, business operations information, or commercial proprietary information in the possession of the County or any Authorized User hereunder or received from another third party, will not be divulged to any third parties. Contractor shall not be required to keep confidential any such confidential material which is publicly available through no fault of Contractor, independently developed by Contractor without reliance on confidential information of the County or Authorized User, or otherwise obtained under the Freedom of Information Act or other applicable New York State Laws and Regulations. This warranty shall survive termination of this Contract for a period of five (5) years. Contractor further agrees to take appropriate steps to instruct its personnel, agents, officers and any subcontractors regarding the obligations arising under this clause to insure such confidentiality.

- **69. COOPERATION WITH THIRD PARTIES** The Contractor shall be responsible for fully cooperating with any third party agents, including but not limited to subcontractors of the Authorized User, relating to delivery of product or coordination of services.
- **70. CONTRACT TERM EXTENSION** In addition to any stated renewal periods in the Contract, any contract or unit portion thereof let by the Purchasing Agent may be extended by the Purchasing Agent for an additional period(s) of up to one year (cumulatively) with the written concurrence of the Contractor.

71. WARRANTIES & GUARANTEES Contractor hereby warrants and guarantees:

(a) To fully defend, indemnify and save harmless the County, Authorized Users and their respective officers, agents and employees from suits, actions, damages and costs of every name and description arising out of the acts or omissions of Contractor, its officers, employees,

subcontractors, partners, or agents, in any performance under this contract including: i) personal injury, damage to real or personal tangible or intangible property, without limitation; ii) negligence, either active or passive, without limitation, or iii) infringement of any law or of a United States Letter Patent with respect to the Products furnished, or of any copyright, trademark, trade secret or other third party intellectual proprietary rights, without limitation, provided that the County or Authorized User shall give Contractor: (a) prompt written notice of any action, claim or threat of infringement suit, or other suit, promptness of which shall be established by Authorized User upon the furnishing of written notice and verified receipt, (b) the opportunity to take over, settle or defend such action, claim or suit at Bidders sole expense, and (c) assistance in the defense of any such action at the expense of Contractor. Where a dispute or claim arises relative to a real or anticipated infringement, the County or Authorized User may require Bidder/Contractor, at its sole expense, to submit such information and documentation, including formal patent attorney opinions, as the Purchasing Agent shall require.

- (b) Contractor warrants full ownership, clear title free of all liens, or perpetual license rights to any Products transferred to Authorized User under this Contract, and Contractor shall be solely liable for any costs of acquisition associated therewith without limitation. Contractor warrants that Authorized User will have undisturbed, peaceful use of the Products, including, without limitation, software, object or source codes, custom programming or third party intellectual property rights incorporated or embedded therein, and training modules or Documentation. Contractor fully indemnifies the County and Authorized User for any loss, damages or actions arising from a breach of said warranty without limitation.
- **(c)** To pay, at its sole expense, all applicable permits, licenses, tariffs, tolls and fees and give all notices and comply with all laws, ordinances, rules and regulations of any governmental entity in conjunction with the performance of obligations under the contract.
- Unless recycled or recovered materials are available in accordance with the "Recycled & Recovered Materials" clause, Product offered shall be standard new equipment, current model of regular stock product with all parts regularly used with the type of equipment offered; and no attachment or part has been substituted or applied contrary to the manufacturers recommendations and standard practice. Every Product, including any substituted or replacement unit delivered, must be guaranteed against faulty material and workmanship for a period of one year from and after the date the unit is accepted unless otherwise specified by the County or Authorized User. Notwithstanding the foregoing, when the manufacturers standard guarantee for Product or any component thereof exceeds one year, the longer guarantee period shall apply to such unit or component thereof delivered under this contract. Furthermore, the Contractor agrees to extend its warranty period with regard to any Product delivered by the cumulative periods of time, after notification, during which the Product requires servicing or replacement (down time) or is in the possession of the Contractor, its agents, officers or employees. If during the regular or extended warranty periods faults develop, the Contractor shall promptly repair or, upon demand, replace the defective unit or component part affected. All costs for labor and material and transportation incurred to repair or replace defective goods during the warranty periods shall be borne solely by the Contractor, and the County or Authorized User shall in no event be liable or responsible therefore. This warranty shall survive any termination of the contract in accordance with the warranty term.
- (e) Where the provision of services requires the replacement or repair of Product, any replaced or repaired component, part or Product shall be new and shall, if available, be replaced by the original manufacturers component, part or Product. All proposed substitutes for the original manufacturers installed Product must be approved by the Authorized User before installation. The Product or part shall be equal to or of better quality than the original Product being replaced. Any Product replaced by the Contractor under the contract shall be guaranteed for one (1) year from the date of replacement and replaced at no cost to the Authorized User if found defective during that time.

(f) Prior to award and during the Contract term and any renewals thereof, Contractor must establish to the satisfaction of the Purchasing Agent that it meets or exceeds all requirements of the bid and any applicable laws, including but not limited to, permits, insurance coverage, licensing, proof of coverage for workman's compensation, and shall provide such proof as required by the Purchasing Agent. Failure to do so may constitute grounds for the County to cancel or suspend this contract, in whole or in part, or to take any other action deemed necessary by the Purchasing Agent.

The Contractor further warrants and guarantees:

- i. His/Her/Its products against defective material or workmanship and to repair or replace any damages or marring occasioned in transit.
- ii. To furnish adequate protection from damage for all work and repair damages of any kind for which he or his workmen are responsible, to the building or equipment, to his own work, or to the work of other successful bidders.
- iii. To carry adequate insurance to protect the County from loss in case of accident, fire, theft, etc.
 - iv. That all deliveries will be equal to the accepted bid sample.
- v. That the equipment delivered is standard, new, latest model of regular stock product or as required by the specifications; also that no attachment or part has been substituted or applied contrary to manufacturer's recommendations and standard practice. Every unit delivered must be guaranteed against faulty material and workmanship for a period of at least one year from date of delivery. If during this period such faults develop, the successful bidder agrees to replace the unit or the part affected without cost to the County. Any merchandise provided under the contract which is or becomes defective during the guarantee period shall be replaced by the successful bidder free of charge with the specific understanding that all replacements shall carry the same guarantee as the original equipment The successful bidder shall make any such replacement immediately upon receiving notice from the County.
- vi. That all manufacturers product warranties and guarantees shall be furnished to the County, and that the County's rights thereunder shall not be in any way impaired or limited.

GENERAL

72. APPLICABILITY In addition to the terms contained in **Part I** (*General - All Procurements*), the terms contained in **Part II** (**Software & Technology Procurements**) apply to software and technology procurements.

73. DEFINITIONS - Part II

DOCUMENTATION The complete set of manuals (e.g. user, installation, instruction or diagnostic manuals) in either hard or electronic copy, necessary to enable an Authorized User to properly test, install, operate and enjoy full use of the Product in accordance with the license rights.

ENTERPRISE The business operations in the United States of a Licensee or Enterprise Participant, without regard to geographic location where such operations are performed or the entity actually performing such operations on behalf of Licensee or Enterprise Participant. For the County of New York, "business operations" shall be defined as the business operations of all Agencies, as defined in Part I.

ENTERPRISE LICENSE A contract which grants Enterprise Participants unlimited license rights to access, use and/or execute Product within the Enterprise.

ENTERPRISE PARTICIPANTS One or more Licensees, as defined in Part I, participating in an Enterprise License.

LICENSE EFFECTIVE DATE The date Product is delivered to an Authorized User. Where a License involves Licensees right to copy a previously licensed and delivered Master Copy of a Program, the license effective date for additional copies shall be deemed to be the date on which the Purchase Order is executed.

LOGICAL PARTITION A subset of the processing power within a CEC which has been divided through hardware and/or software means (i.e. *Processor Resources/System Manager* [PR/SM]) so as to limit the total processing power which is accessible by an operating system image by individual users or individual software products.

OBJECT CODE The machine executable code that can be directly executed by a computers central processing unit(s).

PHYSICAL PARTITION A subset of the processing power within a CEC which has been derived through hardware means so as to limit the total processing power accessible by an operating system image by individual users or individual Products.

SITE The location (street address) where Product will be executed.

SOURCE CODE The programming statements or instructions written and expressed in any language understandable by a human being skilled in the art which are translated by a language compiler to produce executable machine Object Code.

TERMS OF LICENSE The terms and conditions set forth in the Contract which are in effect and applicable to a Product order at the time of order placement, and only such additional terms as are consistent therewith or more advantageous to the Authorized User as are set forth on the individual Product order form executed and approved by both Authorized User and Contractor.

VIRUS Any computer code, whether or not written or conceived by Contractor, which disrupts, disables, harms, or otherwise impedes in any manner the operation of the Product, or any other associated software, firmware, hardware, or computer system (such as local area or wide-area networks), including aesthetic disruptions or distortions, but does not include security keys or other such devices installed by Product manufacturer.

TERMS AND CONDITIONS

- **74. SOFTWARE LICENSE GRANT** Unless otherwise set forth in the Bid Specifications or Contract, where Product is acquired on a licensed based the following shall constitute the license grant:
 - (a) License Scope Licensee is granted a non-exclusive, perpetual license to use, execute, reproduce, display, perform, or merge the Product with other product within its business enterprise in the United States. Licensee shall ha\~e the right to use and distribute modifications or customizations of the Product to and for use by any Authorized Users otherwise licensed to use the product, provided that any modifications, however extensive, shall not diminish manufacturers proprietary title or interest. No license, right or interest in any trademark, trade name, or service mark is granted hereunder.
 - **(b) License Term** The license term shall commence upon the License Effective Date. Where the terms of license permit licensing on a non-perpetual basis, the license term stated in

the Contract shall be extended by the time periods allowed for testing and acceptance.

- (c) Licensed Documentation Contractor hereby grants to Licensee a perpetual license right to make, reproduce (including downloading electronic copies of the Product) and distribute, either electronically or otherwise, copies of Product Documentation as necessary to enjoy full use of the Product. If commercially available, Licensee shall have the option to require the Contractor to deliver, at Contractors expense: a) One (1) hard copy and One (1) Master Electronic Copy of the Documentation in diskette or CD-ROM format; or b) hard copies of the Product Documentation by type of license in the following amounts, unless otherwise mutually agreed:
- Individual/Named User License 1 copy per License
- Concurrent Users 8 copies per site
- Processing Capacity 8 copies per site
- (d) Product Use Product may be accessed, used, executed, reproduced, displayed, performed by Licensee to service all Authorized Users of the machine on which Product is installed, up to the capacity measured by the applicable licensing unit stated in the terms of license (i.e. payroll size, number of employees, CPU, MIPS, MSU, concurrent user, workstation).
- (e) Permitted License Transfers As Licensee's business operations may be altered, expanded or diminished, licenses granted hereunder may be transferred or combined for use at an alternative or consolidated Authorized User site not originally specified in the license, including transfers between Agencies ("permitted license transfers"). Licensee(s) do not have to obtain the approval of Contractor for permitted license transfers, but must give thirty (30) days prior written notice to Contractor of such move(s) and certify in writing that the Product is not in use at the prior site. There shall be no additional license or other transfer fees due Contractor, provided that: i) the maximum capacity of the consolidated machine is equal to the combined individual license capacity of all licenses running at the consolidated or transferred site. (e.g., named users, seats, or MIPS); and ii) that, if the maximum capacity of the consolidated machine is greater than the individual license capacity being transferred, a logical or physical partition or other means of restricting access will be maintained within the computer system so as to restrict use and access to the Product to that unit of licensed capacity solely dedicated to beneficial use for Licensee.
- Other Third Parties Outsourcers, facilities management or service bureaus retained by Licensee shall have the right to use the Product to maintain Licensee's business operations, including data processing, for the time period that they are engaged in such activities, provided that: 1) Licensee gives notice to Contractor of such party, site of intended use of the Product, and means of access; and 2) such party has executed, or agrees to execute, the Product manufacturers standard nondisclosure or restricted use agreement which executed agreement shall be accepted by the Contractor ("NonDisclosure Agreement"); and 3) if such party is engaged in the business of facility management, outsourcing, service bureau or other services, such third party will maintain a logical or physical partition within its computer system so as to restrict use and access to the program to that portion solely dedicated to beneficial use for Licensee. In no event shall Licensee assume any liability for third partys compliance with the terms of the Non-Disclosure Agreement, nor shall the Non-Disclosure Agreement create or impose any liabilities on the County or Licensee.

Any third party with whom a Licensee has a relationship for a state function or business operation, shall have the temporary right to use Product (using, for example, but not limited to, JAVA Applets), provided that such use shall be limited to the time period during which the third party is using the Product for the stated function or business activity.

- (g) Archival Back-Up and Disaster Recovery Licensee may use and copy the Product and related Documentation in connection with: 1) reproducing a reasonable number of copies of the Product for archival backup and disaster recovery procedures in the event of destruction or corruption of the Product or disasters or emergencies which require Licensee to restore backup(s) or to initiate disaster recovery procedures for its platform or operating systems; 2) reproducing a reasonable number of copies of the Product and related documentation for cold site storage. "Cold Site" storage shall be defined as a restorable back-up copy of the Product not to be installed until and alter the declaration by the Licensee of a disaster; 3) reproducing a back-up copy of the Product to run for a reasonable period of time in conjunction with a documented consolidation or transfer otherwise allowed under paragraph (F) above. "Disaster Recovery" shall be defined as the installation and storage of Product in ready-to-execute, back-up computer systems prior to disaster or breakdown which is not used for active production or development.
- (h) Confidentiality Restrictions The Product is a trade secret and proprietary product. Licensee and its employees will keep the Product strictly confidential, and Licensee will not disclose or otherwise distribute or reproduce any Product to anyone other than as authorized under the terms of license. Licensee will not remove or destroy any proprietary markings of Contractor.
- (i) Restricted Use by Licensee Except as expressly authorized by the terms of license, Licensee shall not:
 - a. Copy the Product;
 - b. Cause or permit reverse compilation or reverse assembly of all or any portion of the Product;
 - c. Distribute, disclose, market, rent, lease or transfer to any third party any portion of the Product or the Documentation, or use the Product or Documentation in any service bureau arrangement:
 - d. Disclose the results of Product performance benchmarks to any third party who is not an Authorized User without prior notice to Contractor;
 - e. Export the Licensed Software in violation of any U.S. Department of Commerce export administration regulations.
- **75. ENTERPRISE LICENSE OPTION FOR SOFTWARE** Multiple Authorized Users may license any Product offered under the Contract on behalf of their collective business operations. An Enterprise License shall incorporate the terms set forth in this Part II and the pricing set forth in the Contract, and additionally the following terms:
 - (a) Enterprise Defined Any Authorized User may be an Enterprise Participant. Enterprise Participants will be enumerated in the Enterprise License, including: i) contact name, ship to and main billing address of each Enterprise Participant, ii) street address of the included End User sites of each Enterprise Participant. The originally defined Enterprise may be modified at any time thereafter, including deletion or addition of Enterprise Participants, sites ownership to locations, provided that Contractor is given written notice and that any additional capacity required by such addition is licensed in accordance with the Enterprise License terms.
 - **(b) Product Use** Product licensed under this Enterprise Option shall be licensed with the rights set forth in this Part II, without reference to a specific designated system or Licensee, up to the maximum licensed capacity. Product may be used and freely transferable anywhere

within the defined Enterprise, including higher or lower performance machines, and Enterprise Participants will not incur an increase in license, support or other charges provided that the aggregate utilization of the Product does not exceed the aggregate Enterprise Licensed capacity.

- (c) Submission of Orders, Billing and Usage Reporting An Enterprise may be established for order placement and billing as either a "single" or "multiple" point of contact, at Licensees option. Where designated as a "single", one Enterprise Participant shall be designated as the lead agency and central point for submission of Purchase Orders, usage reporting and billing. Where designated as "multiple" point of contact, each designated Enterprise Participant shall be responsible for submission of Purchase Orders, reporting and billing with regard to its use of Enterprise Licensed Product. For either single or multiple point of contact Enterprises, a) Contractor agrees to hold each Enterprise Participant solely responsible for payment and performance; and b) Contractor shall be responsible for furnishing an annual report to each designated point of contact summarizing overall Enterprise License activity for the preceding twelve months.
- **(d) Shipping** / **Delivery** Contractor shall be responsible for delivery of Master Copies of Enterprise Licensed Product and documentation to Enterprise Participants. Within either "Single" or "Multiple" Enterprise Licenses, shipping and delivery of Master Copies of Product and Documentation shall be the responsibility of Contractor to each "ship to" location specified on the Purchase Order(s). Distribution and installation of Enterprise Licensed Product to End Users at a site shall be the responsibility of the Licensee.
- (e) Enterprise Operating Systems Unless otherwise specified by the parties, up to ten (10) hardware/operating system combinations for Product shall be included at no additional charge. The initial ten hardware/operating systems may be specified at any time within five (5) years of the Enterprise License effective date. Additional hardware/operating systems beyond the initial ten (10) may be specified at anytime by the Enterprise, however if additional copies of Product are required for hardware/operating systems beyond the initial ten, the cost for such systems will be as mutually agreed between the parties.
- **(f) Product Acceptance** Each Enterprise Participant shall have a right of acceptance, as set forth above in this Part II, only for the first copy of Product for its site(s).
- (g) Enterprise Fees Enterprise License Fees shall be set forth in the Contract. Notwithstanding the foregoing, the Product license fees for additional copies or units of capacity for Enterprise licensed Product shall not increase by more than six percent (6%) annually each year during the Enterprise License term. Contractor may offer additional discounts/incentives for Enterprise Participants as may be mutually agreed between the parties. Enterprise Participants shall be entitled to aggregate the volume of all Enterprise Participants for purposes of establishing any applicable discounts under the Contract, and Enterprise Licensed Volume shall be aggregated with volume of non-Enterprise Licensed Product otherwise purchased under the centralized Contract. Upon termination of the Enterprise, Enterprise Participants have the right to acquire additional capacity or users at the Enterprise License price for twelve months after the termination of the Enterprise License.
- (h) Technical Support Unless otherwise mutually agreed, technical support is optional and may be elected individually by Product by each Enterprise Participant. Where an Enterprise Participant is under a current maintenance or technical support contract, such Enterprise Participant shall be entitled to credit any support paid covering any portion of the Enterprise License Term to the fees due under the Enterprise license.

Enterprise Participants shall have the right to partially or wholly de-support a subset of unused Enterprise licensed capacity upon written notice to Contractor at the end of any then -

current technical support term without penalty or charge. The capacity for a Program license which has been de-supported must remain inactive and may not be used within the Enterprise unless technical support for such capacity has been reinstated. In the event of de-support, Contractor reserves the right to reasonably determine compatibility of future releases or new programs prior to shipment.

- (i) Merger of Two or More Enterprises Two or more Enterprises may be merged to form a larger Enterprise for the purpose of sharing and exchanging data at no additional license fee provided that participants give Contractor notice of such merger and that the combined capacity does not exceed the maximum capacity of the individual licenses.
- (j) "Nested" Enterprises Individual Enterprise License participant(s) may license additional capacity or products for the specific use of a subset of the larger enterprise. Said participant(s) must certify in writing to Contractor that such use is only by the enumerated subset of participants.
- **(k) Default** A default by any Enterprise Participant shall entitle the Contractor to the remedies against such participant under the Contract, but shall not be deemed a default by the remaining non-defaulting Enterprise Participants.
- **76. PRODUCT ACCEPTANCE** Unless otherwise provided in the Bid Specifications, the County and/or Authorized User(s) shall have sixty (60) days from delivery to accept Product. Failure to provide notice of acceptance or rejection by the end of the period provided for under this clause would constitute acceptance by the County or Authorized User(s) as of the expiration of that period.

Unless otherwise provided in the Bid Specifications, The County or Authorized User shall have the option to run acceptance testing on the Product prior to acceptance, such tests and data sets to be specified by User. Where using its own data or tests, The County or Authorized User must have the tests or representative set of data available upon delivery. This demonstration will take the form of a documented installation test, capable of observation by the County or Authorized User, and shall be made part of the Contractors standard documentation. The test data shall remain accessible to the County or Authorized User after completion of the test.

In the event that the documented installation test cannot be completed successfully within sixty (60) days from delivery, and the Contractor or Product is responsible for the delay, The County or Authorized User shall have the option to cancel the order in whole or in part, or to extend the testing period for another sixty (60) day increment. The County or Authorized User shall notify Contractor of acceptance upon successful completion of the documented installation test. Such cancellation shall not give rise to any cause of action against the County or Authorized User for damages, loss of profits, expenses, or other remuneration of any kind.

Costs and liabilities associated with a failure of the Product to perform in accordance with the functionality tests or product specifications during the acceptance period shall be borne fully by Contractor to the extent that said costs or liabilities shall not have been caused by negligent or willful acts or omissions of the The County or Authorized Users agents or employees. Said costs shall be limited to fees paid to Contractor, if any, or any liability for costs incurred at the direction or recommendation of Contractor.

77. AUDIT OF LICENSED PRODUCT USAGE Contractor shall have the right to periodically audit, at its expense, use of licensed Product at any site where a copy of the Product resides provided that: i) Contractor gives Licensee or Enterprise Participants at least thirty (30) days advance notice, ii) such audit is conducted during such party's normal business hours iii) each Licensee or Enterprise Participant is entitled to designate a representative who shall be entitled to participant and simultaneously review all information obtained by the audit, and shall be entitled to copies of all reports, data or information obtained by the Contractor; and iv) if the audit shows that such party is not in

compliance such party shall be liable for the unlicensed capacity and shall be required to purchase the additional units or rights necessary to bring it into compliance.

78. OWNERSHIP / TITLE TO CUSTOM PRODUCTS OR PROGRAMMING Where contract deliverables include custom products or programming, title, rights and interests to such Product(s) shall be determined as follows:

(a) Definitions

Product For purposes of this section, the term "Product" shall have the meaning set forth in Part I of these *General Specifications*, which includes, but is not limited to: software applications or programming, programming tools, documentation ~including user or training manuals), modules, interfaces, templates, and other elements such as utilities, subroutines, algorithms, formulas, source code, object code, reports, drawings, or data.

"Existing Product" is defined as any proprietary material(s) existing or developed independently and not at the expense of Licensee.

"Custom Product" is defined as any material(s), exclusive of Existing Product, created, prepared, written, compiled or developed by Contractor, or anyone acting on his behalf for The County or Authorized User pursuant to the Contract.

- (b) Contractor or Third Party Manufacturers Title to Existing Product Title to Existing Product(s) does not transfer. With respect to such Existing Product(s), whether embedded in or operating in conjunction with Custom Product, Contractor warrants: a) all right, title and interest in Contractors Existing Product(s); or b) all license rights, title and interest in third party Existing Product(s), which include the right to grant to The County or Authorized User an irrevocable, non-exclusive, worldwide, paid-up license to use, execute, reproduce, display, perform, and distribute Existing Product(s). Contractor hereby grants a irrevocable, non-exclusive, worldwide, paid-up license to use, execute, reproduce, display, perform, and distribute Existing Product(s) embedded in or transferred for use in conjunction with Custom Product(s). The Licensee agrees to reproduce the copyright notice and any other legend of ownership on any copies made under the license granted under this paragraph prior to distribution or use.
- (c) Title to Custom Product Title to Custom Product(s), excluding Existing Product, shall be deemed the sole and exclusive property of the County or Authorized User, who shall have all right, title and interest (including ownership and copyrights). For the purposes of the federal copyright law, execution of this contract shall constitute an assignment of all right, title and interest in the Custom Product(s) by Contractor to the County or Authorized User. The County or Authorized User, in its sole discretion, reserves the right to sell Custom Product or to license them on an exclusive or non-exclusive basis to Contractor or other Third Parties. Contractor hereby agrees to take all necessary and appropriate steps to ensure that Custom Product is protected against unauthorized use, execution, reproduction, display, performance, or distribution by or through Contractor, its partners or agents. Notwithstanding this reservation of title, Contractor shall not be precluded from using the related or underlying general knowledge, skills and experience developed in the course of providing the Custom Product in the course of Contractor's business.
- (d) Acquisitions Funded By Tax Exempt Financing In addition to the foregoing rights under a, b and c, the sale or licensing of Custom Product or rights therein shall not occur until such Product or rights are or become useable, and shall be at fair market value which shall be determined at the time of sale or licensing. Any such transfer shall be pursuant to a separate written agreement. If the Contract deliverables are to be funded through tax exempt financing, the County or Authorized User may assign to a Trustee or other entity for security purposes County or Authorized Users ownership and license rights in Custom and Existing Products. Contractor will cooperate with the County or Authorized User to execute such other documents as may be appropriate to achieve the objectives of

this paragraph.

- (e) Other Acquisitions (Not Funded by Tax Exempt Financing) In addition to the rights set forth above (paragraphs "a", "b" and "c"), the County or Authorized User reserves the right to transfer any or all rights to Custom Materials on an exclusive or non-exclusive basis. Where such transfer (sale or licensing) is provided in the Bid Specifications, Contractor shall include a purchase price for such rights in its bid. Such price shall be offered as a deduction from Contractor's overall Bid or Project Bid price, and shall be weighted as set forth in the bid evaluation criteria, if any. Such rights shall transfer to the successful Bidder/Contractor upon successful completion and acceptance by the County or Authorized User of all contract deliverables. Contractor will cooperate with the County or Authorized User to execute such other documents as may be appropriate to achieve the objectives of this paragraph.
- **79. PROOF OF LICENSE** The Contractor must provide to each Licensee who places a Product order either: a) the Product manufacturer's certified License Confirmation Certificates in the name of each such Licensee; or b) a written confirmation from the Product manufacturer accepting Contractors Product invoice as proof of license. Bidder or Contractor shall submit a sample manufacturers certificate, or alternatively such written confirmation from the manufacturer, with the Bid or Contract. Such certificates must be in a form acceptable to the Licensee.
- **80. PRODUCT VERSION** Product orders shall be deemed to reference Manufacturers most recently released model or version of the Product at time of delivery, unless an earlier model or version is specifically requested in writing by the County or Authorized User and Contractor is willing to provide such version.
- **81. MIGRATION TO CENTRALIZED CONTRACT** The County or Authorized User may obtain additional Product authorized under this contract, (e.g., licensed capacity upgrades, new releases, documentation, maintenance, consulting or training) whether or not Product was initially obtained independently of this contract. The County or Authorized Users election to obtain additional Product shall not operate to diminish, alter or extinguish rights previously granted.
- **82. NOTICE OF PRODUCT DISCONTINUANCE** In the event that a Product manufacturer proposes to discontinue maintenance or support for Product, Contractor shall (1) notify the County and each Authorized User in writing of the intended discontinuance, and (2) continue to provide maintenance and support for the greater of: a) the best terms offered by Contractor to any other customer, or b) not less than eighteen (18) months from the date of notice, and (3) at The County or Authorized Users option, either a) provided that the County or Authorized User is under maintenance, provide the County or Authorized User with either a Product replacement with equivalent functionality at no additional charge, or b) provide County or Authorized User with the source code for Licensed Product at no additional charge to enable it to continue use and maintenance of the Product.
- **83. REINSTATEMENT OF MAINTENANCE** The County or Authorized User shall not be required to purchase maintenance for use of Product, and may discontinue maintenance at the end of any current maintenance term upon written notice to Contractor. In the event that The County or Authorized User discontinues maintenance of licensed Product, it may, at any time thereafter, reinstate maintenance for Product without any additional penalties or other charges, by paying Contractor at rates which would have been due under the contract for the period of time that such maintenance had lapsed, or for twelve months, whichever is less.
- **84. NO HARDSTOP / PASSIVE LICENSE MONITORING** Contractor hereby represents, warrants and covenants that the Product and all Upgrades do not and will not contain any computer code that would disable the Product or Upgrades or impair in any way its operation based on the elapsing of a period of time, exceeding an authorized number of copies, advancement to a particular date or other numeral, or other similar self-destruct mechanisms (sometimes referred to as "time bombs", "time locks", or "drop dead" devices) or that would permit Contractor to access the Product to cause such disablement or

impairment (sometimes referred to as a "trap door" device). Contractor agrees that in the event of a breach or alleged breach of this provision that The County or Authorized User shall not have an adequate remedy at law, including monetary damages, and that The County or Authorized User shall consequently be entitled to seek a temporary restraining order, injunction, or other form of equitable relief against the continuance of such breach, in addition to any and all remedies to which The County or Authorized User shall be entitled.

- **85. ADDITIONAL WARRANTIES / GUARANTEES** Where Contractor or Product manufacturer offers additional or more advantageous warranties than set forth herein, Contractor shall offer or pass through any additional or more advantageous warranties to The County or Authorized Users. In addition to the 'Warranties/Guarantees' set forth in Part I, Contractor makes the following warranties.
 - (a) Product Performance Warranty Contractor represents and warrants that the Products delivered pursuant to this contract conform to the manufacturers specifications, performance standards, and documentation and that the documentation fully describes the proper procedure for using the Products in an efficient manner. Contractor does not warrant that software is error-free.

In the event that Contractor does not remedy a substantial breach of this warranty within the cure period, Licensee shall also have the right to terminate any payments due Contractor, with a refund of the any fees prospectively paid from the date of breach.

- **(b)** Year 2000 Warranty For all procurements of Product, Contractor must furnish a warranty statement in accordance with the NYS Standard Year 2000 Warranty Compliance Statement set forth in Part I at the time of bid for agency specific contracts or product order for centralized contracts.
- **(c) Virus Warranty** Contractor represents and warrants that Licensed Software contains no known viruses. Bidder is not responsible for viruses introduced at Licensees site. For purposes of this provision, "Virus" shall have the meaning set forth in Part II, "Definitions".

A breach of any of the foregoing shall be deemed a material breach of the Contract or any License granted thereunder. The defaulting party shall be given written notice of a warranty breach under this section and shall have a thirty (30) day period to cure such breach.

86. INDEMINIFICATION THE WARRANTIES SET FORTH IN THESE GENERAL SPECIFICATIONS (PARTS I and II) ARE IN LIEU OF ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

Contractor shall defend, indemnify and save harmless the County and Authorized Users from suits, actions, claims, damages and costs arising under or connected to Contractors actions, and except where express loss liabilities set forth elsewhere in the Contract provide for a higher loss limitation liability than as set forth in this paragraph, or where such express provisions impose Contractor liability on "without limitation", the total liability of Contractor for such claim(s), regardless of the nature and basis for the claim, shall not exceed two (2) times the fees paid for the applicable Product. For any suit, action, claim, damages or costs arising under or are connected to personal injury or property damage, or breach of the title, patent and copyright warranties, Contractor shall be fully liable without limitation.

The County or Authorized User may retain such moneys from the amount due Contractor as may be necessary to satisfy any claim for damages, costs and the like asserted by or against the County or Authorized User, provided however, that Contractor shall not indemnify each such entity to the extent that any claim, loss or damages arising hereunder is caused by the negligence act or failure to act of said entity.

87. SOURCE CODE ESCROW FOR LICENSED PRODUCTS If source code or source code escrow is offered by either Contractor or Product manufacturer/developer to any other commercial customers, Contractor either: i) will provide Licensee with the Source Code for the Product; or ii) place the Source Code in a third party escrow arrangement with a designated escrow agent who shall be named and identified to the County, and who shall be directed to release the deposited Source Code in accordance with a standard escrow agreement acceptable to the County, or iii) will certify to the County that the Product manufacturer/developer has named the County, and the Licensee, as a named beneficiary of an established escrow arrangement with its designated escrow agent who shall be named and identified to the County and Licensee, and who shall be directed to release the deposited Source Code in accordance with the terms of escrow. Source Code, as well as any corrections or enhancements to such source code, shall be updated for each new release of the Product in the same manner as provided above. Contractor shall identify the escrow agent upon commencement of the contract term and shall certify annually that the escrow remains in effect in compliance with the terms of this paragraph.

The County may release the Source Code to Licensees under this Contract who have licensed Product or obtained services, who may use such copy of the Source Code to maintain the Product.